




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C12N 15/52, 15/70, 1/21, C12P 19/62, C12Q 1/68, C07K 14/195		A1	(11) International Publication Number: WO 99/46387
(21) International Application Number: PCT/US99/03212		(43) International Publication Date: 16 September 1999 (16.09.99)	
(22) International Filing Date: 16 February 1999 (16.02.99)		(74) Agent: STUART, Donald, R.; 9330 Zionsville Road, Indianapolis, IN 46268 (US).	
(30) Priority Data: 09/036,987 9 March 1998 (09.03.98) US		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(71) Applicant (for all designated States except US): DOW AGROSCIENCES LLC [US/US]; 9330 Zionsville Road, Indianapolis, IN 46268 (US).		<p>Published</p> <p><i>With international search report.</i></p> <p><i>With amended claims.</i></p> <p><i>With an indication in relation to deposited biological material furnished under Rule 13bis separately from the description.</i></p>	
(72) Inventors; and			
(75) Inventors/Applicants (for US only): BALTZ, Richard, H. [US/US]; 6438 North Olney Road, Indianapolis, IN 46220 (US). BROUGHTON, M., Christine [US/US]; 5430 Central Avenue, Indianapolis, IN 46220 (US). CRAWFORD, Kathryn, P. [US/US]; 432 North Riley Avenue, Indianapolis, IN 46201 (US). MADDURI, Krishnamurthy [US/US]; 31 Towne Commons West, Woodlawn, OH 45215 (US). MERLO, Donald, J. [US/US]; 11845 Durbin Drive, Carmel, IN 46032 (US). TREADWAY, Patti, J. [US/US]; 4268 West Fox Ridge Avenue, Greenwood, IN 46143 (US). TURNER, Jan, R. [US/US]; 651 Ash Drive, Carmel, IN 46032 (US). WALDRON, Clive [US/US]; 6206 Green Leaves Road, Indianapolis, IN 46220 (US).			

(54) Title: BIOSYNTHETIC GENES FOR SPINOSYN INSECTICIDE PRODUCTION



(57) Abstract

Spinosyn biosynthetic genes, spinosyn producing microorganisms transformed with the biosynthetic genes, methods using the biosynthetic genes to increase production of spinosyn insecticidal macrolides, and methods using the genes or fragments thereof to change the products produced by spinosyn-producing microorganisms.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.


AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						




BIOSYNTHETIC GENES FOR SPINOSYN INSECTICIDE PRODUCTION

The present invention provides novel biosynthetic genes, vectors incorporating the biosynthetic genes, *Saccharopolyspora spinosa* strains transformed with the biosynthetic genes, methods using these genes to increase production of spinosyn insecticidal macrolides, and methods using the genes or fragments thereof to change the products produced by spinosyn-producing strains of *Saccharopolyspora spinosa*.

As disclosed in US Patent No. 5,362,634, fermentation product A83543 is a family of related compounds produced by *Saccharopolyspora spinosa*. The known members of this family have been referred to as factors or components, and each has been given an identifying letter designation. These compounds are hereinafter referred to as spinosyn A, B, etc. The spinosyn compounds are useful for the control of arachnids, nematodes and insects, in particular *Lepidoptera* and *Diptera* species, and they are quite environmentally friendly and have an appealing toxicological profile. Tables 1 and 2 identify the structures of a variety of known spinosyn compounds:

Table 1



Factor	R ^{1'}	R ^{2'}	R ^{3'}	R ^{4'}	R ^{5'}	R ^{6'}	R ^{7'}
spinosyn A	H	CH ₃	(CH ₃) ₂ N 	C ₂ H ₅	CH ₃	CH ₃	CH ₃
			(a)				
spinosyn B	H	CH ₃	(CH ₃)NH 	C ₂ H ₅	CH ₃	CH ₃	CH ₃
			(b)				
spinosyn C	H	CH ₃	H ₂ N 	C ₂ H ₅	CH ₃	CH ₃	CH ₃
			(c)				
spinosyn D	CH ₃	CH ₃	(a)	C ₂ H ₅	CH ₃	CH ₃	CH ₃
spinosyn E	H	CH ₃	(a)	CH ₃	CH ₃	CH ₃	CH ₃
spinosyn F	H	H	(a)	C ₂ H ₅	CH ₃	CH ₃	CH ₃




Factor	R ^{1'}	R ^{2'}	R ^{3'}	R ^{4'}	R ^{5'}	R ^{6'}	R ^{7'}
spinosyn G	H	CH ₃	 (d)	C ₂ H ₅	CH ₃	CH ₃	CH ₃
spinosyn H	H	CH ₃	(a)	C ₂ H ₅	H	CH ₃	CH ₃
spinosyn J	H	CH ₃	(a)	C ₂ H ₅	CH ₃	H	CH ₃
spinosyn K	H	CH ₃	(a)	C ₂ H ₅	CH ₃	CH ₃	H
spinosyn L	CH ₃	CH ₃	(a)	C ₂ H ₅	CH ₃	H	CH ₃
spinosyn M	H	CH ₃	(b)	C ₂ H ₅	CH ₃	H	CH ₃
spinosyn N	CH ₃	CH ₃	(b)	C ₂ H ₅	CH ₃	H	CH ₃
spinosyn O	CH ₃	CH ₃	(a)	C ₂ H ₅	CH ₃	CH ₃	H
spinosyn P	H	CH ₃	(a)	C ₂ H ₅	CH ₃	H	H
spinosyn Q	CH ₃	CH ₃	(a)	C ₂ H ₅	H	CH ₃	CH ₃
spinosyn R	H	CH ₃	(b)	C ₂ H ₅	H	CH ₃	CH ₃
spinosyn S	H	CH ₃	(a)	CH ₃	H	CH ₃	CH ₃
spinosyn T	H	CH ₃	(a)	C ₂ H ₅	H	H	CH ₃
spinosyn U	H	CH ₃	(a)	C ₂ H ₅	H	CH ₃	H
spinosyn V	CH ₃	CH ₃	(a)	C ₂ H ₅	H	CH ₃	H
spinosyn W	CH ₃	CH ₃	(a)	C ₂ H ₅	CH ₃	H	H
spinosyn Y	H	CH ₃	(a)	CH ₃	CH ₃	CH ₃	H
spinosyn A 17-Psa	H	CH ₃	H	C ₂ H ₅	CH ₃	CH ₃	CH ₃
spinosyn D 17-Psa	CH ₃	CH ₃	H	C ₂ H ₅	CH ₃	CH ₃	CH ₃
spinosyn E 17-Psa	H	CH ₃	H	CH ₃	CH ₃	CH ₃	CH ₃
spinosyn F 17-Psa	H	H	H	C ₂ H ₅	CH ₃	CH ₃	CH ₃
spinosyn H 17-Psa	H	CH ₃	H	C ₂ H ₅	H	CH ₃	CH ₃
spinosyn J 17-Psa	H	CH ₃	H	C ₂ H ₅	CH ₃	H	CH ₃
spinosyn L 17-Psa	CH ₃	CH ₃	H	C ₂ H ₅	CH ₃	H	CH ₃

Table 2



Factor	R ^{1'}	R ^{2'}	R ^{3'}	R ^{4'}	R ^{5'}
spinosyn A 9-Psa	H	CH ₃	(CH ₃) ₂ N  (a)	C ₂ H ₅	H
spinosyn D 9-Psa	CH ₃	CH ₃	(a)	C ₂ H ₅	H
spinosyn A Aglycone	H	CH ₃	H	C ₂ H ₅	H
spinosyn D Aglycone	CH ₃	CH ₃	H	C ₂ H ₅	H

The naturally produced spinosyn compounds consist of a 5,6,5-tricyclic ring system, fused to a 12-membered macrocyclic lactone, a neutral sugar (rhamnose) and an amino sugar (forosamine) (see Kirst *et al.* (1991). If the amino sugar is not present the compounds have been referred to as the pseudoaglycone of A, D, etc., and if the neutral sugar is not present then the compounds have been referred to as the reverse pseudoaglycone of A, D, etc. A more preferred nomenclature is to refer to the pseudoaglycones as spinosyn A 17-Psa, spinosyn D 17-Psa, etc., and to the reverse pseudoaglycones as spinosyn A 9-Psa, spinosyn D 9-Psa, etc.

The naturally produced spinosyn compounds may be produced via fermentation from cultures NRRL 18395, 18537, 18538, 18539, 18719, 18720, 18743 and 18823. These cultures have been deposited and made part of the stock culture collection of the Midwest Area Northern Regional Research Center, Agricultural Research Service, United States Department of Agriculture, 1815 North University Street, Peoria, IL 61604.

U. S. Patent No. 5,362,634 and corresponding European Patent Application No. 375316 A1 disclose spinosyns A, B, C, D, E, F, G, H, and J. These compounds

are disclosed as being produced by culturing a strain of the novel microorganism *Saccharopolyspora spinosa* selected from NRRL 18395, NRL 18537, NRRL 18538, and NRRL 18539.

WO 93/09126 disclosed spinosyns L, M, N, Q, R, S, and T. Also disclosed
5 therein are two spinosyn J producing strains: NRRL 18719 and NRRL 18720, and a strain that produces spinosyns Q, R, S, and T: NRRL 18823.

WO 94/20518 and US 5,6704,486 disclose spinosyns K, O, P, U, V, W, and Y, and derivatives thereof. Also disclosed is spinosyn K-producing strain NRRL 18743.

A challenge in producing spinosyn compounds arises from the fact that a very
10 large fermentation volume is required to produce a very small quantity of spinosyns. It is highly desired to increase spinosyn production efficiency and thereby increase availability of the spinosyns while reducing their cost. A cloned fragment of DNA containing genes for spinosyn biosynthetic enzymes would enable duplication of genes coding for rate limiting enzymes in the production of spinosyns. This could be
15 used to increase yield in any circumstance when one of the encoded activities limited synthesis of the desired spinosyn. A yield increase of this type was achieved in fermentations of *Streptomyces fradiae* by duplicating the gene encoding a rate-limiting methyltransferase that converts macrocin to tylosin (Baltz *et al.*, 1997). In another example, WO 97/06266 shows insertion of a second copy of ery G into a
20 nonessential region of the *Sac. erythraea* chromosome to improve conversion of 6-deoxyerythromycin D to 6,12-dideoxyerythromycin A.

Cloned biosynthetic genes would also provide a method for producing new derivatives of the spinosyns which may have a different spectrum of insecticidal activity. New derivatives are desirable because, although known spinosyns inhibit a
25 broad spectrum of insects, they do not control all pests. Different patterns of control may be provided by biosynthetic intermediates of the spinosyns, or by their derivatives produced *in vivo*, or by derivatives resulting from their chemical modification *in vitro*. Specific intermediates (or their natural derivatives) could be synthesized by mutant strains of *S. spinosa* in which certain genes encoding enzymes
30 for spinosyn biosynthesis have been disrupted. Such strains can be generated by integrating, via homologous recombination, a mutagenic plasmid containing an

internal fragment of the target gene. Upon plasmid integration, two incomplete copies of the biosynthetic gene are formed, thereby eliminating the enzymatic function it encoded. The substrate for this enzyme, or some natural derivative thereof, should accumulate upon fermentation of the mutant strain. Such a strategy was used
5 effectively to generate a strain of *Saccharopolyspora erythraea* producing novel 6-deoxyerythromycin derivatives (Weber & McAlpine, 1992).

Novel intermediates could also be synthesized by mutant strains of *S. spinosa* in which parts of certain genes encoding enzymes for spinosyn biosynthesis have been replaced with parts of the same gene which have been specifically mutated *in vitro*, or
10 with corresponding parts of genes from other organisms. Such strains could be generated by swapping the target region, via double homologous recombination, with a mutagenic plasmid containing the new fragment between non-mutated sequences which flank the target region. The hybrid gene would produce protein with altered functions, either lacking an activity or performing a novel enzymatic transformation.
15 A new derivative would accumulate upon fermentation of the mutant strain. Such a strategy was used to generate a strain of *Saccharopolyspora erythraea* producing a novel anhydroerythromycin derivative (Donadio *et al.*, 1993). The nucleic acids of the invention can be used in production of engineered polyketide synthases of the type disclosed in WO 93/13663 and US 5,824,513, in production of hybrid polyketide
20 synthases of the type described in and WO 98/01546, WO 98/49315, and WO98/51695, and in construction of polyketide synthase libraries and polyketide libraries as described in WO 96/40968, WO 98/49315, WO 98/27203, US 5,783,431, US 5,824,485, and US 5,811,238.

Biosynthesis of spinosyns proceeds via stepwise condensation and
25 modification of 2- and 3-carbon carboxylic acid precursors, generating a linear polyketide that is cyclized and bridged to produce the tetracyclic aglycone. Pseudoaglycone (containing tri-O-methylated rhamnose) is formed next, then di-N-methylated forosamine is added to complete the biosynthesis (Broughton *et al.*, 1991). Other macrolides, such as the antibiotic erythromycin, the antiparasitic avermectin
30 and the immunosuppressant rapamycin, are synthesized in a similar fashion. In the bacteria producing these compounds, most of the macrolide biosynthetic genes are clustered together in a 70-80 kb region of the genome (Donadio *et al.*, 1991; MacNeil

et al., 1992; Schwecke *et al.*, 1995). At the centers of these clusters are 3-5 highly conserved genes coding for the very large, multifunctional proteins of a Type I polyketide synthase (PKS). Together the polypeptides form a complex consisting of an initiator module and several extender modules, each of which adds a specific acyl-CoA precursor to a growing polyketide chain, and modifies the β -keto group in a specific manner. The structure of a polyketide is therefore determined by the composition and order of the modules in the PKS. A module comprises several domains, each of which performs a specific function. The initiator module consists of an acyl transferase (AT) domain for addition of the acyl group from the precursor to an acyl carrier protein (ACP) domain. The extender modules contain these domains, along with a β -ketosynthase (KS) domain that adds the pre-existing polyketide chain to the new acyl-ACP by decarboxylative condensation. Additional domains may also be present in the extender modules to carry out specific β -keto modifications: a β -ketoreductase (KR) domain to reduce the β -keto group to a hydroxyl group, a dehydratase (DH) domain to remove the hydroxyl group and leave a double bond, and an enoyl reductase (ER) domain to reduce the double bond and leave a saturated carbon. The last extender module terminates with a thioesterase (TE) domain that liberates the polyketide from the PKS enzyme in the form of a macrocyclic lactone.

Macrolides are derived from macrocyclic lactones by additional modifications, such as methylation and changes in reductive state, and the addition of unusual sugars. Most of the genes required for these modifications, and for the synthesis and attachment of the sugars, are clustered around the PKS genes. The genes encoding deoxysugar biosynthetic enzymes are similar in producers of macrolide antibiotics, such as erythromycin and tylosin (Donadio *et al.*, 1993; Merson-Davies & Cundliffe, 1994), and producers of extracellular polysaccharides, such as the O-antigens of *Salmonella* and *Yersinia* (Jiang *et al.*, 1991; Kessler *et al.*, 1993). All these syntheses involve activation of glucose by the addition of a nucleotide diphosphate, followed by dehydration, reduction and/or epimerization. The resultant sugar could undergo one or more modifications such as deoxygenation, transamination and methylation, depending upon the type of sugar moiety present in the macrolide. The sugars are incorporated into macrolides by the action of specific glycosyltransferases. Genes involved in the synthesis and attachment of a sugar may be tightly clustered - even

transcribed as a single operon - or they may be dispersed (Decker & Hutchinson, 1993; Jarvis & Hutchinson, 1994). Spinosyn synthesis also involves bridging of the lactone nucleus, an activity that is rare in macrolide producers. Therefore, the spinosyn biosynthetic cluster may uniquely contain additional genes encoding
5 enzymes for this function.

The following terms are used herein as defined below:

AmR - the apramycin resistance-conferring gene.

ApR - the ampicillin resistance-conferring gene.

ACP - acyl carrier protein.

10 AT - acyltransferase.

bp - base pairs.

Cloning - the process of incorporating a segment of DNA into a recombinant DNA cloning vector and transforming a host cell with the recombinant DNA.

CmR - the chloramphenicol resistance-conferring gene.

15 Codon bias - the propensity to use a particular codon to specify a specific amino acid. In the case of *S. spinosa*, the propensity is to use a codon having cytosine or guanine as the third base.

Complementation - the restoration of a mutant strain to its normal phenotype by a cloned gene.

20 Conjugation - a process in which genetic material is transferred from one bacterial cell to another.

cos - the lambda cohesive end sequence.

Cosmid - a recombinant DNA cloning vector which is a plasmid that not only can replicate in a host cell in the same manner as a plasmid but also can be packaged
25 into phage heads.

DH - dehydratase.

ER - enoyl reductase.

Exconjugant - recombinant strain derived from a conjugal mating.

Gene - a DNA sequence that encodes a polypeptide.

Genomic Library - a set of recombinant DNA cloning vectors into which segments of DNA, representing substantially all DNA sequences in a particular organism have been cloned.

Homology - degree of similarity between sequences

5 Hybridization - the process of annealing two single stranded DNA molecules to form a double stranded DNA molecule, which may or may not be completely base paired.

In vitro packaging - the *in vitro* encapsulation of DNA in coat protein to produce a virus-like particle that can introduce DNA into a host cell by infection

10 kb - kilo base pairs.

KR - β -keto reductase.

KS - ketosynthase.

Mutagenesis - creation of changes in DNA sequence. They can be random or targeted, generated *in vivo* or *in vitro*. Mutations can be silent, or can result in
15 changes in the amino acid sequence of the translation product which alter the properties of the protein and produce a mutant phenotype.

NmR - the neomycin resistance-conferring gene.

ORF - open reading frame.

ori - a plasmid origin of replication (oriR) or transfer (oriT).

20 PKS - polyketide synthase.

Promoter - a DNA sequence that directs the initiation of transcription.

Recombinant DNA cloning vector - any autonomously replicating or integrating agent, including , but not limited to, plasmids, comprising a DNA molecule to which one or more additional DNA molecules can be or have been added.

25 Recombinant DNA methodology - technologies used for the creation, characterization, and modification of DNA segments cloned in recombinant DNA vectors.

Restriction fragment - any linear DNA molecule generated by the action of one or more restriction enzymes.

Spinosyn - a fermentation product typically characterized by a 5,6,5-tricyclic ring system, fused to a 12-membered macrocyclic lactone, a neutral sugar (rhamnose) and an amino sugar (forosamine), or a similar macrocyclic lactone fermentation product produced by a microorganism utilizing all or most of the spinosyn genes.

5 Spinosyn genes- the DNA sequences that encode the products required for spinosyn biosynthesis, more specifically the genes *spnA*, *spnB*, *spnC*, *spnD*, *spnE*, *spnF*, *spnG*, *spnH*, *spnI*, *spnJ*, *spnK*, *spnL*, *spnM*, *spnN*, *spnO*, *spnP*, *spnQ*, *spnR*, *spnS*, *S. spinosa gtt*, *S. spinosa gdh*, *S. spinosa epi*, and *S. spinosa kre*, as described hereinafter, or functional equivalents thereof.

10 Subclone - a cloning vector with an insert DNA derived from another DNA of equal size or larger.

TE - thioesterase.

Transformation - the introduction of DNA (heterologous or homologous) into
15 a recipient host cell that changes the genotype and results in a change in the recipient cell.

Brief Description of the Figures

FIG. 1 is a diagram illustrating the spinosyn biosynthetic pathway.

FIG. 2 is a map illustrating the arrangement of *Bam*HI fragments and open reading frames in the cloned region of *S. spinosa* DNA.

20 FIG. 3 is a restriction site and functional map of Cosmid pOJ436.

FIG. 4 is a restriction site and functional map of Cosmid pOJ260.

FIG. 5 is a restriction site and functional map of pDAB 1523.

Brief Description of the Invention

Spinosyn biosynthetic genes and related ORFs were cloned and the DNA
25 sequence of each was determined. The cloned genes and ORFs are designated hereinafter as *spnA*, *spnB*, *spnC*, *spnD*, *spnE*, *spnF*, *spnG*, *spnH*, *spnI*, *spnJ*, *spnK*, *spnL*, *spnM*, *spnN*, *spnO*, *spnP*, *spnQ*, *spnR*, *spnS*, ORFL15, ORFL16, ORFR1, ORFR2, *S. spinosa gtt*, *S. spinosa gdh*, *S. spinosa epi*, and *S. spinosa kre*. The

proposed functions of the cloned genes in spinosyn biosynthesis are identified FIG. 1 and in the discussion hereinafter.

In one of its aspects, the invention provides an isolated DNA molecule comprising a DNA sequence that encodes a spinosyn biosynthetic enzyme, wherein
5 said enzyme is defined by an amino acid sequence selected from the group consisting of SEQ ID NOS 2-5, 7-24, 26, 27, 29, and 33, or said enzyme is defined by one of said amino acid sequences in which one or more amino acid substitutions have been made that do not affect the functional properties of the encoded enzyme. In a preferred embodiment, the DNA sequence is selected from the group of genes
10 consisting of *spnA*, *spnB*, *spnC*, *spnD*, *spnE*, *spnF*, *spnG*, *spnH*, *spnI*, *spnJ*, *spnK*, *spnL*, *spnM*, *spnN*, *spnO*, *spnP*, *spnQ*, *spnR*, *spnS*, ORFL15, ORFL16, ORFR1, ORFR2, *S. spinosa gtt*, *S. spinosa gdh*, *S. spinosa epi*, and *S. spinosa kre*, said genes being described by, respectively, bases 21111-28898, 28916-35374, 35419-44931, 44966-59752, 59803-76569, 20168-20995, 18541-19713, 17749-18501, 16556-
15 17743, 14799-16418, 13592-14785, 12696-13547, 11530-12492, 10436-11434, 8967-10427, 7083-8450, 5363-6751, 4168-5325, 3416-4165, 2024-2791, 1135-1971, 76932-77528 and 77729-79984 of SEQ ID NO:1, bases 334-1119 of SEQ ID NO:27, bases 88-1077 of SEQ ID NO 24, bases 226-834 of SEQ ID NO 31, and bases 1165-1992 of SEQ ID NO:24.

20 In another of its aspects, the invention provides an isolated DNA molecule comprising a DNA sequence that encodes a spinosyn PKS domain selected from KSi, ATi, ACpi, KS1, AT1, KR1, and ACP1, said domains being described by, respectively, amino acids 6-423, 528-853, 895-977, 998-1413, 1525-1858, 2158-2337, and 2432-2513 of SEQ ID NO:2. In a preferred embodiment, the DNA sequence is
25 selected from the group consisting of bases 21126-22379, 22692-23669, 23793-24041, 24102-25349, 25683-26684, 27582-28121, and 28404-28649 of SEQ ID NO:1.

In another of its aspects, the invention provides an isolated DNA molecule comprising a DNA sequence that encodes a spinosyn PKS domain selected from KS2,
30 AT2, DH2, ER2, KR2, and ACP2, said domains being described by, respectively, amino acids 1-424, 536-866, 892-1077, 1338-1683, 1687-1866, and 1955-2034 of

SEQ ID NO:3. In a preferred embodiment the DNA sequence is selected from the group consisting of bases 29024-30295, 30629-31621, 31697-32254, 33035-34072, 34082-34621, 34886-35125 of SEQ ID NO:1.

In another of its aspects, the invention provides an isolated DNA molecule
5 comprising a DNA sequence that encodes a spinosyn PKS domain selected from KS3, AT3, KR3, ACP3, KS4, AT4, KR4, and ACP4, said domains being described by, respectively, amino acids 1-423, 531-280, 1159-1337, 1425-1506, 1529-1952, 2066-2396, 2700-2880, and 2972-3053 of SEQ ID NO:4. In a preferred embodiment the DNA sequence is selected from the group consisting of bases 35518-36786, 37108-
10 38097, 38992-39528, 39790-40035, 40102-41373, 41713-42705, 43615-44157, and 44431-44676 of SEQ ID NO:1.

In another of its aspects the invention provides an isolated DNA molecule comprising a DNA sequence that encodes a spinosyn PKS domain selected from KS5, AT5, DH5, KR5, ACP5, KS6, AT6, KR6, ACP6, KS7, AT7, KR7, and ACP7, said
15 domains being described by, respectively, amino acids 1-424, 539-866, 893-1078, 1384-1565, 1645-1726, 1748-2172, 2283-2613, 2916-3095, 3188-3269, 3291-3713, 3825-4153, 4344-4638, and 4725-4806 of SEQ ID NO:5. In a preferred embodiment the DNA sequence is selected from the group consisting of bases 45077-46348, 46691-47674, 47753-48310, 49226-49771, 50009-50254, 50318-51592, 51923-
20 52915, 53822-54361, 54638-54883, 54947-56215, 56549-57535, 58106-58990, and 59249-59494 of SEQ ID NO:1.

In another of its aspects, the invention provides an isolated DNA molecule comprising a DNA sequence that encodes a spinosyn PKS domain selected from KS8, AT8, DH8, KR8, ACP8, KS9, AT9, DH9, KR9, ACP9, KS10, AT10, DH10, KR10,
25 ACP10, and TE10, said domains being described by, respectively, amino acids 1-424, 530-848, 883-1070, 1369-1552, 1648-1726, 1749-2173, 2287-2614, 2640-2800, 3157-3341, 3422-3500, 3534-3948, 4060-4390, 4413-4597, 4900-5078, 5172-5253, and 5302-5555 of SEQ ID NO:6. In a preferred embodiment, the DNA sequence is selected from the group consisting of bases 59902-61173, 61489-62445, 62548-
30 63111, 64006-64557, 64843-65079, 65146-66420, 66760-67743, 67819-68301, 69370-69924, 70165-70401, 70471-71745, 72079-73071, 73138-73692, 74599-75135, 75415-75660, and 75805-76566 of SEQ ID NO:1.

In another of its aspects the invention provides an isolated DNA molecule comprising a DNA sequence that encodes a spinosyn PKS module, said module being selected from the group consisting of amino acids 6-1413 of SEQ ID NO:2, 1525-2513 of SEQ ID NO:2, 1-2034 of SEQ ID NO:3, 1-1506 of SEQ ID NO:4, 1529-3053 of SEQ ID NO:4, 1-1726 of SEQ ID NO:5, 1748-3269 of SEQ ID NO:5, 3291-4806 of SEQ ID NO:5, 1-1726 of SEQ ID NO:5, 1-1726 of SEQ ID NO:6, 1749-3500 of SEQ ID NO:6, and 35434-5555 of SEQ ID NO:6. In a preferred embodiment the DNA sequence is selected from the group consisting of bases 21126-24041, 24102-28649, 29024-35125, 35518-40035, 40102-44676, 45077-50254, 50318-54883, 54947-59494, 59902-65079, 65146-70401, and 70471-76566 of SEQ ID NO:1.

In another of its aspects, the invention provides a recombinant DNA vector which comprises a DNA sequence of the invention as described above.

In another of its aspects the invention provides a host cell transformed with a recombinant vector of the invention as described above.

In another of its aspects, the invention provides a method of increasing the spinosyn-producing ability of a spinosyn-producing microorganism comprising the steps of

1) transforming with a recombinant DNA vector or portion thereof a microorganism that produces spinosyn or a spinosyn precursor by means of a biosynthetic pathway, said vector or portion thereof comprising a DNA sequence of the invention, as described above, that codes for the expression of an activity that is rate limiting in said pathway, and

2) culturing said microorganism transformed with said vector under conditions suitable for cell growth and division, expression of said DNA sequence, and production of spinosyn.

In another of its aspects the invention provides a spinosyn-producing microorganism having operative spinosyn biosynthetic genes wherein at least one of the spinosyn biosynthetic genes *spnA*, *spnB*, *spnC*, *spnD*, *spnE*, *spnF*, *spnG*, *spnH*, *spnI*, *spnJ*, *spnK*, *spnL*, *spnM*, *spnN*, *spnO*, *spnP*, *spnQ*, *spnR*, *spnS*, *S. spinosa gtt*, *S. spinosa gdh*, *S. spinosa epi*, or *S. spinosa kre* has been duplicated.

In another of its aspects the invention provides a spinosyn-producing microorganism, said microorganism having spinosyn biosynthetic genes in its

genome, wherein at least one of said genes has been disrupted by recombination with an internal fragment of that gene, the rest of said genes being operational to produce a spinosyn other than the one that would be produced if the disrupted gene were operational. Preferably the microorganism is an *S. spinosa* mutant.

5 The invention also provides a spinosyn-producing microorganism having operational spinosyn biosynthetic genes in its genome, wherein said genes a) include at least one operational PKS module more than or at least one less than is present in SEQ ID NO:1; or b) include a PKS module that differs from the corresponding module described in SEQ ID NO:1 by the deletion, inactivation, or addition of a KR,
10 DH or ER domain, or by the substitution of an AT domain. Preferably the microorganism is an *S. spinosa* mutant.

The invention also provides spinosyns produced by cultivation of the novel microorganisms of the invention.

In another of its aspects the invention provides a process for isolating spinosyn
15 biosynthetic genes which comprises creating a genomic library of a spinosyn producing microorganism, and using a labeled fragment of SEQ ID NO:1 that is at least 20 bases long as a hybridization probe.

Detailed Description of the Invention

A cosmid library of *S. spinosa* (NRRL 18395) DNA was constructed from
20 fragments generated by partial digestion with *Sau*3A I. They were cloned into the *Bam*HI site of vector pOJ436 (See Fig. 3) (Bierman *et al.*, 1992) and introduced into *E. coli* cells by *in vitro* packaging and transduction. The library of recombinant bacteria thus prepared was screened for homology to two radiolabelled DNA probes by hybridization using the methods of Solenberg & Burgett (1989). One probe was
25 the 400 kb *Spe*I fragment which is often deleted in non-producing *S. spinosa* strains generated by transformation or mutagenesis with N-methyl-N'-nitro-N-nitrosoguanidine (Matsushima *et al.*, 1994). The second probe was a 300 bp piece of *S. spinosa* DNA that codes for part of a ketosynthase not involved in spinosyn biosynthesis (B.E. Schoner, personal communication). It includes a region which is
30 highly conserved in all polyketide and fatty acid synthase genes, and was therefore expected to cross-hybridize with the spinosyn PKS genes. Cosmids 9A6 and 2C10 were two of seven clones that hybridized to both probes. Cosmid 3E11 was selected

from the genomic library by hybridization to a radiolabelled *SgrA1-BamHI* fragment of cosmid 9A6 (bases 26757-26936 in SEQ ID NO: 1). To determine the nucleotide sequence of the insert in cosmid 9A6, *BamHI* fragments were subcloned into the *BamHI* site of plasmid pOJ260 (See Fig. 4) (Bierman *et al.*, 1992). The sequences of the inserts in these plasmids were determined by either of two methods. In one method, subcloned fragments were partially digested with *Sau3A I*, and size-selected pieces were cloned into the *BamHI* site of DNA from the phage M13mp19. Single-stranded DNA was prepared from randomly selected recombinants, and sequenced by fluorescent cycle sequencing using reagents and equipment from ABI (Applied Biosystems, Inc., Foster, CA), according to the methods of Burgett & Rosteck (1994). The sequences from phage subclones of each plasmid were assembled into one contiguous sequence. In the other sequencing method, double-stranded plasmid DNAs were primed reiteratively with single-stranded oligonucleotides, each designed to complement a region near the end of previously determined sequence. The complete sequence was thus compiled from a series of partially-overlapping sequences. Prism-Ready Sequencing Kits (ABI) were used according to the manufacturer's instructions, and analyzed on an ABI373A Sequencer. The same strategy was employed to sequence across the *BamHI* sites of double-stranded 9A6 DNA. These data allowed the subcloned sequences to be aligned and oriented relative to one another using the AssemblyLIGN module of the MacVector program (Oxford Molecular, Campbell, KY), and thereby allowed the entire nucleotide sequence of the *S. spinosa* DNA in cosmid 9A6 to be assembled. The complete sequences of cosmids 2C10 and 3E11 were determined by the method of fluorescent cycle sequencing of random DNA fragments cloned in phage M13 (SeqWright, Houston, TX). The inserts in cosmids 2C10 and 3E11 overlapped, and the insert in 3E11 overlapped the end of the insert in cosmid 9A6. See Fig. 2. Together, the three cosmid inserts spanned about 80 kb of unique sequence (SEQ ID NO: 1). The following Table 3 identifies the portions of SEQ ID NO:1 included in each of the three inserts.

Table 3

insert	bases in SEQ ID NO:1
cosmid 9A6	1-26941
cosmid 3E11	23489-57287
cosmid 2C10 (corrected)	41429-80161

FIG. 2 gives a graphical representation of the relationship of the three inserts to the 80kb of sequence.

It should be noted that cosmid 2C10 was missing bases G41877, C45570, C57845 and G73173 of SEQ ID NO:1. These deletions were determined to be cloning artifacts. The deletions generated in-frame stop codons that truncated PKS polypeptides. One of them occurred in a region also cloned in cosmid 3E11, but was not present in the region of 3E11 for which sequence was obtained. Uncloned DNA spanning all 8 stop codons in the PKS region was therefore sequenced directly from PCR-amplified regions of the genome of *S. spinosa* (NRRL 18395). The sequences from uncloned DNA confirmed the existence of the 4 stop codons at the end of ACP domains, and proved that the 4 frameshifts within other coding regions were cloning artifacts unique to cosmid 2C10.

PKS Genes

SEQ ID NO:1 includes a central region of about 55 kb with striking homology to the DNA encoding the polyketide synthases of known macrolide producers (Donadio *et al.*, 1991; MacNeil *et al.*, 1992; Schwecke *et al.*, 1995; Dehoff *et al.*, 1997). The spinosyn PKS DNA region consists of 5 ORFs with in-frame stop codons at the end of ACP domains, similar to the PKS ORFs in the other macrolide-producing bacteria. The five spinosyn PKS genes are arranged head-to-tail (see FIG. 2), without any intervening non-PKS functions such as the insertion element found between the erythromycin PKS genes AI and AII (Donadio *et al.*, 1993). They are designated *spnA*, *spnB*, *spnC*, *spnD*, and *spnE*. The nucleotide sequence for each of the five spinosyn PKS genes, and the corresponding polypeptides, are identified in the following Table 4:

Table 4

<u>GENE</u>	<u>BASES IN SEQ ID NO:1</u>	<u>CORRESPONDING POLYPEPTIDE</u>
<i>spnA</i>	21111-28898	SEQ ID NO: 2
<i>spnB</i>	28916-35374	SEQ ID NO: 3
<i>spnC</i>	35419-44931	SEQ ID NO: 4
<i>spnD</i>	44966-59752	SEQ ID NO: 5
<i>spnE</i>	59803-76569	SEQ ID NO: 6

spnA encodes the initiator module (SEQ ID NO:1, bases 21126-24041) and extender module 1 (SEQ ID NO:1, bases 24102-28649). The nucleotide sequence and

corresponding amino acid sequence for each of the functional domains within the initiator module and extender module 1 are identified in the following Table 5:

Table 5

<i>spnA</i>		
DOMAIN	BASES IN SEQ ID NO:1	AMINO ACIDS IN SEQ ID NO:2
KS _i	21126-22379	6-423
AT _i	22692-23669	528-853
ACP _i	23793-24041	895-977
KS ₁	24102-25349	998-1413
AT ₁	25683-26684	1525-1858
KR ₁	27582-28121	2158-2337
ACP ₁	28404-28649	2432-2513

- 5 *spnB* encodes extender module 2 (SEQ ID NO:1, bases 29024-35125). The nucleotide sequence and corresponding amino acid sequence for each of the functional domains within extender module 2 are identified in the following Table 6:

Table 6

<i>spnB</i>		
DOMAIN	BASES IN SEQ ID NO:1	AMINO ACIDS IN SEQUENCE ID NO. 3
KS ₂	29024-30295	1-424
AT ₂	30629-31621	536-866
DH ₂	31697-32254	892-1077
ER ₂	33035-34072	1338-1683
KR ₂	34082-34621	1687-1866
ACP ₂	34886-35125	1955-2034

- 10 *spnC* encodes extender module 3 (SEQ ID NO:1, bases 35518-40035) and extender module 4 (SEQ ID NO:1, bases 40102-44676). The nucleotide sequence and corresponding amino acid sequence for each of the functional domains within extender modules 3 and 4 are identified in the following Table 7:

Table 7

<i>spnC</i>		
DOMAIN	BASES IN SEQ ID NO:1	AMINO ACIDS IN SEQ ID NO:4
KS ₃	35518-36786	1-423
AT ₃	37108-38097	531-280
KR ₃	38992-39528	1159-1337
ACP ₃	39790-40035	1425-1506
KS ₄	40102-41373	1529-1952
AT ₄	41713-42705	2066-2396
KR ₄	43615-44157	2700-2880
ACP ₄	44431-44676	2972-3053

15

spnD encodes extender module 5 (SEQ ID NO:1, bases 45077-50254),
 extender module 6 (SEQ ID NO:1, bases 50318-54883), and extender module 7 (SEQ
 ID NO:1, bases 54947-59494). The nucleotide sequence and corresponding amino
 acid sequence for each of the functional domains within extender modules 5, 6, and 7
 5 is identified in the following Table 8:

Table 8

<i>spnD</i>		
DOMAIN	BASES IN SEQ ID NO:1	AMINO ACIDS IN SEQ ID NO:5
KS5	45077-46348	1-424
AT5	46691-47674	539-866
DH5	47753-48310	893-1078
KR5	49226-49771	1384-1565
ACP5	50009-50254	1645-1726
KS6	50318-51592	1748-2172
AT6	51923-52915	2283-2613
KR6	53822-54361	2916-3095
ACP6	54638-54883	3188-3269
KS7	54947-56215	3291-3713
AT7	56549-57535	3825-4153
KR7	58106-58990	4344-4638
ACP7	59249-59494	4725-4806

spnE encodes extender module 8 (SEQ ID NO:1, bases 59902-65079),
 extender module 9 (SEQ ID NO:1, bases 65146-70401), and extender module 10
 10 (SEQ ID NO:1, bases 70471-76566). The nucleotide sequence and corresponding
 amino acid sequence for each of the functional domains within extender modules 8, 9,
 and 10 is identified in the following Table 9:

Table 9

<i>spnE</i>		
DOMAIN	BASES IN SEQ ID NO:1	AMINO ACIDS IN SEQ ID NO:6
KS8	59902-61173	1-424
AT8	61489-62445	530-848
DH8	62548-63111	883-1070
KR8	64006-64557	1369-1552
ACP8	64843-65079	1648-1726
KS9	65146-66420	1749-2173
AT9	66760-67743	2287-2614
DH9	67819-68301	2640-2800
KR9	69370-69924	3157-3341
ACP9	70165-70401	3422-3500
KS10	70471-71745	3534-3948
AT10	72079-73071	4060-4390
DH10	73138-73692	4413-4597
KR10	74599-75135	4900-5078
ACP10	75415-75660	5172-5253

<i>spnE</i>		
DOMAIN	BASES IN SEQ ID NO:1	AMINO ACIDS IN SEQ ID NO:6
TE10	75805-76566	5302-5555

The boundaries and functions of the 50 domains identified in the foregoing Tables 5-9 are predicted based on similarities to the conserved amino acid sequences of the domains in other polyketide synthases, particularly the erythromycin polyketide synthase (Donadio *et al.*, 1992). The unexpected KSi domain at the amino terminus of the initiator module is presumed to be non-functional because it contains a glutamine residue at amino acid 172, in place of the cysteine required for β -ketosynthase activity (Siggard-Andersen, 1993). A similar non-functional KS domain has been discovered in the initiator module of the tylosin PKS (Dehoff *et al.*, 1997).

The other spinosyn PKS domains are functional. None of them has the sequence characteristics of the inactive domains found in the erythromycin and rapamycin PKS genes (Donadio *et al.*, 1991; Aparicio *et al.*, 1996). The cloned PKS genes were shown to be essential for spinosyn biosynthesis by the discovery that strains of *S. spinosa* in which these genes had been disrupted were unable to produce spinosyns by fermentation. Gene disruption was achieved by cloning an internal fragment of the gene into plasmid pOJ260 (Fig. 4), using procedures well-known to those skilled in the art. The recombinant plasmids were then introduced into *S. spinosa* by conjugation from *E. coli* using the procedures of Matsushima *et al.* (1994), and selecting for apramycin-resistant exconjugants. Plasmids based on pOJ260 do not replicate independently in *S. spinosa*, and are stably maintained by integrating the plasmid into the chromosome *via* recombination between the cloned DNA and its homologous sequence in the genome. Integration creates two incomplete versions of the targeted gene (one lacking 5' sequences and one lacking 3' sequences) in the chromosome, with the pOJ260 DNA between them. Spinosyn biosynthesis was blocked by disrupting the *spnA* ORF with the *Bam*H1 fragments V, N, or K, corresponding respectively to the following segments of SEQ ID NO: 1: 21365-22052, 22052-24338, or 24338-26227. Spinosyn biosynthesis was also blocked by disrupting the *spnD* ORF with *Bam*H1 fragments G, E, or K, corresponding respectively to the following segments of SEQ ID NO: 1: bases 48848-50578, 50578-52467, or 55207-55888. Spinosyn biosynthesis was also blocked by disrupting the

spnE ORF with *Bam*H1 fragments J, I, D, H, and F, corresponding respectively to the following segments of SEQ ID NO: 1: 63219-63989, 65406-66733, 66733-68997, 69369-70731, and 70731-72675. Spinosyn biosynthesis was not blocked by integration via *Bam*H1 fragments C (bases 44612-47565 in SEQ ID NO: 1) or B (bases 55936-63219 in SEQ ID NO: 1) because they are not internal to any one gene; *Bam*H1 fragment C spans the junction between *spnC* and *spnD*, and *Bam*H1 fragment B spans the junction between *spnD* and *spnE*. In these cases, integration leaves one complete version of each gene.

Genes Adjacent to the PKS Responsible for Additional Modifications

In the DNA upstream of the PKS genes (cloned in cosmid 9A6) there were 16 open reading frames (ORFs), each consisting of at least 100 codons, beginning with ATG or GTG and ending with TAA, TAG or TGA, and having the codon bias expected of protein-coding regions in an organism whose DNA contains a high percentage of guanine and cytosine residues (Bibb *et al.*, 1984). See the bottom right hand side of FIG. 2 for a graphical representation of the 16 ORFs in 9A6. Based on evidence that will be discussed hereinafter, 14 of the ORFs have been designated as spinosyn biosynthetic genes, namely: *spnF*, *spnG*, *spnH*, *spnI*, *spnJ*, *spnK*, *spnL*, *spnM*, *spnN*, *spnO*, *spnP*, *spnQ*, *spnR*, and *spnS* (they are labeled F through S in FIG. 2). In the following Table 10, the DNA sequence and the amino acid sequence for the corresponding polypeptide are identified for each of these genes, as well as for two ORFs (ORFL15 and ORFL16) found immediately upstream of *spnS*. Also identified in Table 10 are the nucleotide sequences for ORFR1 and ORFR2 downstream of the PKS genes (in cosmid 2C10), and the amino acid sequences corresponding to them.

Table 10

GENE	BASES IN SEQUENCE ID NO: 1	POLYPEPTIDE
<i>spnF</i>	20168-20995	SEQ ID NO: 7
<i>spnG</i>	18541-19713 (C)	SEQ ID NO: 8
<i>spnH</i>	17749-18501 (C)	SEQ ID NO: 9
<i>spnI</i>	16556-17743	SEQ ID NO: 10
<i>spnJ</i>	14799-16418 (C)	SEQ ID NO: 11
<i>spnK</i>	13592-14785 (C)	SEQ ID NO: 12
<i>spnL</i>	12696-13547 (C)	SEQ ID NO: 13
<i>spnM</i>	11530-12492 (C)	SEQ ID NO: 14
<i>spnN</i>	10436-11434	SEQ ID NO: 15
<i>spnO</i>	8967-10427	SEQ ID NO: 16
<i>spnP</i>	7083-8450	SEQ ID NO: 17
<i>spnQ</i>	5363-6751 (C)	SEQ ID NO: 18

GENE	BASES IN SEQUENCE ID NO: 1	POLYPEPTIDE
<i>spnR</i>	4168-5325 (C)	SEQ ID NO: 19
<i>spnS</i>	3416-4165 (C)	SEQ ID NO: 20
<i>ORFL 15</i>	2024-2791	SEQ ID NO: 21
<i>ORFL 16</i>	1135-1971 (C)	SEQ ID NO: 22
<i>ORFR 1</i>	76932-77528	SEQ ID NO: 23
<i>ORFR 2</i>	77729-79984	SEQ ID NO: 24

(C) indicates complementary strand is given in the sequence listing

To assign functions to the polypeptides identified in Table 10, three lines of evidence were utilized: similarity to sequences of known function, results of targeted gene disruption experiments, and results of bioconversion experiments.

5 The amino acid sequences of the predicted polypeptides were compared to sequences deposited in the databases at the National Center for Biotechnology Information (NCBI, Washington, DC), using the BLAST algorithm to determine how well they are related to known proteins. The BLAST searches of the NCBI databases were also repeated periodically to obtain new insights from additional homologies.

10 Table 11 gives the best matches from a basic BLAST search on January 12, 1998:

Table 11

Gene	Significant Protein Match	GenBank Accession	BLAST Score*	Reported function
<i>spnF</i>	C-24 sterol methyltransferase (<i>Zea mays</i>)	U79669	202	C-methylation
<i>spnG</i>	Daunosamyl transferase <i>dnrS</i> (<i>Streptomyces peucetius</i>)	L47164	202	sugar addition
<i>spnH</i>	Mycinamicin III O-methyltransferase (<i>Micromonospora griseorubida</i>)	D16097	408	sugar methylation
<i>spnI</i>	ORFY (<i>Streptomyces nogalater</i>)	Z48262	192	unknown
<i>spnJ</i>	Hexose oxidase (<i>Chondrus crispus</i>)	U89770	143	oxido-reduction
<i>spnK</i>	ORFY (<i>Streptomyces nogalater</i>)	Z48262	137	unknown
<i>spnL</i>	C-24 sterol methyltransferase (<i>Zea mays</i>)	U79669	166	C-methylation
<i>spnM</i>	Unknown (<i>Mycobacterium tuberculosis</i>)	Z95586	132	unknown
<i>spnN</i>	<i>RdmF</i> (<i>Streptomyces purpurascens</i>)	U10405	409	unknown
<i>spnO</i>	2,3 dehydratase <i>EryBV1</i> (<i>Saccharopolyspora erythraea</i>)	Y11199	595	deoxysugar synthesis
<i>spnP</i>	Mycarosyl transferase <i>EryBV</i> (<i>Saccharopolyspora erythraea</i>)	U77459	336	sugar addition
<i>spnQ</i>	CDP-4-keto-6-deoxy-D-glucose-3-dehydrase (<i>Salmonella enterica</i>)	P26398	784	dideoxysugar synthesis
<i>spnR</i>	Spore coat polysaccharide biosynthesis protein (<i>Bacillus subtilis</i>)	P39623	286	sugar transamination
<i>spnS</i>	TDP-N-dimethyldesamine-N-methyltransferase <i>EryCVI</i> (<i>Saccharopolyspora erythraea</i>)	U77459	484	aminosugar methylation
<i>ORFL15</i>	Keto acyl reductase (<i>Streptomyces cinnamonensis</i>)	Z11511	132	oxido-reduction

Gene	Significant Protein Match	GenBank Accession	BLAST Score*	Reported function
ORFL16	Regulatory protein of the <i>als</i> operon, (<i>Bacillus subtilis</i>)			transcription control
ORFR1	None			
ORFR2	Conjugation transfer protein (<i>Bacillus subtilis</i>)	Z99117	328	DNA replication

* Greater similarity is associated with higher BLAST scores (Altschul *et al.*, 1990).

In targeted gene disruptions, internal fragments were generated by PCR amplification from the cosmid DNAs, and cloned into plasmid pOJ260. The resulting plasmids were then conjugated into *S. spinosa* (NRRL 18395), and apramycin-resistant exconjugants were isolated and fermented. As stated earlier, the basis of disruption experiments is that when a plasmid bearing an internal gene fragment is integrated, two incomplete copies of the biosynthetic gene result, thereby eliminating the enzymatic function. Resulting fermentation products were analyzed to determine which spinosyns accumulated. The results of the targeted gene disruption experiments are summarized in Table 12.

In bioconversion studies, strains in which spinosyn synthesis was altered were tested for their ability to convert available spinosyn intermediates to other spinosyns. The intermediates used were spinosyn A Aglycone (AGL), spinosyn P (P), spinosyn K (K), and spinosyn A 9-Psa (PSA). The results of the bioconversion experiments are also summarized in Table 12

Table 12

Disrupted Gene	Internal Fragment in SEQ ID NO: 1	spinosyns accumulated	Bioconversion products			
			AGL→	P→	K→	PSA→
None	None	A+D				
<i>spnF</i>	20325-20924	None	A	A		A
<i>spnG</i>	18818-19426	None	AGL	K		A
<i>spnG-H</i>	18511-19559	P			K	A
<i>spnI</i>	16699-17400	None		J	A	A
<i>spnJ</i>	14866-15470	None	A		A	
<i>spnK</i>	13785-14574	None				
<i>spnL</i>	12791-13428	None	A	A		A
<i>spnM</i>	11705-12371	3% A	A			A
<i>spnN</i>	10636-11369	PSA				
<i>spnO</i>	9262-10226	PSA				
<i>spnP</i>	7391-8159	PSA	PSA			
<i>ORFL15</i>	2145-2719	A+D				
<i>ORFL16</i>	1226-1852	A+D				
<i>ORFR2</i>	79321-79855	A+D				

The conclusions drawn from BLAST searches, the gene disruption experiments, and the bioconversion studies will now be discussed in greater detail on a gene by gene basis.

5 The 11 genes upstream of the PKS were shown to be involved in spinosyn biosynthesis because strains in which they were disrupted failed to accumulate the major spinosyns A and D (Table 12). The next 2 genes upstream (ORFL15, ORFL16), and the large gene downstream (ORFR2) of the PKS, do not contribute to spinosyn production because fermentation was not affected by their disruption (Table 10 12). Disruption of the ORF immediately downstream of the PKS genes (ORFR1) was not attempted because it was too small to yield an internal fragment that would recombine at an acceptable frequency. Disruptions of the *spnQ*, *spnR*, and *spnS* genes were not attempted because early BLAST searches showed that these genes had striking similarity to enzymes known to be involved in the biosynthesis of unusual 15 deoxysugars. *spnQ* had 53% identity between its gene product and the CDP-4-keto-6-deoxy-D-glucose-3-dehydrase involved in synthesis of the abequose moiety of the *Salmonella enterica* cell surface lipopolysaccharide (Jiang *et al.*, 1991); *spnR* had up to 40% identity between its product and a group of proteins proposed to function as deoxysugar transaminases (Thorson *et al.*, 1993); and *spnS* had 42% identity between 20 its product and the *SrmX* product of *Streptomyces ambofaciens*, an organism that synthesizes the forosamine-containing antibiotic spiramycin (Geistlich *et al.*, 1992). Even stronger similarities have emerged from recent BLAST searches (Table 11).

Based on these similarities, and the close linkage of the genes to other spinosyn biosynthetic genes, it is concluded that *spnQ*, *spnR*, and *spnS* are involved in production of the forosamine moiety of spinosyns.

spnF, *spnJ*, *spnL*, *spnM*

5 Strains disrupted in genes *spnF*, *spnJ*, *spnL* or *spnM* did not accumulate any spinosyns to significant levels (the low level of spinosyn A in the *spnM* mutant presumably resulted from some residual activity in the gene product deleted at its carboxy terminus). However, they bioconverted exogenously-supplied aglycone to spinosyn A, and therefore contained all the enzymes necessary for the later steps in spinosyn biosynthesis. These particular genes must be involved in generation of the aglycone from the putative monocyclic lactone product of the PKS genes. Roles for *spnF* and *spnL* in the formation of carbon-carbon bridges are consistent with their similarities to enzymes that methylate carbon atoms (Table 11). The absence of partially modified intermediates in the blocked mutants may result from instability of the compounds, or from reduced biosynthesis due to lack of glycosylated molecules to act as positive regulators, analogous to those of the tylosin pathway (Fish & Cundliffe, 1997).

spnG, *spnH*, *spnI*, *spnK*

20 Disruption of *spnG* also prevented spinosyn production, but the mutant strain could not bioconvert aglycone so this gene is required for a later step in the pathway (Table 12). Its sequence similarity to known glycosyl transferase genes (Table 11) suggests that *spnG* encodes the rhamnosyl transferase required for addition of the first sugar to the aglycone. The mutant with a disrupted *spnG* also lacked a functional 4'-O-methyltransferase (OMT) because it converted the 3',4'-didesmethyl spinosyn (P) to the 4'-desmethyl spinosyn (K), but not to the fully methylated spinosyn A. The 4'-OMT activity was presumably not expressed in the mutant because the encoding gene (*spnH*) lies downstream of the disrupting integration in the same operon. The existence of this operon was confirmed by disrupting *Bam*H1 fragment T, which spans the junction between *spnG* and *spnH* but is not internal to any open reading frame. Nevertheless, its disruption altered spinosyn synthesis, so this fragment must be internal to a single transcript that encompasses both genes. In addition to the expected loss of 4'-OMT activity encoded by *spnH*, this disruption also caused the

unexpected loss of 3'-OMT function, leading to accumulation of spinosyn P (Table 12). The 3'OMT activity appears to be encoded by the convergent downstream gene, *spnI*. This gene has most sequence similarity to the ORF Y gene of *Streptomyces nogalator* (Table 11). The function of the ORF Y product is unknown, but the
5 organism produces an unusual tetra-methylated deoxysugar (nogalose) that is similar to the tri-methylated rhamnose of spinosyn A, so presumably both genes are involved in sugar methylation. Consistent with this hypothesis, disruption of *spnI* created a mutant that bioconverted spinosyn P only to the 3'-desmethyl spinosyn (J), not spinosyn A (Table 12). The disruption prevented any spinosyn accumulation in
10 unsupplemented fermentations. *spnK* has a sequence similar to *spnI* and ORF Y, and presumably encodes the 2'-OMT. Its disruption also prevented accumulation of any spinosyns in unsupplemented fermentations (Table 12).

spnN, *spnO*, *spnP*

Disruption of genes *spnN*, *spnO* and *spnP* led to accumulation of the
15 pseudoaglycone (Table 12). These genes are therefore involved in the biosynthesis or addition of the forosamine sugar. The similarity of *spnP* to glycosyl transferases (Table 11) indicates that it encodes the spinosyn forosamyl transferase. The high degree of similarity between *spnO* and a 2,3 dehydratase (Table 11) indicates that it is involved in the 2'-deoxygenation step of forosamine synthesis.

20

Rhamnose Genes

The overlapping inserts cloned in cosmids 9A6, 3E11 and 2C10 do not contain genes that encode the four enzymes required to produce rhamnose from glucose (Liu & Thorson, 1994). The first enzyme is a glucose thymidylate transferase (*gtt*), or equivalent enzyme, that activates glucose by addition of a nucleotidyl diphosphate
25 (NDP). The second is a glucose dehydratase (*gdh*) to produce NDP-4-keto-6-deoxy-glucose, an intermediate common to many deoxysugar biosynthetic pathways. An epimerase (*epi*) and a ketoreductase (*kre*) specific for rhamnose synthesis are also required, to convert the NDP-4-keto-6-deoxy-glucose to NDP-L-rhamnose, the activated sugar that is the substrate of the glycosyltransferase adding rhamnose to the
30 aglycone. Genes that code for these enzymes in *S. spinosa* were cloned from a separate library of 7-12 kb partial *Sau3A* I fragments in the λ vector ZAP Express™ (Stratagene, LaJolla, CA). Radiolabelled probes were prepared by random primer

extension (Boehringer Mannheim, Indianapolis, IN) of fragments from plasmid pESC1 containing the *Saccharopolyspora erythraea* *gdh* (Linton *et al.*, 1995) and *gtt* genes. Plaque hybridizations to screen the phage library were performed with a stringent wash of 0.5x SSC, 0.1%SDS at 65°C for 1h. The plasmid (pDAB1620 and pDAB1621) portions of the vector containing inserts were excised from two of the three hybridizing phage, and partially sequenced using Prism-Ready Sequencing Kits (ABI) and multiple primers. The sequenced part of the insert in pDAB1620 (SEQ ID NO: 25) includes an ORF that would encode a 329-amino acid polypeptide (SEQ ID NO:26) with 82% identity to the *gdh* product of *S. erythraea*. Adjacent to this gene is an ORF coding for a 275-amino acid polypeptide (SEQ ID NO:27) with 72% identity to the *S. erythraea* *kre* gene product. The sequenced part of the insert in pDAB1621 (SEQ ID NO: 28) contains an ORF encoding a 261-amino acid polypeptide (SEQ ID NO: 29) with 83% identity to the *S. erythraea* *gtt* gene product. A second probe for rhamnose genes was prepared by PCR amplification of *S. spinosa* genomic DNA using degenerate oligonucleotide primers (SEQ ID NO: 30 and SEQ ID NO: 31) based on conserved amino acid regions in known *epi* proteins (Jiang *et al.*, 1991; Linton *et al.*, 1995). PCR reactions were performed in a GeneAmp 9600 Thermocycler with AmpliTaq polymerase (Perkin-Elmer) using 30 cycles of 30 sec at 94°C, 30 sec at 60°C and 45 sec at 72°C. The probe hybridized to one phage in the 7-12 kb library; the plasmid portion of the vector containing this insert (pDAB1622) was excised and partially sequenced (SEQ ID NO:32). It includes an ORF for a 202-amino acid polypeptide (SEQ ID NO:33) with 57% homology to the *S. erythraea* *epi* protein. The genes were disrupted by recombination with plasmids containing internal fragments (bases 382-941 in SEQ ID NO: 25, 1268-1867 in SEQ ID NO:25, 447-994 in SEQ ID NO:28 or 346-739 in SEQ ID NO:32). Apramycin-resistant exconjugants were obtained in all cases, but they were only capable of growth on osmotically-stabilized media such as CSM supplemented with sucrose at 200 g/L, or R6 (Matsushima *et al.*, 1994). Even under these conditions, they grew much slower than the parent *S. spinosa* (NRRL 18395), and were morphologically distinct, with highly fragmented mycelia. These results could be due to the presence of rhamnose in the cell wall in *S. spinosa* and a requirement that these four genes be present for normal cell wall synthesis in this organism. Mutants disrupted in these genes grew too slowly

to be fermented under conditions known to produce spinosyns. However, Southern hybridizations of *S. spinosa* genomic DNA with the *S. erythraea gtt/gdh* probe (washed in 2x SSC, 0.1%SDS at 65°C for 1h) or with the degenerate *epi* probe (washed in 0.1x SSC, 0.1%SDS at 65°C for 1h) indicated that there are no other
 5 homologues of these genes present in the *S. spinosa* genome. Therefore, the four cloned *S. spinosa* genes must be the sole source of rhamnose for both cell wall formation and spinosyn biosynthesis.

The nucleotide sequence and corresponding amino acid sequence for each of the four *S. spinosa* genes required to produce rhamnose are identified in the following
 10 Table 13:

Table 13

gene	DNA sequence	amino acid sequence
<i>S. spinosa gtt</i>	SEQ ID NO:28, bases 334-1119	SEQ ID NO:29
<i>S. spinosa gdh</i>	SEQ ID NO:25, bases 88-1077	SEQ ID NO:26
<i>S. spinosa epi</i>	SEQ ID NO:32, bases 226-834	SEQ ID NO:33
<i>S. spinosa kre</i>	SEQ ID NO:25, bases 1165-1992	SEQ ID NO:27

Thus 23 genes from *S. spinosa* can be assigned roles in spinosyn biosynthesis:
 5 PKS genes to produce a macrocyclic lactone, 4 genes to modify this to the aglycone,
 15 5 genes to synthesize and add rhamnose, 3 genes to methylate the rhamnose, and 6 genes to synthesize and add forosamine. The hypothetical biosynthetic pathway is summarized in Fig 1.

Utility

There are many uses for the cloned *Saccharopolyspora spinosa* DNA. The
 20 cloned genes can be used to improve yields of spinosyns and to produce new spinosyns. Improved yields can be obtained by integrating into the genome of a particular strain a duplicate copy of the gene for whatever enzyme is rate limiting in that strain. In the extreme case where the biosynthetic pathway is blocked in a particular mutant strain due to lack of a required enzyme, production of the desired
 25 spinosyns can be restored by integrating a copy of the required gene. Yield

improvement obtained by integrating copies of spinosyn genes is illustrated hereinafter in Examples 1-3 and 6.

Novel spinosyns can be produced using fragments of the cloned DNA to disrupt steps in the biosynthesis of spinosyns. Such disruption may lead to the accumulation of precursors or "shunt" products (the naturally-processed derivatives of precursors). The fragments useful in carrying out disruptions are those internal to a gene with bases omitted from both the 5' and 3' ends of the gene. Homologous recombination events utilizing such fragments result in two partial copies of the gene: one that is missing the omitted bases from the 5' end and one that is missing the omitted bases from the 3' end. The number of bases omitted at each end of the fragment must be large enough so that neither of the partial copies of the gene retains activity. At least 50 bases will normally be omitted from each end, and more preferably at least 100 bases are omitted from each end. The length of the partial gene fragment should be large enough so that recombination frequency is high enough for a practical experiment. Useful fragments for disruptions are desirably at least 300 bases long, and more preferably at least about 600 bases long. Modified spinosyns produced by disrupting genes may be insect control agents themselves, or serve as substrates for further chemical modification, creating new semi-synthetic spinosyns with unique properties and spectra of activity. Example 4 hereinafter illustrates the use of disruption.

Novel spinosyns can also be produced by mutagenesis of the cloned genes, and substitution of the mutated genes for their unmutated counterparts in a spinosyn-producing organism. Mutagenesis may involve, for example: 1) deletion or inactivation of a KR, DH or ER domain so that one or more of these functions is blocked and the strain produces a spinosyn having a lactone nucleus with a double bond, a hydroxyl group, or a keto group that is not present in the nucleus of spinosyn A (*see* Donadio *et al.*, 1993); 2) replacement of an AT domain so that a different carboxylic acid is incorporated in the lactone nucleus (*see* Ruan *et al.*, 1997); 3) addition of a KR, DH, or ER domain to an existing PKS module so that the strain produces a spinosyn having a lactone nucleus with a saturated bond, hydroxyl group, or double bond that is not present in the nucleus of spinosyn A; or 4) addition or subtraction of a complete PKS module so that the cyclic lactone nucleus has a greater

or lesser number of carbon atoms. Example 5 illustrates use of mutagenesis to produce a spinosyn with modified functionality.

The DNA from the spinosyn gene cluster region can be used as a hybridization probe to identify homologous sequences. Thus, the DNA cloned here could be used to locate additional plasmids from the *Saccharopolyspora spinosa* gene libraries which overlap the region described here but also contain previously uncloned DNA from adjacent regions in the genome of *Saccharopolyspora spinosa*. In addition, DNA from the region cloned here may be used to identify non-identical but similar sequences in other organisms. Hybridization probes are normally at least about 20 bases long and are labeled to permit detection.

The modified strains provided by the invention may be cultivated to provide spinosyns using conventional protocols such as those disclosed in U. S. Patent No. 5,362,634.

The following examples are provided in order that the invention might be more completely understood. They should not be construed as limitations of the invention.

Example 1

Improved yield of spinosyns A and D by transformation with Cosmid 9A6

Vegetative cultures of *S. spinosa* strain NRRL18538 were grown in 50 ml CSM medium (trypticase soy broth 30 g/l, yeast extract 3 g/l, magnesium sulfate 2 g/l, glucose 5 g/l, maltose 4 g/l) in 250 ml Erlenmeyer flasks shaken at 300 rpm at 30°C for 48h. Fermentation cultures contained a 1 ml inoculum of this vegetative culture in 7 ml of INF202, a proprietary medium similar to that described in Strobel & Nakatsukasa (1993). The cultures were grown in 30 ml plastic bottles arranged in 10x10 modules, shaken at 300 rpm in a 30°C room for 3, 5 or 7 days. Broths were extracted with 4 volumes of acetonitrile, then analyzed for spinosyns A+D by isocratic high pressure liquid chromatography (HPLC) through a C-18 reversed-phase column (Strobel and Nakatsukasa, 1993). The amount of spinosyns was determined from absorbance at 250 nm. For each time point, spinosyns A + D were determined from 10 fermentation bottles. Two representative samples from each set of replicates were also analyzed by a slightly modified HPLC system for pseudoaglycone (PSA),

the spinosyn precursor which lacks forosamine. In this system the mobile phase is 35:35:30 acetonitrile/methanol/0.5% (w/v) aqueous ammonium acetate (R. Wijayaratne, unpublished).

The cultures contain not only the insect-active spinosyns A and D, but also pseudoaglycone (Table 14).

Table 14
Spinosyn production in strain NRRL 18538

Time	A+D (µg/ml)	PSA (µg/ml)
3d	101 ± 3	109 ± 11
5d	269 ± 14	155 ± 26
7d	334 ± 32	110 ± 53

The values are means ± 95% confidence levels. The accumulation of the pseudoaglycone, a forosamine-deficient precursor of spinosyn A, suggests that, in this strain grown under these conditions, the yield of spinosyns A + D is limited by the supply and/or addition of forosamine

Cosmid 9A6 was conjugated from *E. coli* strain S17-1 (Simon *et al.*, 1983) into *S. spinosa* strain NRRL 18538 using the method of Matsushima *et al.* (1994). Six independent isolates transformed with Cosmid 9A6 were subsequently grown and analyzed for spinosyn factor production under the fermentation conditions described above. The average yield of spinosyns A + D from these strains was higher than from their parent, by 35 µg/ml after 3 days of fermentation, and by 37 µg/ml after 5 days. The amount of pseudoaglycone in the transformed cultures was lower than in the parent strain throughout the fermentation (Table 15)

Table 15

Spinosyn production in derivatives of NRRL 18538 transformed with Cosmid 9A6.

Time	A+D (µg/ml)	PSA (µg/ml)
3d	136 ± 4	31 ± 2
5d	306 ± 5	7 ± 2
7d	365 ± 7	7 ± 1

The values are means ± 95% confidence levels.

Strain NRRL 18538 and 6 independent isolates transformed with Cosmid 9A6 were analyzed for spinosyn content at different times during fermentation. For each strain, spinosyns A+D were determined from 10 fermentation bottles (Table 16). Two samples from each set of replicates were also analyzed for pseudoaglycone content (Table 17).

Table 16
Effect of Cosmid 9A6 on spinosyn A+D in NRRL 18538

Time	- 9A6	+ 9A6	Effect of 9A6
3d	101 ± 3	136 ± 4	+35%
5d	269 ± 14	306 ± 5	+14%
7d	334 ± 32	365 ± 7	+9%
9d	414 ± 17	411 ± 8	-1%

The values are means in µg/ml ± 95% confidence levels.

Table 17
Effect of Cosmid 9A6 on pseudoaglycone accumulation in NRRL 18538

Time	- 9A6	+ 9A6	Effect of 9A6
3d	109 ± 11	31 ± 2	-72%
5d	155 ± 26	7 ± 2	-95%
7d	110 ± 53	7 ± 1	-94%
9d	119 ± 11	5 ± 1	-96%

The values are means in µg/ml ± 95% confidence levels.

It has therefore been demonstrated that transformation with Cosmid 9A6 can improve the efficiency with which precursor pseudoaglycone is processed to spinosyns. In NRRL 18538, the yield improvements for spinosyn A+D were 35% after 3 days of fermentation, and 14% after 5 days (Table 15). The rate-limiting process appears be the supply and/or addition of forosamine because pseudoaglycone was present in the parent at about 120 µg/ml throughout the fermentation, but in the transconjugants it was reduced to about 30 µg/ml at 3 days, and essentially depleted thereafter (Table 15). Although the conversion was not quantitative, the data are consistent with an improved efficiency in the processing of pseudoaglycone to spinosyn A+D in strains transformed with Cosmid 9A6. The effect could be the result of duplicating a forosamine biosynthetic gene, a forosaminyltransferase gene, or a combination of improvements. There was no statistically significant difference between the spinosyn A+D yields from the NRRL 18358 strains with or without Cosmid 9A6 after 7 or 9 days fermentation. Pseudoaglycone was still reduced in the transconjugants, but the extra spinosyn A+D produced by its conversion may not have been detectable against the higher background of spinosyns accumulated by this stage of the fermentation.

Example 2Correction of methylation deficiencies in strain NRRL 18823 by Cosmid 9A6

Although spinosyn synthesis is limited by forosamine supply/addition in strain NRRL 18358, other biosynthetic functions may be limiting in other strains. *S.*

5 *spinosus* strain NRRL18823 accumulates spinosyn H (2'-desmethyl-spinosyn A; Kirst *et al.*, 1992), rather than spinosyn A. Spinosyn H is not an intermediate in the spinosyn A biosynthetic pathway, but a "shunt" product synthesized naturally when 2'-O-methylation does not occur. Cosmid 9A6 was conjugated from *E. coli* strain S17-1 into strain NRRL 18823 using the method described above. Two of the
10 resulting exconjugants, when fermented, produced predominantly spinosyn A, with little spinosyn H (Table 18).

Table 18

Strain	H (µg/ml)	A+D (µg/ml)
NRRL 18823	323	0
NRRL 18823/9A6-2	36	551
NRRL 18823/9A6-5	45	646

This shows that transformation with Cosmid 9A6 is able to overcome a second type of limitation to spinosyn production - the methylation deficiency in strain NRRL 18823.

15

Example 3Correction of 4'-O-methylation deficiency in strain NRRL 18743 by Cosmid 9A6

S. spinosus strain NRRL18743 accumulates spinosyn K (4'-desmethyl-spinosyn A), an intermediate in the spinosyn A biosynthetic pathway. Two of the exconjugants of strain NRRL 18743 containing Cosmid 9A6 produced predominantly spinosyn A,
20 with little spinosyn K, while the third produced no detectable spinosyn K (Table 19).

Table 19

Strain	K (µg/ml)	A+D (µg/ml)
NRRL 18743	488	0
NRRL 18743/9A6-1	38	829
NRRL 18743/9A6-2	22	725
NRRL 18743/9A6-3	0	706

This demonstrates that transformation with Cosmid 9A6 is able to overcome a third type of limitation to spinosyn A production - the methylation deficiency in strain NRRL 18743.

Example 4

Accumulation of spinosyn precursor caused by disruption of *spnP*

An internal fragment of *spnP* (bases 7391 - 8159) was amplified in a polymerase chain reaction using primers given in SEQ ID NO:34 and SEQ ID NO:35. AmpliTaq polymerase (Perkin Elmer, Foster City, CA) was used according to the manufacturer's instructions, in a 100 µl reaction with 20 pmoles of each primer and 1 µg of 9A6 DNA. The mixture was subjected to 25 cycles of 60 sec at 94°C, 60 sec at 37°C and 120 sec at 72°C. The amplification product was cloned as an *EcoRI*-*HindIII* fragment into the plasmid vector pOJ260 (Bierman *et al.*, 1992), then conjugated from *E. coli* S17-1 into *S. spinosa* NRRL 18538. Stable exconjugants, resulting from a single homologous recombination event between the plasmid-born and chromosomal sequences, contain a copy of the vector DNA integrated into the chromosome between two incomplete copies of *spnP*. When fermented, these exconjugants accumulate the forosamine-deficient precursor pseudoaglycones, rather than the end products spinosyns A and D (Table 20).

Table 20

Strain	PSA (µg/ml)	A+D (µg/ml)
NRRL 18538	79	284
NRRL 18538/1614-2	416	22
NRRL 18538/1615-1	372	21
NRRL 18538/1615-2	543	21
NRRL 18538/1615-5	476	19
NRRL 18538/1615-6	504	18

The pseudoaglycones are intermediates useful in the preparation of known insecticides (International Application WO 93/09126)

Example 5

Accumulation of a novel spinosyn following modification of the PKS domain

ER2

Overlapping, complementary oligonucleotides SEQ ID NO: 36 and SEQ ID NO: 37 were designed to modify the gene encoding the enoyl reductase function in module 2 of the spinosyn PKS. These mutagenic primers provide for substitution of

the sequence TCACC in place of GGTGG at bases 33563-33567 of SEQ ID NO:1, so that the sequence encodes a serine-proline dipeptide instead of a glycine-glycine dipeptide in the putative NAD(P)H-binding motif. A similar substitution was successfully used to inactivate an erythromycin ER without affecting any other PKS functions (Donadio *et al.*, 1993). The substitution simultaneously introduced a novel *PinA1* restriction site, and eliminated a *SgrA1* site, to facilitate detection of the engineered DNA in recombinant organisms.

In the first step of the mutagenesis, two separate PCR amplifications were performed, one using the mutagenic primer SEQ ID NO: 36 and flanking primer SEQ ID NO: 38, the other using mutagenic primer SEQ ID NO: 37 and flanking primer SEQ ID NO: 39. In the second step, the products of the first reactions were diluted 100-fold, pooled and amplified with only the flanking primers SEQ ID NO: 38 and SEQ ID NO: 39. In the third step, the products of the second PCR reaction were cloned into the plasmid pCRII according to the manufacturer's instructions (InVitrogen, San Diego, CA). A portion of the mutated ER2 domain (spanning bases 33424-33626 in SEQ ID NO: 1) was excised as a *Van911-NheI* fragment, and inserted in place of the wild-type *Van911-NheI* fragment in a 3.5 kb *EcoR1* fragment of cosmid 3E11 (bases 32162-35620 in SEQ ID NO: 1) cloned in the plasmid pBluescript SK- (Stratagene). The mutated *EcoR1* fragment was then transferred into the conjugative plasmid pDAB1523 (FIG 5), a derivative of pOJ260 containing the *rpsL* gene of *Streptomyces roseosporus* that confers a counter-selectable streptomycin-sensitive phenotype (Hosted & Baltz, 1997). The resultant plasmid containing the mutated *EcoR1* fragment was conjugated from *E. coli* S17-1 (Simon *et al.*, 1983) into SS15, a spontaneous streptomycin-resistant derivative of *S. spinosa* strain NRRL18538, using the method of Matsushima *et al.* (1994). (Spontaneous streptomycin-resistant derivatives of *S. spinosa* strain NRRL18538 can be readily isolated by those skilled in the art.) Apramycin-resistant exconjugants were shown to contain both wild-type and mutated versions of the ER2 domain by Southern hybridization with digoxigenin-labeled probes (Boehringer Mannheim). They also contained the *S. roseosporus rpsL* gene and consequently, on BHI agar (Difco, Detroit, MI) containing streptomycin at 150 mg/L, they grew poorly and failed to produce aerial mycelium. Spontaneous revertants to streptomycin-resistance were

selected on the basis of their ability to grow and produce white, aerial mycelium on BHI agar containing streptomycin at 150 mg/L. Southern analysis indicated that these strains no longer contained the *S. roseosporus rpsL* gene or any other pDAB1523 sequences. Some strains had lost the entire cluster of spinosyn biosynthetic genes, including the ER2 domain, as well as pDAB1523. In other strains the pDAB1523 sequences had been excised along with the mutant ER2 domain, re-creating the parental gene structure. In a third type of streptomycin-resistant strain, the pDAB1523 had been excised with the wild-type ER2 domain, leaving the mutated version in its place. When fermented, a strain of this third type produced a novel metabolite, separable from spinosyn A by liquid chromatography on a C18 column (ODS-AQ, YMC, Wilmington, NC) using a mobile phase of acetonitrile: methanol: 2% ammonium acetate (44:44:12). The new entity was analyzed by electrospray ionization and tandem mass spectroscopy (Balcer *et al.*, 1996) using a triple quadrupole mass spectrometer (TSQ700, Finnigan MAT, San Jose, CA). It had the properties expected of the C18:C19-anhydrospinosyn A, with a mass of 729.5 daltons and produced the 142 dalton forosamine fragment. We conclude that modification of DNA encoding PKS domains results in the production of novel fermentation products.

Example 6

Improved yield of spinosyns A and D by transformation of NRRL 18538 with rhamnose biosynthetic genes

Fragments containing the rhamnose biosynthetic genes were cloned independently into the conjugative vector pOJ260 (Bierman *et al.*, 1992). The resulting plasmids are listed in Table 21.

Table 21

Plasmid	Genes
pDAB1632	<i>gtt</i>
pDAB1634	<i>gdh+kre</i>
pDAB1633	<i>epi</i>

Each plasmid was conjugated from *E. coli* S17-1 (Simon *et al.*, 1983) into *S. spinosa* NRRL 18538 by the method of Matsushima *et al.* (1994). Apramycin-resistant exconjugants, presumably containing a plasmid integrated into the chromosome by homologous recombination, were selected and fermented (Table 22).

Table 22

Spinosyn production in derivatives of NRRL 15328 transformed with rhamnose genes

Strain	Duplicated Genes	A+D (μg/ml)	
		Experiment 1	Experiment 2
NRRL 18538	None	344 ± 39	405 ± 25
NRRL 18538/1632-1	<i>gtt</i>	410 ± 21	418 ± 38
NRRL 18538/1634-1	<i>gdh+kre</i>	351 ± 27	360 ± 21
NRRL 18538/1633-1	<i>epi</i>	318 ± 29	315 ± 18

The values are means ± 95% confidence limits.

5 In derivatives of NRRL 15328 transformed with *gtt* or *epi*, or the combination of *gdh* and *kre*, there was no consistent increase in the yield of spinosyns.

The fragments containing the *gtt* and *gdh+kre* genes were combined in a single plasmid. Two plasmids containing the combined *gtt*, *gdh* and *kre* genes (pDAB1654 and pDAB1655) were isolated, and conjugated from *E. coli* S17-1 (Simon *et al.*,
10 1983) into *S. spinosa* NRRL 18538 by the method of Matsushima *et al.* (1994). Apramycin-resistant exconjugants were selected and fermented (Table 23).

Table 23

Spinosyn production in derivatives of NRRL 15328 transformed with rhamnose genes

Strain	Duplicated Genes	A+D (μg/ml)	
		Experiment 1	Experiment 2
NRRL 18538	None	109±9	133±36
NRRL 18538/1654-2	<i>gtt</i> , <i>gdh</i> and <i>kre</i>	323±19	244±34
NRRL 18538/1654-5	<i>gtt</i> , <i>gdh</i> and <i>kre</i>	571±23	412±61
NRRL 18538/1654-6	<i>gtt</i> , <i>gdh</i> and <i>kre</i>	577±17	425±51
NRRL 18538/1654-11	<i>gtt</i> , <i>gdh</i> and <i>kre</i>	587±23	426±55
NRRL 18538/1655-1	<i>gtt</i> , <i>gdh</i> and <i>kre</i>	501±20	395±59
NRRL 18538/1655-3	<i>gtt</i> , <i>gdh</i> and <i>kre</i>	537±27	421±63
NRRL 18538/1655-5	<i>gtt</i> , <i>gdh</i> and <i>kre</i>	529±21	428±47
NRRL 18538/1655-12	<i>gtt</i> , <i>gdh</i> and <i>kre</i>	526±26	401±60

The values are means ± 95% confidence limits.

15 In derivatives of NRRL 15328 transformed with the *gtt*, *gdh* and *kre* genes, significant increases in spinosyn yields were observed. This probably results from overcoming a rate-limiting supply of NDP-4-keto-6-deoxy-glucose by simultaneously increasing the amounts of both *gtt* and *gdh* gene products, the enzymes necessary for its biosynthesis (see Fig. 1). A greater supply of the NDP-4-keto-6-deoxy-glucose
20 intermediate would lead to increased production of both rhamnose and forosamine,

and therefore greater ability to convert aglycone to spinosyns A+D. Consistent with the hypothesis that deoxysugar supply is limiting spinosyn production in NRRL 18538, many mutants blocked in forosamine synthesis or addition accumulate PSA to very high levels. More of this intermediate can be made because it requires only one
5 deoxysugar, compared with the two required for spinosyns A or D.

The present invention is not limited to a particular vector comprising spinosyn genes of the invention, but rather encompasses the biosynthetic genes in whatever vector is used to introduce the genes into a recombinant host cell.

In addition, due to the degeneracy of the genetic code, those skilled in the art
10 are familiar with synthetic methods of preparing DNA sequences which may code for the same or functionally the same activity as that of the natural gene sequence. Likewise, those skilled in the art are familiar with techniques for modifying or mutating the gene sequence to prepare new sequences which encode the same or substantially the same polypeptide activity as the natural sequences. Consequently,
15 these synthetic mutant and modified forms of the genes and expression products of these genes are also meant to be encompassed by the present invention.

All patents and publications referred to above are incorporated by reference herein.

References

1. Altschul, S.F., W. Gish, W. Miller, E.W. Myers, and David J. Lipman (1990). Basic local alignment search tool. *J. Molec. Biol.* 215:403-10.
- 5 2. Aparicio, J.F., I. Molnar, T. Schwecke, A. Konig, S.F. Haydock, L.E. Khaw, J. Staunton & J.F. Leadlay (1996). "Organization of the biosynthetic gene cluster for rapamycin in *Streptomyces hygroscopicus*: analysis of the enzymatic domains in the modular polyketide synthase," *Gene* 169: 9-16.
3. Balcer, J.L., S.M. Brown & D.F. Berard (1996). "A rapid screening technique for
10 identification of Spinosad photolysis products using ESI/MS/MS," *Proc. 44th Conf. Amer. Soc. Mass Spec.*
4. Baltz, R.H., M.A. McHenney, C.A. Cantwell, S.W. Queener & P.J. Solenberg (1997). "Applications of transposition mutagenesis in antibiotic producing streptomycetes," *Ant. van Leeuw.* 71:179-187.
- 15 5. Bibb, M.J., P.R. Findlay & M.W. Johnson (1984). "The relationship between base composition and codon usage in bacterial genes and its use for the simple and reliable identification of protein-coding sequences," *Gene* 30: 157-166.
6. Bierman, M., R. Logan, K. O'Brien, E.T. Seno, R.N. Rao & B.E. Schoner (1992). "Plasmid cloning vectors for the conjugal transfer of DNA from *Escherichia coli*
20 to *Streptomyces* spp," *Gene* 116: 43-49.
7. Broughton, M.C., M.L.B. Huber, L.C. Creemer, H.A. Kirst & J.A. Turner (1991). "Biosynthesis of the macrolide insecticidal compound A83543 by *Saccharopolyspora spinosa*," *Ann. Mtg. Amer. Soc. Microbiol.*
8. Burgett, S.G. & P.R.J. Rosteck (1994). "Use of dimethyl sulfoxide to improve
25 fluorescent, Taq cycle sequencing. in *Automated DNA sequencing and analysis*," M. Adams, C. Fields & J.C. Venter, eds. NY, Academic Press: pp. 211-215.
9. Dehoff, B.S., S.A. Kuhstoss, P.R. Rosteck & K.L. Sutton (1997). "Polyketide synthase genes." EPA 0791655.

10. Don, R.H., P.T. Cox, B.J. Wainwright, K. Baker & J.S. Mattick (1991).
"Touchdown' PCR to circumvent spurious priming during gene amplification,"
Nucl. Acid Res. 19: 4008.
11. Donadio, S., J.B. McAlpine, P.S. Sheldon, M. Jackson & L. Katz (1993). "An
erythromycin analog produced by reprogramming of polyketide synthesis," *Proc.*
Natn. Acad. Sci. USA 90: 7119-7123.
12. Donadio, S. & L. Katz (1992). "Organization of the enzymatic domains in the
multifunctional polyketide synthase involved in erythromycin formation in
Saccharopolyspora erythrae," *Gene* 111: 51-60.
13. Donadio, S., M.J. Staver, J.B. McAlpine, S.J. Swanson & L. Katz (1991).
"Modular organization of genes required for complex polyketide biosynthesis,"
Science 252: 675-679.
14. Fish, S.A. & E. Cundliffe (1997). "Stimulation of polyketide metabolism in
Streptomyces fradiae by tylosin and its glycosylated precursors," *Microbiology*
143: 3871-3876.
15. Geistlich, M., R. Losick, J.R. Turner & R.N. Rao (1992). "Characterization of a
novel regulatory gene governing the expression of a polyketide synthase gene in
Streptomyces ambofaciens," *Mol. Microbiol.* 6: 2019-2029.
16. Hosted, T.J. & R.H. Baltz (1997). "Use of *rpsL* for dominance selection and
gene replacement in *Streptomyces roseosporus*," *J. Bacteriol.* 179: 180-186.
17. Inouye, M., H. Suzuki, Y. Takada, N. Muto, S. Horinouchi & T. Beppu (1994).
"A gene encoding mycinamicin III O-methyltransferase from *Micromonospora*
griseorubida," *Gene* 141: 121-124.
18. Jiang, X.M., B. Neal, F. Santiago, S.J. Lee, L.K. Romana & P.R. Reeves (1991).
"Structure and sequence of the *rfb* (O antigen) gene cluster of *Salmonella* serovar
typhimurium (strain LT2)," *Mol. Microbiol.* 5: 695-713.
20. Kirst, H.A., K.H. Michel, J.S. Mynderse, E.H. Chio, R.C. Yao, W.M.
Nakatsukasa, L.D. Boeck, J.L. Occlowitz, J.W. Paschal, J.B. Deeter & G.D.
Thompson (1992). "Discovery, isolation and structure elucidation of a family of

- structurally unique, fermentation-derived tetracyclic macrolides. in *Synthesis and Chemistry of Agrochemicals III*," D.R. Baker, J.G. Fenyes & J.J. Steffens, eds. Washington, DC, American Chemical Society: pp. 214-225.
21. Linton, K.J., B.W. Jarvis & C.R. Hutchinson (1995). "Cloning the genes
5 encoding thymidine diphosphoglucose 4,6-dehydratase and thymidine diphospho-
4-keto-6-deoxyglucose 3,5-epimerase from the erythromycin-producing
Saccharopolyspora erythraea."
22. Liu, H.W. & J.S. Thorson (1994). "Pathways and mechanisms in the biogenesis
of novel deoxysugars by bacteria," *Ann Rev Microbiol* 48: 223-256.
- 10 23. Matsushima, P., M.C. Broughton, J.R. Turner & R.H. Baltz (1994). "Conjugal
transfer of cosmid DNA from *Escherichia coli* to *Saccharopolyspora spinosa*:
effects of chromosomal insertion on macrolide A83543 production," *Gene* 146:
39-45.
24. Ruan, X., et al.(1997). "Acyltransferase Domain Substitutions in Erythromycin
15 Polyketide Synthase Yield Novel Erythromycin Derivatives," *J. Bacteriology*
179, 6416.
25. Siggard-Andersen, M. (1993). "Conserved residues in condensing enzyme
domains of fatty acid synthases and related sequences," *Protein Seq. Data Anal.*
5: 325-335.
- 20 26. Simon, R., U. Preifer & A. Puhler (1983). "A broad host range mobilization
system for *in vivo* genetic engineering: transposon mutagenesis in Gram negative
bacteria," *Bio/Technology* 1: 784-791.
27. Solenberg, P.J. & S.G. Burgett (1989). "Method for selection of transposable
DNA and characterization of a new insertion sequence, IS493, from *Streptomyces*
25 *lividans*," *J. Bacteriol.* 171: 4807-4813.
28. Strobel, R.J. & W.M. Nakatsukasa (1993). "Response surface methods for
optimizing *Saccharopolyspora spinosa*, a novel macrolide producer," *J. Ind.*
Microbiol. 11: 121-127.

29. Thorson, J.S., S.F. Lo & H. Liu (1993). "Biosynthesis of 3,6-dideoxyhexoses: new mechanistic reflections upon 2,6-dideoxy, 4,6-dideoxy, and amino sugar construction," *J. Am. Chem. Soc.* 115: 6993-6994.
30. Weber, J.M. & J.B. McAlpine (1992). "Erythromycin derivatives," U.S. Patent 5,141,926.

Claims

1. An isolated DNA molecule comprising a DNA sequence that encodes a spinosyn biosynthetic enzyme, wherein said enzyme is defined by an amino acid sequence selected from the group consisting of SEQ ID NOS 2-5, 7-24, 26, 27, 29, 33, or
5 said enzyme is defined by an amino acid selected from SEQ ID NOS 2-5, 7-24, 26, 27, 29, 33 in which one or more amino acid substitutions have been made that do not affect the functional properties of the enzyme.

2. An isolated DNA molecule of claim 1 wherein said DNA sequence is selected from the group of genes consisting of *spnA*, *spnB*, *spnC*, *spnD*, *spnE*, *spnF*,
10 *spnG*, *spnH*, *spnI*, *spnJ*, *spnK*, *spnL*, *spnM*, *spnN*, *spnO*, *spnP*, *spnQ*, *spnR*, *spnS*, ORFL15, ORFL16, ORFR1, ORFR2, *S. spinosa gtt*, *S. spinosa gdh*, *S. spinosa epi*, and *S. spinosa kre*, said genes being described by bases 21111-28898, 28916-35374, 35419-44931, 44966-59752, 59803-76569, 20168-20995, 18541-19713, 17749-18501, 16556-17743, 14799-16418, 13592-14785, 12696-13547, 11530-12492, 10436-11434, 8967-
15 10427, 7083-8450, 5363-6751, 4168-5325, 3416-4165, 2024-2791, 1135-1971, 76932-77528, and 77729-79984 of SEQ ID NO:1, bases 334-1119 of SEQ ID NO:27, bases 88-1077 of SEQ ID NO 24, bases 226-834 of SEQ ID NO 31, and bases 1165-1992 of SEQ ID NO:24.

3. An isolated DNA molecule comprising a DNA sequence that encodes a spinosyn PKS domain, where said domain is selected from KSi, ATi, ACpi, KS1, AT1, KR1, and ACP1, corresponding, respectively, to amino acid sequences 6-423, 528-853, 895-977, 998-1413, 1525-1858, 2158-2337, and 2432-2513 of SEQ ID NO:2, or said domain is one of said amino acid sequences in which one or more amino acid
20 substitutions have been made that do not affect the functional properties of the domain.

25 4. An isolated DNA molecule of claim 3 wherein said DNA sequence is selected from the group consisting of bases 21126-22379, 22692-23669, 23793-24041, 24102-25349, 25683-26684, 27582-28121, and 28404-28649 of SEQ ID NO:1.

5. An isolated DNA molecule comprising a DNA sequence that encodes a spinosyn PKS domain, where said domain is selected from KS2, AT2, DH2, ER2, KR2, and ACP2, corresponding, respectively, to amino acid sequences 1-424, 536-866, 892-
30 1077, 1338-1683, 1687-1866, and 1955-2034 of SEQ ID NO:3, or said domain is one of

said amino acid sequences in which one or more amino acid substitutions have been made that do not affect the functional properties of the domain.

6. An isolated DNA molecule of claim 5 wherein said DNA sequence is selected from the group consisting of bases 29024-30295, 30629-31621, 31697-32254,
5 33035-34072, 34082-34621, 34886-35125 of SEQ ID NO:1.

7. An isolated DNA molecule comprising a DNA sequence that encodes a spinosyn PKS domain, where said domain is selected from KS3, AT3, KR3, ACP3, KS4, AT4, KR4, and ACP4, corresponding, respectively, to amino acid sequences 1-423, 531-280, 1159-1337, 1425-1506, 1529-1952, 2066-2396, 2700-2880, and 2972-3053 of SEQ
10 ID NO:4, or said domain is one of said amino acid sequences in which one or more amino acid substitutions have been made that do not affect the functional properties of the domain.

8. An isolated DNA molecule of claim 7 wherein said DNA sequence is selected from the group consisting of bases 35518-36786, 37108-38097, 38992-39528,
15 39790-40035, 40102-41373, 41713-42705, 43615-44157, and 44431-44676 of SEQ ID NO:1.

9. An isolated DNA molecule comprising a DNA sequence that encodes a spinosyn PKS domain, where said domain is selected from KS5, AT5, DH5, KR5, ACP5, KS6, AT6, KR6, ACP6, KS7, AT7, KR7, and ACP7, corresponding, respectively to
20 amino acid sequences 1-424, 539-866, 893-1078, 1384-1565, 1645-1726, 1748-2172, 2283-2613, 2916-3095, 3188-3269, 3291-3713, 3825-4153, 4344-4638, and 4725-4806 of SEQ ID NO:5, or said domain is one of said amino acid sequences in which one or more amino acid substitutions have been made that do not affect the functional properties of the domain.

25 10 An isolated DNA molecule of claim 9 wherein said DNA sequence is selected from the group consisting of bases 45077-46348, 46691-47674, 47753-48310, 49226-49771, 50009-50254, 50318-51592, 51923-52915, 53822-54361, 54638-54883, 54947-56215, 56549-57535, 58106-58990, and 59249-59494 of SEQ ID NO:1.

30 11 An isolated DNA molecule comprising a DNA sequence that encodes a spinosyn PKS domain, where said domain is selected from KS8, AT8, DH8, KR8, ACP8, KS9, AT9, DH9, KR9, ACP9, KS10, AT10, DH10, KR10, ACP10, and TE10, corresponding, respectively, to amino acid sequences 1-424, 530-848, 883-1070, 1369-

1552, 1648-1726, 1749-2173, 2287-2614, 2640-2800, 3157-3341, 3422-3500, 3534-3948, 4060-4390, 4413-4597, 4900-5078, 5172-5253, and 5302-5555 of SEQ ID NO:6, or said domain is one of said amino acid sequences in which one or more amino acid substitutions have been made that do not affect the functional properties of the domain.

5 12. An isolated DNA molecule of claim 11 wherein said DNA sequence is selected from the group consisting of bases 59902-61173, 61489-62445, 62548-63111, 64006-64557, 64843-65079, 65146-66420, 66760-67743, 67819-68301, 69370-69924, 70165-70401, 70471-71745, 72079-73071, 73138-73692, 74599-75135, 75415-75660, and 75805-76566 of SEQ ID NO:1.

10 13. An isolated DNA molecule comprising a DNA sequence that encodes a spinosyn PKS module, where said module is selected from the group consisting of amino acid sequences 6-1413 of SEQ ID NO:2, 1525-2513 of SEQ ID NO:2, 1-2034 of SEQ ID NO:3, 1-1506 of SEQ ID NO:4, 1529-3053 of SEQ ID NO:4, 1-1726 of SEQ ID NO:5, 1748-3269 of SEQ ID NO:5, 3291-4806 of SEQ ID NO:5, 1-1726 of SEQ ID NO:5, 1-
15 1726 of SEQ ID NO:6, 1749-3500 of SEQ ID NO:6, and 35434-5555 of SEQ ID NO:6, or said module is one of the said amino acid sequences in which one or more amino acid substitutions have been made that do not affect the functional properties of the domain.

 14. An isolated DNA molecule of claim 13 wherein said DNA sequence is selected from the group consisting of bases 21126-24041, 24102-28649, 29024-35125,
20 35518-40035, 40102-44676, 45077-50254, 50318-54883, 54947-59494, 59902-65079, 65146-70401, and 70471-76566 of SEQ ID NO:1.

 15. A recombinant DNA vector which comprises a DNA sequence as defined in claim 1.

 16. A host cell transformed with a recombinant vector as claimed in claim 15.

25 17. A method of producing spinosyn in increased amounts comprising the steps of:

 1) transforming with a recombinant DNA vector or portion thereof a microorganism that produces spinosyn or a spinosyn precursor by means of a biosynthetic pathway, said vector or portion thereof comprising a DNA sequence of claim 1 that codes
30 for the expression of an activity that is rate limiting in said pathway, and

2) culturing said microorganism transformed with said vector under conditions suitable for cell growth and division, expression of said DNA sequence, and production of spinosyn.

18. A method of claim 17 wherein step 1) comprises transforming said
5 microorganism with a vector or portion thereof comprising a DNA sequence that codes for *S. spinosa gtt* and *S. spinosa gdh*.

19. A transformed spinosyn-producing microorganism having spinosyn biosynthetic genes in its genome wherein at least one of the spinosyn biosynthetic genes, selected from *spnA*, *spnB*, *spnC*, *spnD*, *spnE*, *spnF*, *spnG*, *spnH*, *spnI*, *spnJ*, *spnK*, *spnL*,
10 *spnM*, *spnN*, *spnO*, *spnP*, *spnQ*, *spnR*, *spnS*, *S. spinosa gtt*, *S. spinosa gdh*, *S. spinosa epi*, and *S. spinosa kre*, is duplicated.

20. A transformed spinosyn producing microorganism of claim 19 wherein *S. spinosa gtt* and *S. spinosa gdh* are duplicated.

21. A process for producing a spinosyn compound which comprises
15 cultivating a transformed spinosyn-producing microorganism of claim 20.

22. A transformed spinosyn producing microorganism of claim 19 wherein *S. spinosa gtt*, *S. spinosa gdh*, and *S. spinosa kre* are duplicated.

23. A process for producing a spinosyn compound which comprises cultivating a transformed spinosyn-producing microorganism of claim 22.

20 24. A process for producing a spinosyn compound which comprises cultivating a transformed spinosyn-producing microorganism of claim 19.

25. A transformed spinosyn-producing microorganism having spinosyn biosynthetic genes in its genome, wherein at least one of said genes has been disrupted by recombination with an internal fragment of that gene, the rest of said genes being
25 operational to produce a spinosyn other than the one that would be produced if the disrupted gene were operational.

26. A process for producing a spinosyn compound which comprises cultivating a transformed spinosyn-producing microorganism of claim 25.

27. A transformed spinosyn-producing microorganism having operational
30 spinosyn biosynthetic genes including multiple PKS modules in its genome, wherein said genes a) include at least one operational PKS module more or at least one less than is present in SEQ ID NO:1; or b) include a PKS module that differs from the corresponding


module described in SEQ ID NO:1 by the deletion, inactivation, or addition of a KR, DH or ER domain, or by the substitution of an AT domain that specifies a different carboxylic acid.

28. A process for producing a spinosyn which comprises cultivating a
5 transformed spinosyn-producing microorganism of claim 27.


29. A process for isolating a macrolide biosynthetic gene which comprises creating a genomic library of a macrolide producing microorganism, and using a labeled fragment of SEQ ID NO:1, SEQ ID NO:25, SEQ ID NO:28, or SEQ ID NO:32 that is at least 20 bases long as a hybridization probe.

10. 30. A process of claim 29 wherein the microorganism is a spinosyn producing microorganism.

1/6



SUBSTITUTE SHEET (RULE 26)

Fig. 1B




Fig. 1C







Fig. 2

**Fig. 3**

6/6

**Fig. 4****Fig 5**

SEQUENCE LISTING

<110> Baltz, Richard H
 Broughton, Mary C
 Crawford, Kathryn P
 Madduri, Krishnamurthy
 Treadway, Patti J
 Turner, Jan R
 Waldron, Clive

<120> Biosynthetic Genes For Spinosyn Insecticide

<130> 50489

<140>

<141>

<150> US 09/36987

<151> 1998-03-09

<160> 39

<170> PatentIn Ver. 2.0

<210> 1

<211> 80161

<212> DNA

<213> *Saccharopolyspora spinosa*

<400> 1

gatctccatg aagctcaacg taggcacgga cggtcaggtg gactgggtga tcgcccgcga	60
cctgctggcc gacgggctga tcgccgaggc aggcgaaggc gatgtgcgga tcggccctcg	120
acgggggtttt ccgggggttg tcgtgatcga gatgagctcg ccgtcggggc aggcctcctt	180
cgaggtgaat gctgaccagc ttgcggactt cttgaacgac acctacgacg tggtcgaacc	240
tggatgatgaa caccggtgga tgaacgtcga cgaggtgctg agccagctgc tctcgccaac	300
ctgtaatggc ccagctctcc cgaagcgccg cagcctaaag cgctggctgc gggacctggc	360
ggcgctgaac accgccacgc tgtgtctccg agctccagct ggaccacgtc ggtgccgtgc	420
gcccggctcg gtcaggccga aggtgctgat cttctccagg cgcgccatcg gcgcaggaag	480
cgctgcttct gctcccgccg cagtaccgtc gtgtcatggc cacggacagc ttcgattcct	540
cgaagctaca ggcggccgtg gcatcgagcg tcgcgtcgtg cgtctcggaa gtcagccgag	600
acgtctacac gcacctgatt accgaggctc cgcagttgcg agccgatgag atcgtcctca	660
gcattctacg gacgagtgtt gaggaaaata tcgccacatt gccgcacgtt ctcgaattcg	720
agattccgtt gggatattcg ccgggtcctg ctgcgggtgtt ggagtatccg cgacgactgg	780
cgaaacattt ccatcaacgc gctgatcagg gccaacgcga tcgggcactt ccgcttcctg	840
tagtgatgcc tcgacgagat ccgccgcaa tgcgccgacg aggccgtatc cgcagcgacc	900
acgcaacgaa tgctcgcaac cagcttcggc tacatcgacc gcgtcacgga gcagatcgcc	960
gaaacctacc agctcgaac ggaccgctgg ctctggcgga cgggacggcc gtgaggtctc	1020
tgcggcacatc gcatagcgtc ttctcccgct gaggcacatg aggtgttgcg cgcgggtcgtt	1080

tccggcagtc	gcacggcatt	cgtccctagct	gcgggcaatt	gagggagcga	agatttagag	1140
gagtgtggcc	acgcggacca	agccggcgag	tgctcgggag	cggctgtggg	gcgggcaggc	1200
gatgactgtc	gtcacgtccg	gcgcgtctag	aaccgggtacg	gcggcgaggc	cttcgagcag	1260
gttgacgcga	ctggattcgg	gcatgaccac	ggtagtgcg	ccgagtgcga	tcatttgga	1320
cagttgcgtc	tggttgcgta	cttccacgcc	ggggccatct	ggatagacgc	cgtcggggcc	1380
gggccagcgc	gcaagcggga	gatccggcag	tgagctgaca	tccgccatcc	gtacatgggg	1440
ctcgctggca	agcggatg	aggtcgggaag	aatggcgact	tggtgctcgg	tggtcagaat	1500
ttcgatgtcg	agttcggccg	tcgggtcgaa	gggttgatgc	aacagcgcca	cgtcggcccg	1560
gccgtcatgc	agcgttttct	ggggctggga	ttcgagagc	agcaggtcga	cggccacggc	1620
tcccggtctg	gcggcgtagc	cgtcgagcaa	cttcgccagc	agctcaccgg	aggcgccggc	1680
cttggcagcc	aggactagcg	agggctggct	cgtcgcggca	cgctgggtgc	gtcgctcggc	1740
tgctgccagc	gcgccgagga	tcgcccggcc	ttcggtcagc	agcattgccc	cggcttcggt	1800
gagcgagact	ttgcggctgg	tgcgttgcag	caacacgact	ccgagtcggt	gctcgagctg	1860
ggcgatcgtc	cgcgacagcg	gcggctgggc	gatgcccagg	cgctgggcgg	cccggccgaa	1920
gtgcaactcc	tcggcgactg	caacgaagta	ccgcaactcc	cgctctcca	tccgtcgagc	1980
ctaccgctga	ttcatatcag	ctgggtatcg	gtgtgagacc	tagatgggtg	tggttccccg	2040
ccggtttcgg	gccacgctag	aaagcatgag	cgaacagacg	attgcactgg	tcaccggcgc	2100
aaacaagggga	atcggatacg	agatcgcggc	cgggctcggc	gcgctggggg	ggagcgtcgg	2160
aatcggggca	cgggaccacc	agcgcgggga	ggatgccgtg	gcgaaattgc	gtgcggacgg	2220
cgtcgatg	ttcgcggtat	ccctggacgt	gacagacgac	gcgagcgtcg	cggctgctgc	2280
ggctctgctc	gaggagcgcg	cgggccggct	cgatgtgctg	gttaataaac	cgggcatcgc	2340
cggggcatgg	ccggaggagc	cctcgaccgt	cacaccggcg	agcctccggg	cgggtggtgga	2400
gaccaacgtg	atcggcgtcg	ttcgggttac	caacgctatg	ctgccgttgc	tacgccgctc	2460
cgagcgcccg	cggatcgta	accagtccag	ccacgtcgct	tccctgacct	tgcaaacacc	2520
gccggg	gacctcggcg	ggatcagcgg	agcctactca	ccgtcgaaga	cgttcctcaa	2580
cgcgatcacc	atccagtacg	ccaaggaact	cagcgatacc	aacatcaaaa	tcaacaacgc	2640
ctgccccggc	tacgtcgga	ccgaccttaa	cggcttccac	ggaaccagca	cgccggcaga	2700
cggtgccagg	atcgccattc	ggctcgccac	gctgccagac	gacggcccga	ccggaggcat	2760
gttcgacgac	gccgggaatg	tgccctgggtg	aggcgctcag	tcggcgatgg	tgcaatcgaa	2820
gtcggagagg	ctcgctgcga	ccgggtacgc	cgaacaacac	ctgttcctgt	gggtacggat	2880
gtcggccttc	gccgtctcgg	tcattgacaa	cctgtacttc	gggcgcggtt	accgccggtg	2940
cgccgcggtt	gcctggcgac	actgggcccag	ccgtgggtca	ccggcggtt	aggtcaggcg	3000
tgggcggttg	ccagcatggc	gggtgcggct	ttgcgtaggt	cgggtaggcg	catccggcgc	3060
gggagccggt	cgagttcttc	gccgatggcc	ggtgctttgg	ggctgctcag	gagccgaaca	3120
cctcccagcc	gcagggtgccg	ggctgaaccg	agtggttctc	gtcggctcgg	atcacaacgt	3180
ctgccggaac	agctgcggcg	aggtggtcgc	agattcgagg	cgggatcgtc	ctcggcgacc	3240
ttgccgacga	tcgcggctag	ggcccagggc	ttcgtcgacc	tggttggcac	ctagatcacg	3300
acggtcaaaa	cttgccggca	tcagagacga	tcgaagtgat	cccgggtcac	gtcggcttat	3360

cggtcgagtg agtccccggg cctgcccagc caggtcttgc gtcgttggtc cgggctcagt	3420
tgcggtattcc gacgaacagg cctcgccgt tgggtgctcc aggaaggtat tccgcgcgga	3480
tccctgcgtc ttcgagcgcg gcggtgtact cgtcctcagt gaacagcgag aggatttcga	3540
actctgtgaa gtccccggatc ccggtgggtt cggcgactgt gtagcggacg gtcattccggc	3600
tcgtacggcc ctccaggacc gagtgcgata gccggctgat caccgcgtcg ccgtgggtgcg	3660
cgacgggtcc ggtgacgaac ccgtcgatga acttgctcggg aaaccaccag ggttcgatga	3720
ccgcgactcc accagggggc aggtgccggg ccatgttccg cgtcacgcgt cgcaggtcgt	3780
caacgggtccg catgtaagcc gcggtaaagc acaggcagg gatgacgtcg aatggctcgc	3840
cgaggtcgaa atcgcggtg tcaccgatgt gaatcggtac ctcagggact cgtctgatcg	3900
cgatctcccc catcgcatcg gacagttcaa gccccgcgac cttcgcgtat tcggcacgga	3960
atcgctctag gtgcgccccg gtcccacagg cgacgtcgag tagggactgt gcttcgggca	4020
gcctgggtgcg tacgagctgg actacttccc cggcctcggc tgcccagtc cggccacgcg	4080
cggagtggat cgcgtcgtag atgtcggcat gatctgggct gtataccgag gaggtttctg	4140
cgaatgtgtc gtcacgcgc gacatcctca ctttcggagt ggtgatcttt ggctgatgtg	4200
gtgttcgacg gccttctgga actcgtcagc caccgtgcgc acctcggcgt cgtcaaggct	4260
tgggtgcagt ggtagcagga gtgttctgcg gcaggcgtcc tccgcagaag gcagcttgca	4320
gtccgcgcgg tagatgggga cttgtgtag gggcgggtag cggtagctcg tgtagatgcc	4380
gcgttccagc atttgctgcg ccacctggtc gcggatctcc ggagccagct ggaccagta	4440
gaagtagtgt gacgagacgt gccatccgg tagcgtcggc ggtaggagga caccggcac	4500
atcggaaagc aaccggctcg actgcgtagc gatttctcta cgctgttgga tgaattctgg	4560
cagtttgccg agctgcacgc tgccaagcgc tgccgtcatg tcgttcccga tcagccgctg	4620
gccgatgtct tcgacgcgaa tatcccacca gcggttgga gacttggccg aatcgaatcc	4680
gctcatctgc tcaagaccgt ggtaggcgag tcgtcttgcg cgggtgcgca gctccggatc	4740
cgccgcgtag aacatgcccc catccccggg gaccaggatc ttcacgcgat cgaaactcca	4800
cgtggccagg tcaccaaagg ttccgcaagc ggtgccgtgc accgacgatg ccaccgcgca	4860
ggcggagtc tcgatgagca tgaggccctt ttcacggcag aaatcggcga tcgcggtgac	4920
ttctcccggc gatcctccat agtggagcag caatacggcc ttggtcgccg gcgtgatggc	4980
cctcgccaca tcatccagcg tggggttcaa cgtccggggg tcgacgtcgc agaacaccgg	5040
gcgggcaccg gaggatgcga tggcggtggc cgcgcgccag aagcttatcg aaggaagtac	5100
cacgtcgtcg cctgggcccga ggtcgagcac ctgcacggta aggaacagcg cggcagtccc	5160
cgagttgagg aacacgacct gttcgggatc cactcccagg tgggtgggca attcggcctc	5220
gaacgtccgg gtgcgcggcc cgagcccgat ccagttggag gcgaacacct ccgcgatcgc	5280
gtcgagttct tcgggtccga ggatcggtg gtgcaggttg atcacgttgc tgaaatcctc	5340
cgagatgccg ccatgctgga tgctaggaac tcttgccac gaattcagcg attgattcga	5400
cgacgtagtc gatcatttgg tccgttatgc ctgggtagac gccgaccag aaggttcggt	5460
cggtgacgat gtcgctgttg gtgagcgcgt cggcgatccg gtaccgcacc tgctcgaagg	5520
ccgggtgccg ggtgatgtta ccgccgaaca gcagtcgggt gccgatgttg cgggattcca	5580
ggaagttcac cagggcggca cgggtgaacc cggcgtccgc actgatggtg atcgcaaacc	5640

cgaaccagct	cgggtcgctg	tgcggtgtgg	ctaccggcag	cagcaggccc	ggcaaccocg	5700
acagcccttc	gcgcaaccgt	cgccagttac	ggcggcgtgc	cgacccgaat	gcggaaatct	5760
tgctcaactg	gctcagcgca	agtgcggcct	gcaggtcggt	ggtcttgagg	ttgtaaccga	5820
cgtgggagaa	cgtgtacttg	tggtcgtagc	ccggtggaag	ggtaccgagg	tggtagtcga	5880
acctcttgcg	gcagggtgtg	tccacgcggg	gctcgcacca	gcaatcccgt	ccccagtcac	5940
gcagcgactc	gatgatgcga	gccaatcca	ggctgccggt	caacacgcag	ccaccctcgc	6000
cgtcggtgat	gtgatgggca	ggatagaagc	tgaccgttgt	caggtcgccg	aagggtccgg	6060
tcagccgtcc	ccggtagggtg	gatcccaccg	catcacagtt	gtcttcgacg	aggaacagct	6120
cgtgttcttt	tgcatctctc	gcgatttcgt	cagcggcgaa	gggggtgccc	aggggtgtgcg	6180
ccagcatgat	ggctcgcgtc	cgttcctgta	cggcggcctt	gatgcggtct	ggcgttgctg	6240
tgtaggtgcc	cagttccacg	tcgacgaata	ccgggacgag	tccgttttg	accgccggat	6300
tgatcgtcgt	ggggaagccg	accgccgcag	tgatcacttc	gtcgccgggc	cgcagtcgtg	6360
cctcgccgag	tttgggggag	gtaagcgaac	tcagtgccag	gagattggcc	gacgaaccgg	6420
agttgacgag	atgagccttg	cggaggccga	agaagcgggc	gaactcgctc	tcgaatcgcc	6480
gtgcattccc	gcccgcggcg	atccggagct	ccagcgcggc	ttccaccagt	gccaccocgt	6540
cgtcctcgtc	gagcacggcg	cccgatggcc	ggatcggcgt	cgatccagcc	acgaaggtcg	6600
gggattcctg	ttcgcggtgg	taatcgcgta	cggatgccaa	tatccggctc	ttggcatccg	6660
gcaccatctc	agtagcggtg	gcgcaagtgt	cgtcacacga	agtcactctg	gcgcgccctt	6720
tccccagcgc	tctgggtttc	cggctctgca	tgaggcgac	gatcagtctt	cgcgccttgc	6780
cttcaggaga	tgagcgatgc	ccgtggcgaa	tcgcgttatg	acgtcccagc	gggacagtgt	6840
gctgtctcgg	cgccttacac	cttcctgccc	tggttcgatg	cgggtcgggg	catcaggaca	6900
gcggagcaag	gagaagcgct	cattgactca	gaaatcctcg	atctaccocg	cacaccocgac	6960
tcggtagagc	ccaggctagc	gggaacgacc	tgctcgcgct	tgtcaagatc	gctaccatca	7020
cctggaaggc	ctaagatttg	gcttgcgaaa	gcggcgtttc	ccgggggata	tcagagattt	7080
ctgtgattct	tggcatgctt	cccgggtgtt	caattgcgat	cggagagttc	atgcgtgtcc	7140
tgttcacccc	gctgccggcg	agttcgcact	tcttcaacct	ggtgccgttg	gcgtgggcgt	7200
tgcggtccgc	ggggcacgag	gtccgtgtcg	ccatctgccc	gaatatggtg	tcgatggtca	7260
ccggagcagg	actcacgcgc	gttcccgtcg	gcgacgagct	cgacctcatc	tccttggcgg	7320
ccaagaacga	actcgttctc	ggcagcgggg	tctcgttcga	cgagaagggg	cggcatccgg	7380
aactcttcga	cgagctgctg	tcaatcaact	ccggcagaga	cacggacgcc	gtggagcaac	7440
tccaccttgt	ggatgaccga	tcgctggacg	atctcatggg	gttcgccgag	aaatggcagc	7500
ctgatctcgt	tgtgtgggac	gctatggtgt	gttcggggcc	agttgtggcg	cgagcgctcg	7560
gcgcacgaca	cgtgcgggatg	ctcgctgccc	tcgatgtgtc	gggggtggctg	cgggtccgggt	7620
tcctcgaata	ccaggaatcg	aagccgcctg	agcagcgcgt	cgaccgcctc	gggacgtggc	7680
tgggagcgaa	gctcgccaag	ttcggagcca	cgttcgatga	agagatcggtg	acggggccaag	7740
cgaccataga	tccgattcca	tcctggatgc	gcctgcctgt	ggacttggac	tacatctcga	7800
tgcgtttcgt	gccgtacaac	gggtccggcg	tggtgccgga	gtgggtgccc	gaacgaccga	7860
cgaagccgcg	cgtctgcctc	acgcgcgggc	tgaccaagcg	gcggctgagc	aggggtgaccg	7920

aacagtacgg	ggagcaaagt	gaccaggaac	aagcaatggt	ggaaagggtg	ttgcgcggcg	7980
cggccaggct	cgacgtcgag	gtgatcgcca	ccttgctctga	cgacgaagta	cgggagatgg	8040
gggagttgcc	ctcgaacgtc	cgggtccacg	aatacgtacc	gctcaacgaa	ctgctggagt	8100
cgtgttcagt	gatcatccat	catggctcga	cgacgacgca	ggaaaccgcc	acggtcaacg	8160
gcgtaccgca	gttgattctc	cctgggacct	tctgggacga	atctcgtagg	gcggagctcc	8220
tagccgatcg	gggagccggt	ctggctcctcg	accccgcgac	gtttaccgaa	gacgacgtgc	8280
gaggtcagct	ggcccgcctg	ctcgacgagc	cgctggtcgc	tgccaacgcg	gcgctgatcc	8340
gccgtgaaat	cgaggaaagt	cccagcccg	acgacatcgt	tccacgtctg	gaaaagctag	8400
ttgccgaacg	tgagaaccgc	cgcactgggc	agtctgatgg	ccatccgtga	gcaacgtgtg	8460
gccggaaaca	tggacgccgg	ggtttggcag	gtgttcacgc	ctgttgcgtc	gactcggatt	8520
ccgccgtgac	cgggacgatg	ccaggcgagt	cccgaagtca	gattcttgct	cagaatcgct	8580
caatgggggtg	ttgatctccc	cagaggtttg	cgtcccaacc	gatttccgac	gaggatcggtg	8640
gcgcccgtg	agcaacgact	accgtgcggt	cgagacatac	cgtgtgcgc	caggagcgaa	8700
ggtgggttgc	ccgatcaccg	tgctgggtgt	agatgccgag	ccgaaggta	ccttggtatga	8760
ggcggaagcc	tggcgagagc	acaccgaggc	cgtggccgac	gtccgtgtct	tctccggcgg	8820
gcatttcttc	atgaccgaac	gccaggacga	ggtgctcgcg	gtccttacgg	gcggatcgct	8880
tcgatgatcc	tcgccaggcc	gctggaccag	accgcgacgc	ccctgggagc	cggcgtgcac	8940
atcgtcacgg	cagtgagggg	ttgggcatga	gcagttctgt	cgaagctgag	gcaagtgtgtg	9000
ctgcgccgct	cggcagcaac	aacacgcggc	ggttcgtcga	ctctgcgctg	agcgcttgca	9060
atggcatgat	tccgaccacg	gagttccact	gctggctcgc	cgatcggctg	ggcgagaaca	9120
gcttcgagac	caatcgcatc	ccgttcgacc	gcctgtcgaa	atggaaattc	gatgccagca	9180
cggagaacct	ggttcatgcc	gacggtaggt	tcttcacggg	agaaggcctg	caggtcgaga	9240
ccaactatgg	cgcggcacc	agctggcacc	agccgatcat	caaccaggct	gaagtaggta	9300
tcctcggcac	tctcgtcaag	gagatcgacg	gcgtgctgca	ctgcctcatg	tcagcaaaga	9360
tggaaaccggg	caacgtcaac	gtcctgcagc	tctcgccgac	ggttcaggca	actcggagca	9420
actacacgca	ggcacaccgt	ggcagcgctc	cgccctatgt	ggactacttc	ctcgggcggg	9480
gccgcggccg	cgtgctggta	gacgtgctcc	agtctgaaca	ggggtcctgg	ttctaccgga	9540
agcgcaaccg	gaacatgggtg	gtggaagtcc	aggaggaagt	gccagtcctg	ccagacttct	9600
gctgggttgc	gctcggccag	gtgctggctc	tccttcgtca	ggacaacatc	gtcaacatgg	9660
acaccgggac	ggtgctgtct	tgcattccgt	tccacgattc	cgccaccgga	cccgaactag	9720
ccgcctcgga	ggagcccttc	cgacaggcgg	tggccaggct	gctctcgac	ggcatcgatt	9780
cgtcgagtat	ctccgaggcg	gtcgggttgg	tcgaggaagc	caaggcccg	taccgcttgc	9840
gggcaacgcg	cgttccgctg	agcagggtcg	acaagtggta	tcgcaccgat	accgagatcg	9900
cccaccagga	cggcaagtac	ttcgcgggtg	tcgcgggtgc	ggtgtccgcg	accaatcgtg	9960
aggtcgccag	ctggacgcag	ccgatgatcg	aaccgcgaga	acaagggtgag	atcgactgtg	10020
tggtaagcg	gatcggcgga	gtgctgcacg	gtttgggtcca	cgctcgggtg	gaggtgggtg	10080
ataagtggac	tgcggaaatc	gctcccacgg	tccagtgcag	tgtggccaac	taccaaagca	10140
ccccgtcgaa	cgactggccg	ccgttcttgg	acgacgtgct	caccgccgat	cccgaaccg	10200

tgcggtacga atcgatcctg tccgaagaag gcggtcgggt ctaccaggcg cagaacaggt	10260
accggatcat cgagggtgcat gaggacttcg cggcacgacc tcccagcgac ttccggtgga	10320
tgactttggg acagttgggc gagctgctcc ggagcaccca cttcttgaac atccaggcgc	10380
gcagcttggt cgcctccctg catagcttgt gggcggttggg gcgatgacca gctcgatgcg	10440
aaagccggtg cgcacggtg tgctcgggtg cgcttccttc gcgtggcgac ggatgctgcc	10500
cgcgatgtgc gacgtggccg aaacagaggt ggtggcggtg gcgagccgtg atccggcgaa	10560
agccgaacgg ttccgacgac gattcgaatg cgaggcggtg ctgggttacc agcggctcct	10620
ggagcgcccg gacatcgatg ccgtctacgt gccgttgccg cctggcatgc atgcagagt	10680
gatcggcaag gcgcttgagg cagacaaaca cgtgcttgcg gagaaaccgc tgacgacgac	10740
ggcgctccgac accgctcgcc tggtcgggct ggccaggagg aagaacctgc tgctgcggga	10800
gaattacctg ttctccacc acggccggca cgacgtggtc cgcgacctgc tgcaatccgg	10860
ggagatcggg gagctccggg agttcaccgc cgtgttcgga attccgcgc ttcccgacac	10920
ggacatccgc tatcgacccg aactcggtg cgagcggtg ctggacatcg gtgtctatcc	10980
cgcctcgcc gctcgccact ttctcctcgg tccgctcacg gttctcggcg caagctcgca	11040
cgaggcccag gagtcggggc tcgacttgct gggcagcggt ctgctccaat cggaagggtg	11100
caccgttgcc cactcggt acggtttcgt gcaccactac cgcagcgct acgagctgtg	11160
ggggagtcgt gggcgaatcg tcgtcgaccg ggcgttcacg ccgcccgccg agtggcaggc	11220
cgtgatccga atcgagcgga agggcggtgt cgacgagttg tccttgccag cggaagatca	11280
ggttcgcaag gcggtcaccg ccttcgcacg cgacatcaga gcaggacag gcgtggacga	11340
ccctgcggtg gccggagatt cgggcgaatc gatgatccag caggccgcgc tgggtggaggc	11400
gatcggtcag gcccgtcggt gcgggtccac atagccgccc ggcatccgc ggtagtagtt	11460
cgcctcgaag cctgaccggg catccggaag ccagcgggga agccgctgga gaggtcacc	11520
gccatccgct cactggcat ctgcggacc gctgatcgcg gacggctcgg agaagtgtc	11580
gtcgaaccac gagacgacca ctgcgagct ggccaggggc gcgggaaagt gagccaatcc	11640
ggagagcgga tgccaccgca ctggcgtagc cgccgcgcgc tagctgtccc ggagtcgtc	11700
gccgaatgcg aacggaacga tctcgtcgtc cgtgctgtgg tagacgagcg tggggaccac	11760
cgggccaccg ttctacctg cgacgttttc ggccagtcgt gcgcgccatc gaggttgctc	11820
gaaaaggccg gaagtgtcga ggaagtcgct cagctcgcgg ccgaggaagc gggtagcgag	11880
ctccggtgca ccgagctcgc gcacttgatc aacggcggtg cgaccgcctt cggtgagaag	11940
ctcgtcgaat ggcagatcgg ggtaggcagc ggcatgccc accaggcccg ccagcaccgg	12000
cccgtgaac accccgtcat ttcggtggat gatgtccagc agatcgatcg gcaccgcacc	12060
tgcggccgca gcgcggatc gcagttcagg tgcgtaggtg gggtaggtt cgccggcgaa	12120
ggccgacgct tgcccaccct gcgcatagcc ccagatgccg accgggcagt cggtcgtcag	12180
gccggagccc ggtagccgtt gcgcagcgcg ggccgcatcg agcatggcgt gtccctgcgc	12240
cctgccgacg gtgtagggtg gggttccagg agtaccgagg ccttcgtagt cggtgatgac	12300
cacggccac ccgcggtcga gggccacggc gatcagctcg gtctccggt cggttccggt	12360
tcgaagcagg tacgacgggg caacttggct accgaggccg tgggtgccc ctgcgaaagt	12420
gatgatgggg cgatcttcgc gcggccacgg gatgttcggc accagaacgg tgccggagac	12480

ggcgttcggc atgccaaggg cggagttgga ccggtagagg atttgccagg ccttggtcgc	12540
gacgggttcg cccgtgccgc gcagtgccga gacgggccgg gccctgagga gcgtgcccg	12600
gacacccggc ggtagcggcg tcggcggtcg gtagaaggga tcatccgcgg gtgcccgcag	12660
atcgtcgccg accaggctgg cgtgctcgga ggccatcagg actgcttctt tcgagcctgc	12720
aggagcatga aacccatgct ttctcgttt ctggcgtaat ccggatgttt ccggtattcc	12780
gcaaccgcgg cgatcagctg tgctgggtccc ggtccgtgct tcgccgcgat gtctcccaag	12840
tagcgttgct ggtaggtgcc gacagccgca ggctcgacgc cggcgagctc atcgagtttc	12900
cggagcaact cgtcgacgta ccaggagacc atgcacctgg tctgtgccgt gaggtcgggtg	12960
acttcgagaa tctcgaaccc ggcttcgctg accagcgccg tgaagctgtt caaggatatgg	13020
gcggtcgtgc ccgtccaaac cgccgcgtac tcttcgggga gtcgaacccg agtgatgatg	13080
tctccgagga cgaaccggcc gccgggttcc aggattcggg ggacctcgcg gatcgcggcg	13140
gcctgggtcca cgatctgcac gacggactgc atcgcccatg cggcctgaaa gaaaccgtcc	13200
gggtagggca gctgggcggc gtcgactaga tcgaactcaa gactgccggc cagtccggtc	13260
tcgttgccga gcctgggtggc ggcggcgaga tgctgggcgt tcacgggtgat tccgggtgact	13320
cgaacgccgc tggcgcatgc cgcacggact acgggctgcc cattgccgca gccagggtcg	13380
aacagggtgcg ctccgggacg gagcgcgcc ttgtcgatga acagggtcgg cagttgggtcg	13440
gcagcatccg accacgggtg ggcaccggca tctcccgat acccgccgc ccagtaaccg	13500
tggtgcaggg gacgcccgtg cgccaacgca tcgaagatgg actccacctg atccgcggtc	13560
ggaaatgcct gtgtgttcgc ccctctgctg ttactcgtc ctccgcgctg ttacgtcgg	13620
ccagggtgcaa tatgtcgtcc agactccttg gcaccaagc aggaacgccg ccttcggcgt	13680
tgacgccttt ctccaggaac gcgatgttg ggtaggtgtg gaggccgacc aaattgcgtt	13740
ccaggtagct cggctcgtac gagcccgcat gcggctgctc ctctgtgctga acgccttcca	13800
acaggttctt gagcaggctg accgtgggtg cgggtgcggc cgggcaactg gcctgccgc	13860
cgaatccggg agcataggct gtccacagat cctcgatcac gtatacgcca ccgctgcgca	13920
accgggggaa cagcgtttcc agggatgtg gcacgtgtcc gttgatgtgg ctgccatcgt	13980
cgatgatgat gtgcaacggc ccgtacttgt cgtcaacggc ggccagctcc tcgggcttgc	14040
tctggctcggc gcggacgggt cagagcctct gctggtcgag gaaggacttg tcgaaaacgt	14100
ccatcccga cagaggccg cgggtggaagt agcgttcca catcttcagg gattcgccgc	14160
cgccaccgtc gaagttgtag ccaccgacac cgatctccag gatgcgcacc gggcgatcac	14220
ggaactcgc gaggtgtcgc tcgtatagcg gggatgaacca gtgcaggccg cccacttgt	14280
ccgtgcggta gtgggaggcg agcaagttga ggtcgggacg tcgggtgccg cagccggcga	14340
ccactgcgga gatggcctgg aagccatcgg acagttccga cggaccgggt atcgaaccgg	14400
atgtgggtgg tcggaggaag ttgggtgctc gggcgccgac ggcctgggga gctcctgggc	14460
cgaacaactc ggcgatgaga tcgggtgagct cgtaaccgat ccgcagcggg acgtctccga	14520
ccggctcgtt ctcggccttg atcagctcac cggactgtag cgtcaggacg aagtcaacgg	14580
tctcgctcgt gtgggtgatc tggaccgcga cctcggtcgg ttcgatgtcg ggggcccgtt	14640
ccgcgcggaa gaggatctcg tcgatcagca cgggtgcgat cctggcgagt ccgagttcgg	14700
tggtcaggct gccaggctc gccgcactgg atccggcggc gaggatgatg cgttccacgg	14760

tttcgatctc	gtgcgttgtg	gacatcgtga	tgagctcctc	atggctgacc	gggtgaaagc	14820
cgtgccggcg	gtttgatcga	caggccgtgc	tggaagatgt	tctgcggatc	ccaccgcgct	14880
ttggcccgct	gcagccgcgg	gtagttgtct	ttgtagtaca	ggtcgtgcca	ggcaacaccg	14940
gaggtgttcc	acaatggatc	ggccaagtgc	gtgtccgggt	agttgatgta	ggagccgtcg	15000
acacgggtac	ctggcaccgg	aactccgcgc	gtttcggcgt	acatctcgcg	gtagaaaccg	15060
cgaatccagg	tcagatgccg	ctcgtcctcg	gcgggctccg	accagtctgt	gacgaacagc	15120
gctttgagaa	ccgagtcgcg	ctgagcgagt	gcggtggccg	acggagccac	ggcattcgcc	15180
ataccgccgt	aaccgagcag	caacagcgcc	gccgcagggt	tgtcgtatcc	gtagacggtc	15240
agccgccggg	aaaccgtggc	tagttgagct	tccgacagcc	cgggtgcgaa	gtaggcggct	15300
ttgaccttgg	tccgttgcat	gcccggttcg	ccgccttcgg	cgatcgcccc	ggccacctgg	15360
gtcgatcgca	accacggcag	ggtttcccg	agcccttcgg	ctggagtcac	gccgacctgg	15420
gcgttgatcg	ccgacagggt	ttcggccagg	gtgcgttccg	cgttcggatc	cgtgccgtcc	15480
aggtgaacgt	tcagcgtgac	gtagccagct	tgccggtgtg	cgcagacgag	cgtgctgaac	15540
aacccgagtt	gcgtggattc	aggcgcgctg	tgtctctcgt	accaattgcc	gaagtctctgt	15600
aggagcacgg	cgaatgactg	ctctgtcagt	tcgtgccacg	gccagtggaa	cgatcggagc	15660
agcactgtcg	cgggcggccg	tggcaggagc	tctgcggcgt	cgggtgctgac	cacgtccggc	15720
gttcggagcc	aaaacctggg	gacgatcccc	aagttgccgc	caccgccacc	ggtgtgcgcc	15780
caccacaagt	cgtgaccggc	gcccgtggag	ttccggtcgg	cctcgacgat	gtgcacttca	15840
ccggcctggg	cgaccacgac	gacctcgacg	ccttgaagggt	agtcgacgac	cgaaccgaat	15900
cggcgcgaca	gcgggcccgt	tccccgcgcg	aggatgtgcc	cgctgcgcc	caccccgagg	15960
catgcgccgg	tcgggatcgt	cacgccccag	ttcttgaaca	gggttcggta	cacctgcccg	16020
agggcggcgc	ccgcctcgat	cgcgaaatgcc	ccgcgcgtgc	tgtcgtagta	cacgcggttg	16080
agctcggaga	ggtcgacgag	cactcggatc	gccgggtccg	caacgagatt	ctcgaagcag	16140
tgcccgccgc	tgcggacccc	taccgcctg	ccggtgcgca	cggcgtcggc	gacggcgtgc	16200
acgacgtctt	cggcggagct	ggcgatgtgg	atgcgttcgg	gttttcgggt	gaaacggggg	16260
ttgtgcccga	cgacgaggtc	cggataacga	ggatcgtcgg	gctcgacggg	gatctctggt	16320
cctgggggtc	gacgattcat	gggtgccggg	tcatggaatt	cgggcaccgc	ccctcctttt	16380
ctgactggtc	cactttgttc	gcccgcagcc	gagatcatct	acgcgtccgg	gtgattatct	16440
gtgtgtttca	gctcatacgt	gaaaccgggt	cgccctccgc	ggctctactt	tgtggatcga	16500
tatcgcggtg	cgcattggtc	cgtatgcgct	ggaaccgaaa	aggtgatgac	ttaccatgag	16560
tgagatcgca	gttgccccct	ggtcgggtgg	ggagcgtttg	ctgctcgcg	cgggtgcggg	16620
cccggcgaag	ctccaggaag	cagtgcaggt	ggccggactg	gacgcgggtg	ccgacgccat	16680
cgtcgacgaa	ctcgtcgtag	gctgcgatcc	gctgtcgttg	gacgagtcgg	tgcgaatcgg	16740
cctggagatc	acttctggcg	ctcagctggg	ccggagaacc	gttgagctcg	atcacgcagg	16800
cctgcggctc	gcggcggtcg	ccgaagcagc	tgtgtttctc	cggttcgacg	cgggtggatct	16860
gctggaaggg	ctcttcggcc	cggttgacgg	caggcggcac	aacagccgtg	aagtccgctg	16920
gtcggacagc	atgacgcagt	tctcgcccga	ccagggcctc	gccggcgcgc	agcgcctgct	16980
ggcgttccgg	aacagggtgt	ccaccgcggg	gcacgcgctg	ctggccgcag	ccgccaccag	17040

gcgcgcggac	ctcgggtgcgc	tggcagtcgc	ctacggatcc	gacaaatggg	cggacctgca	17100
ctggtacacc	gaacactacg	agcaccactt	ctcccgatcc	caggatgccc	cgggtgcgagt	17160
gttggaata	ggaatcgggtg	gttatcacgc	acccgaactc	ggtgggtgctt	cgctgcgcat	17220
gtggcagcgg	tacttcgggc	gaggtctcgt	ttacgggctg	gacatttttcg	agaaagccgg	17280
gaacgaaggg	caccgagtcg	gaaagctgcg	aggtgaccag	agcgatgcgg	aattcctgga	17340
agacatggtg	gcgaagatcg	gcccgttcga	cattgtcatc	gacgacggca	gccatgtcaa	17400
cgaccacgtc	aagaaatcct	tccaatccct	gtttccgcac	gtccgcccag	gtggtttgta	17460
cgtcatcgag	gatctccaga	cggcgtactg	gcccggctac	ggcggtcgcg	atggggaacc	17520
cgcggcccgag	cgcacctcga	tcgacatgct	caaagaactg	atcgacggcc	tgcatatatca	17580
ggagcgcgaa	tcgcgggtgcg	ggaccgagcc	ctcctacacg	gaacggaacg	tggcggccct	17640
gcacttctac	cacaacctgg	tattcgtgga	gaaagggctc	aacgctgaga	ctgccgcgcc	17700
gggggttcgtg	ccccggcaag	cgtcggcgt	cgagggcggc	tgagccgttc	accagctgcg	17760
gcgccagtag	gcgccgtgc	cgtcgatgtc	gtggatgggt	tcctgatcc	cgagttccgc	17820
gcggaacccc	ttcaccgcgt	cctggcagga	cggcagaaaa	tagtcgtcga	tgatgacgaa	17880
tcgccccggc	gagagcttcg	ggtacaggtt	cgcgaatgag	tccattgtgg	attcgtagag	17940
gtcgccgtcg	agtcgtagca	cggcgagttc	ctggatgggg	gcgggtgggca	aggtgtcccc	18000
gaaccagccg	gggaggaacc	tgacctgttc	gtcgagcagc	ccgtagcggg	cgaagtctctg	18060
ccggacggtc	tcaagcgata	cgccaagcac	gtcgttgtag	tcgtgcagcg	ccatagcctg	18120
gtccgcttgg	tggctcttgcg	cagagctttc	cggcattccc	tggaaggaat	ccactacca	18180
gacgggtacgt	ccggtatctc	cgaatgcctg	gagaaccgcg	cgcatgaaga	tgcatgcgcc	18240
gccccgccag	acaccggtct	cggcgaaatc	cccgggaaca	ccgtctgcga	gcacggcttc	18300
cacgcagtcg	tggaggttgt	ccagccgctc	cagaccgatc	atcgtgtgcg	cgacagttgg	18360
ccagtccgtg	cctttggccc	gagcggcctg	cctgtagtcg	gtgttgctct	gccaggcgtt	18420
cggatgcggc	cgatcactgt	aaatcggtt	ggtgagtacc	ttcttgagca	ggtccaggta	18480
cagcgcgttc	tgggagggca	tcggttctcc	ggatccagct	gttctcgggt	gactagttca	18540
tcaggcacgg	atggccgcag	tggtctccag	tgtccgcacc	agcgcggcgg	gatggggcat	18600
ggccgtgatc	tcgtcgctga	gtttgattgc	cgcagaagcg	aagccgggtg	cgccgagcac	18660
cgttgcgatt	gagtcgggtga	actgttcgtg	gtcggactgg	gcctgctcat	ccggcaagca	18720
gatgcccggc	ccggcagcgg	cgaggttcgc	cgcgtagtcg	aactggtcga	agtactgggg	18780
aagcacgagt	tgccgggatgc	cgagtcgggt	cgcgggtgaat	gccgttcccc	agccgcccgc	18840
gcagatgacc	agctcgcagg	tacgcaggaa	caggttgagc	gggaccgatt	cggcgatccg	18900
ggcgttgctg	ggtaggtcgg	tgagaagtgc	ccggtgctcg	gggggaacgg	cgatcacggc	18960
ctcgacgccg	ggcaactcgg	tggcagccgc	tactgcgcgc	agcagcggag	ccggccccgtt	19020
ggcgttcagc	accatgcggc	ccatgcagat	gcagaccgcg	cgtgctgagg	tgcgcgccgc	19080
gccccatgcc	gggaatgcgc	cgcttcctgt	gtacggcacg	tactggaccg	gtgcgccttg	19140
cggcgcgctg	cttgcttgca	ggctcggcgg	acagggatcg	aggatgagct	cgggagtggt	19200
cagggccggtc	agtcctgtgt	gccggcacac	cgggtcaagc	aactcgtggg	ctcgatcgct	19260
gaaggggcct	gcggtgggggt	cgactcccca	gcggtgcagc	acgaccggca	ggtcgagcaa	19320

tccgccgagc	acccggccga	tcagcgcgca	gacgtcgacc	aacagcactg	acggtcgcca	19380
ggcctcggcc	agtcgaaggt	attcggggag	ctgatcgagc	gagctttgcg	cgacattgga	19440
cgcggtctgc	tcccacagtt	gccggcctgc	ctcggtgtcg	cgctgaccga	acgccggatt	19500
gggaaagcgc	agctgcgtgg	ttccacccgt	atcgccggtc	ctgtcgttcc	cgcggatccc	19560
ggcctggtg	agacctgcac	catgcgcggt	cgcctgcagc	tctgggtggtg	cggcgatcag	19620
gacctcgtgc	cgggatgctt	gcagcgccca	gcacagcggc	accattgcca	tgagatgcgt	19680
cggatagggc	aagggaacga	cgagtacgcg	catacttcgg	accccagtct	ctttcccccg	19740
attagcgcag	cagcccctac	tcccattggc	caggatttgg	aaaatgcgct	gcgtatgtcg	19800
atcgccgttg	acgtccaacg	gacttccggc	ggcaacaata	gtgtgtcacg	gcaggaatgt	19860
cacgcgacca	tcgaagatct	ttgggtcgcc	gcacctgggt	tcacgcgaac	gagtgaatatg	19920
cgcgagctcc	gctcgatcgg	ggtgggcccg	acctgtacgg	tgatcacctg	tggttctgcg	19980
gggattcatg	gggaagatth	gcgctggctg	tttgccctct	ggccggatag	ttatagtcgg	20040
taccgccgca	tgccggcgta	accgcgaatt	aactgacggc	tagtttgccg	tcttttctct	20100
ctgtgtgttt	cctgctcggt	tccagaaaat	tacgagaagg	tgaacgttgc	agagatcagg	20160
cataccggtg	ttgccaggtg	gcgcaccaac	atcgagcag	gttgggcaga	tgtatgacct	20220
ggtcacgccg	ttgctgaact	cggtcgcggg	cggcccctgc	gccatccacc	acggctactg	20280
ggagaacgac	gggcccggctt	cctggcagca	ggccgccgac	cggctcaccg	accttgctgc	20340
cgaacggacc	gtgctcgatg	gcggcgcttcg	actgctcgat	gtgggggtg	gtaccggaca	20400
accagcgctg	cgcgtcgcgc	gcgacaacgc	gatccagatc	accggcatca	ccgtcagcca	20460
ggtgcaagtg	gccatcgccg	ctgattgcgc	acgcgaacgc	ggactaagcc	accgggtgga	20520
cttctcgtgc	gtcgatgcca	tgtccctgcc	gtaccgggac	aatgctttcg	acgcgcctcg	20580
ggccatgcag	tcgctgttgg	agatgtccga	accggaccgt	gccatccggg	aaatccttcg	20640
agtactcaaa	cccgggtggca	tcctcggcgt	caccgaggtc	gtcaaacgag	aagcgggccc	20700
cgggatgccg	gtgtccgggg	acaggtggcc	gaccggcctt	cggatctgcc	tggctgagca	20760
acttctggaa	tcgctgcgtg	cagcgggggtt	cgagatcctc	gattgggagg	acgtgtcgtc	20820
gaggaccggg	tacttcatgc	cgcagttcgc	cgaagagctc	gctgcgcacc	agcacgggat	20880
cgcggaacag	tacgggcccg	ctgtcgccgg	ctgggcccgc	gcggctctgc	attatgagaa	20940
atatgcccac	gacatgggct	atgcgattct	gacggcgccg	aagccggctg	gctgagggcg	21000
cgccgcaatt	cgatgacgtt	catgcgccgt	gtcggagaat	cgccggtggc	ggcgccagca	21060
gaggctgaac	ttactgggtg	tgtgtccagg	aatcggaggg	gcagtaccga	atgagcgaag	21120
ccgggaacct	gatagccgtc	atcggactgt	cctgccgcct	acccaggcg	cctgaccggg	21180
cttccttctg	gcggttgctg	cgcaccggaa	cggacgccat	caccacggtc	ccggaagggc	21240
ggtggggcga	cccgttgccct	ggtcgggatg	cgcccaaggg	cccggaatgg	ggtggtttcc	21300
tggctgatgt	cgactgcttc	gatcccagat	tcttcgggat	ctcgccgcga	gaagcggcaa	21360
ccgtggatcc	ccagcagagg	ctggctctgg	agctcgccctg	ggaggcactc	gaagacgccg	21420
gtatccccgc	cggcgagctg	cgcggtactg	ccgccgggtg	gttcatgggg	gcgatctctg	21480
acgactacgc	cgccctgctg	cgcgagagcc	cgccggaagt	ggctgcgcag	taccgcctca	21540
ccggcaccca	tcgaagcctg	atcgccaacc	gcgtgtccta	tgtgctcggc	ctgcgcgggc	21600

caagcctgac ggtggattca ggtcagtcct cgtccctggg cggcgtgcat ctccgccagcg	21660
agagcctgcg acgggggtgag tgcacgatcg cactcgccgg cggcgtgaac ctcaacctgg	21720
ccgccgagag caacagcgct ctgatggact tcggcgcgct ctccccggac ggtcgctgct	21780
tcaccttcga tgtgcgggcg aacggttacg tccgtggtga gggcggcggc cttgtcgtgc	21840
tgaagaaggc cgatcaggcg cacgccgatg gcgaccggat ctactgcctc atccgcggca	21900
gcgcggtcaa caacgatggg ggcgggtgcc ggctcaccgt tccggcgggc gacgccagg	21960
cggagctgct gcgccaggca taccggaacg cgggcgtcga cccggccgcc gtgcagtatg	22020
tcgagctcca cggcagcgcg accagggtcg gggatcccg cgaagcagca gccctcggag	22080
ctgtcctggg ggcggcgaga cggcccggcg acgagctgcg tgtggggtcg gcgaagacca	22140
acgtcggcca tctggaagca gcggcgggcg tcaccgggtt gctgaagacc gcactcagca	22200
tctggcaccg cgaactgccg ccgagtcttc atttcaccgc cccaacccg gaaatcccg	22260
tggacgaatt gaacctacgc gtccagcgtg atctgcggcc gtggccggag agcgaggggc	22320
cgctgctggc cggcgtcagc gccttcggaa tgggaggcac gaactgccac ctggtgctct	22380
ccggcacgtc ccgggtggag cgacggcgca gtggaccgc tgaggcgacc atgccgtggg	22440
tcttgtcggc cagaacaccg gtcgcattgc gtgcgcaggc ggcgcgcttg cacacgcacc	22500
tcaatacggc cgggtcaaagt ccgttggacg tcgcctactc actggcgacc actcgatccg	22560
cgctaccgca ccgggcccgc ctggtcgcgg acgacgaacc gaaactgctc gccgggttga	22620
aggccctcgc tgacggcgac gacgcgcca cgctgtgcca cggcgcgact tccggcgagc	22680
gggcagcggg cttcgtcttt cccggacagg gcagccagtg gatcgggatg ggtaggcagc	22740
tgctcgaaac ctccgagggt ttccggcggt cgatgtcgga ctgcgccgac gcattggcg	22800
cacacctgga ttggtccctg ctggatgtgc tgcgcaacgc ggccggcgct gcgcacctg	22860
accacgacga tgctgtccag cccgcgctgt tcgccatcat ggtctcgctc gcggagctct	22920
ggcgttcgtg gggcgtgct cccgtggcgg tcgtcgggca ctgcagggg gagatcgcg	22980
cggcctgctg gcgccggggt ctgtccgtcc gcgatgccgc cagggtggtg gcggtgcgca	23040
gcaggtctct gacggcgctg gccggcagtg gcgcgatggc ctcgttgcag catcccgccg	23100
aagagggtcg gcaaatcctg ttgccctggc gcgatcggat cggcgtggcg ggggtgaacg	23160
gaccgtcgtc gacctgggtg tcaggggacc gggaggcgat ggcggaaactg ctggccgagt	23220
gcgcagaccg agagctccgg atgcgccgga ttcccgttga atacgcctcc cattcgctc	23280
acatcgaggt tgctccggat gagctgctgg ggctgttggc gccggtcgaa ccaggacgg	23340
gaagcatccc gatctattcg acgacgaccg gggacctgct ggaccggccg atggacgccg	23400
actactggta ccgcaacctt cgtcaaccgg tgctgttcga agcggccgctc gaggccctgt	23460
tgaagcgggg gtacgacgca ttcacgaga tcagcccaca cccgggtgctg actgcgaaca	23520
tccaggaaac cgcgtgca gcagggcggg aggtagtggc gctcgggaca ctccgccgcg	23580
gcgaagggtg catgcggcag gcgctgacgt cgctggccag agcacacgta cacggagtgg	23640
ccgcggactg gcacgcggtc ttcgccggtg ccggggcgca gcgggtcgac ctgccgacgt	23700
acgcctttca gcgacagcg tactggctgg acgcgaagct tcccgcgctc gccatgccg	23760
agagcgacgt gtcgacggcg ttgcgggaaa agctgcggtc ttcgccgagg gcggacgtgg	23820
actcgacgac cctcacgatg atccgggcac aggcagccgt ggtcctcggc cactccgatc	23880

cgaagaggt	ggaccgcat	cggacgttca	aggacctggg	cttcgattcc	tcgatggtgg	23940
tcgagctgtg	cgaccgccta	aacgcccgcca	caggtctgcg	actcgcaccg	agcgtcgttt	24000
tcgactgtcc	tacgccggac	aagctcgccc	gccaggtacg	gacgttggtg	ttgggcgagc	24060
cggctcccat	gacgtcacac	cggccggact	ccgatgcgga	cgagcctatc	gccgtgatcg	24120
ggatgggctg	tcggtttccg	ggtggggtgt	cctcgcccga	ggagttgtgg	cagttgggtc	24180
ccgctgggcg	ggacgtcgtg	tccgagttcc	cggctgaccg	aggttggggac	ctggagcgtg	24240
cggggacatc	gcacgtgcgc	gccggcgggg	tcttgcatgg	cgccccggat	tttgaccccg	24300
ggttcttccg	gatttcgccg	cgcgaggcgt	tggcgatgga	tccacagcag	cggttgctgc	24360
tggaaatcgc	ctgggaagca	gtcgaacgag	gcgggatcaa	cccgcagcac	ctgcacggaa	24420
gtcaaaccgg	ggtcttcgtc	ggcgcgacct	ccctggacta	cgggccacgc	ctgcacgaag	24480
cgtccgagga	ggcggccggg	tacgtgctca	ccggcagcac	cacgagtgtg	gcgtcgggtc	24540
gggttgctga	ttcgttcggg	ttcgagggcc	ctgcggtgac	ggtggatacg	gcgtgttcgt	24600
cgtcgttggt	ggccctgcat	ttggcgtgtc	agtcgttgcg	ttcgggtgag	tgtgatctgg	24660
cgttgccggg	tgggtgtgacc	gtgatggcca	cgccggggat	gttcgtggag	ttttcgcggc	24720
agcgtgggtt	ggcgcgggat	gggcggtgca	agtcgttcgc	ggaggccgcc	gacggcaccg	24780
gctggtccga	gggtgctggc	ctggttctac	tggagcgggt	gtcggatgcc	cggcggaatg	24840
ggcatgaggt	gctggcgggt	gttcgtggta	gtgcggtgaa	tcaggacggt	gcgtcgaatg	24900
gtttgaccgc	gccgaatggt	tcgtcgcagc	agcgggtgat	tgcccaggca	ttggcgagtg	24960
cgggggtgtc	ggtgtccgat	gtggatgctg	tggaggcgca	tgggacgggc	acgcggcttg	25020
gtgatccgat	cgaggcgag	gcgctgatcg	ccacctacgg	ccagggccgg	cttcgggaac	25080
ggccattgtg	gttgggctcg	atgaagtcga	acatcggtca	cgcgcaggca	gctgcgggga	25140
tagccggcgt	catgaagatg	gtgatggcga	tgcggcacgg	gcagctaccg	cgcacgttgc	25200
acgtggatga	gccgacttct	ggggtggatt	ggtcggcggg	gacggttcaa	ctccttacgg	25260
agaacacgcc	ctggcccggg	agtggctcgt	ttcgtcgggt	gggggtgtcg	tcgttcggga	25320
tcagtggtag	taacgcgcac	gtcatcctcg	aacagccccc	gggagtgccg	agtcagtctg	25380
cggggccggg	ttcgggctct	gtcgtggatg	ttccggtggg	gccgtggatg	gtgtcgggca	25440
aaacacccga	agcgtatcc	gcgcaggcaa	cggcgttgat	gacctatctg	gacgagcgac	25500
ctgatgtctc	ctcgtcggat	gttgggtact	cgctggcgtt	gacacggtcg	gcgtcggatg	25560
agcgagcggg	ggtgctgggg	tcggaccgtg	aaacgttggt	gtgcggtgtg	aaagcgctgt	25620
ctgccggtca	tgaggcttct	gggttggtga	ccgatctgt	gggggctggg	ggccgcacgc	25680
ggtttgtgtt	ttccggctcag	ggtggctcagt	ggctggggat	gggccggggg	ctttaccggg	25740
cttttccggg	gttcgtctgt	gcctttgacg	aagcttgtgc	cgagctggat	gcgcacctgg	25800
gccaggaaat	cgggggttcgg	gaggtgggtg	ccggttcgga	tgcgcagttg	ctggatcgga	25860
cgttggtggg	gcagtcgggt	ttgttcgcgt	tgcaggtggg	cttgctgaag	ttgctggatt	25920
cgtggggggg	tcggccgagt	gtggtgttg	ggcattcggg	gggcgagttg	gcggcggcgt	25980
tcgcggcggg	tgtggtgtcg	ttgtcgggtg	cggctcgggt	ggtggcgggt	cgtgcccggt	26040
tgatgcaggc	gttgccgtct	ggcgggtggga	tgctggcggg	gcctgctggg	gaggagctgt	26100
tgtggtcgtt	gttggccgat	cagggtgatc	gtgtggggat	cgccgcgggt	aacgctgcgg	26160

ggtcggtggt gctctctggt gatcgggatg tgctcgatga ccttgccggt cggctggacg 26220
 ggcaagggat ccggtcgagg tggttgcggg tgctcgatgc gtttcattcg tatcggatgg 26280
 atccgatgct ggcggagttc gccgaattgg cacgaaccgt ggattaccgg cgttgtgaag 26340
 tgccgatcgt gtcgaccttg accggagacc tcgatgacgc tggcaggatg agcgggccccg 26400
 actactgggt gcgtcagggtg cgagagccgg tccgcttcgc cgacgggtgc caggcgctgg 26460
 tcgagcacga tgtggccacc gttgtcgagc tcgggtccga cggggcggtt tcggcgctga 26520
 tccaggaatg tgctcgccga tccgatcacg ccgggcggct gagcgcggtc ccggcgatgc 26580
 gcaggaacca ggacgaggcg cagaagggtga tgacggccct ggcacacgtc cacgtacgtg 26640
 gtggtgcggg ggactggcgg tcgttcttcg ccggtacaag ggcgaagcaa atcgagctgc 26700
 ccacctacgc cttccaacga cagcggtact ggctgaacgc gctgcgtgaa tcttccgccg 26760
 gcgacatggg caggcggtgc gaagcgaagt tctggggcgc cgtcgagcac gaagatgtgg 26820
 aatcgcttgc acgcgtattg ggcattgtgg acgacggcgc tgctgtggat tccctgagaa 26880
 gcgcccttcc ggtgttgcc ggttggcagc gaaccgcac caccgagtcc attatggatc 26940
 agcgggtgta ccgaattggc tggcggcagg tagccggact cccgccgatg ggaactgttt 27000
 tcggtacctg gctggtcttc gcgcctcatg gctggtccag cgaaccggag gtggtggact 27060
 gcgttacggc actgcgggca cgtggtgcct cggtggtgtt ggtggaagct gatcccgacc 27120
 cgacctcctt cggcgaccgg gtacgaaccc tgtgttcggg ccttcggat cttgttgccg 27180
 tgttgtcaat gttgtgcttg gaagaatcgg tccttcggg attttctgcg gtgtcacggg 27240
 gttttgcgtt gaccgtggag ttggtgcggg ttttgcggg agctggtgcg actgcccggg 27300
 tgtggttgct gacgtgtggt ggcgtgtcgg tgggagatgt accggttcgt ccagcgcagg 27360
 ccctggcggtg ggggttgggg cgtgttgttg ggttggagca tccggactgg tggggcggt 27420
 tgatcgatat tccggtcttg ttcgacgaag acgctcaaga gcggttgctg atttgtctgg 27480
 caggtctcga tgaggacgag gtcgcgatcc gtctgacgg catgttcgcg cgtcggttgg 27540
 tacgccacac tgtctcagct gatgtgaaga aggcgtggcg cccagggga tcggtgctgg 27600
 tgacgggcgg cacgggtggt ttgggggcgc acgttgctcg ctggctggcc gacgccggag 27660
 ccgaacatgt ggcgatggtg agtcgacgcg gcgagcaggc accgagtgtc gagaagttgc 27720
 ggacggaaact ggaggatctg ggtaccggg tgctgatcgt gtcatgcgat gtgaccgatc 27780
 gcgaggcgct cgccgaagtg ctgaaagccc ttccggctga aaaccggtg accgcggtag 27840
 tgcatgcggc aggcgtgatc gagactggtg atgcggcggc aatgagcctg gctgatttcg 27900
 atcacgtgtt gtccgcaaag gtggccggtg ccgcgaatct ggatgccttg ttggccgatg 27960
 tggaattgga cgcgttcgtc ttgttctcat cggtgtcagg agtttggggc gctgggggac 28020
 acggggctta cgcagcggcg aatgcctatc tggatgcgtc cgcggaacag cgtcggtcgc 28080
 gagggctggt cgcgactgcg gtggcctggg ggccgtgggc cggcgagggc atggcctccg 28140
 gagaaacagg agaccagctg cgccgatacg gcctttcccc aatggctccg cagcacgcca 28200
 tcgccggaat ccggcaggcc gtggaacagg acgaaatttc cctggtagtg gccgatgtcg 28260
 attgggcacg ttccagcgcg ggattgctgg cggctaggcc gcggccgctg ctgaacgaac 28320
 tggccgaggt caaggaactc ctctcgatg cccagcccga ggcgggagtc cttgccgacg 28380
 cgtcgttgga atggcggcag cgattgtccg cggcaccgag gccgacacag gaacagctga 28440

tcctggagct	ggtacgcggc	gaaaccgctc	tgggtgctggg	acaccccggg	gcagcgggcg	28500
ttgcatcgga	acgagccttc	aaggacagcg	gattcgactc	gcaggccgcg	gtcgaactcc	28560
gcgttcggct	caatcgagct	accggcctcc	agttgccatc	gacaattatc	ttcagccatc	28620
ccacgcctgc	ggaactggct	gcgagagctgc	gggcgaggct	tcttcccag	tccgcaggag	28680
caggcattcc	cgaggaggac	gaggcgcgaa	tcagagcggc	actgacgtcg	atcccgttcc	28740
cggccttgcg	cgaggcaggc	ttggtgagtc	cgctgctcgc	acttgccgga	cacccggtcg	28800
actccgggat	ctcctcgga	gatgcggccg	cgacctcgat	cgatgcgatg	gatgtagccg	28860
gcctcgtcga	agcagcgctg	ggcgaaacgcg	agtcctgaga	ccgccgacct	gggagatgac	28920
ggtgaccacc	agttacgaag	aagttgtcga	ggcactgcga	gcatcgctca	aggagaacga	28980
acgcctccgg	cgcggcaggg	atcggttctc	cgcggagaag	gacgatccca	tcgcgatcgt	29040
ggcgatgagt	tgctcgttatc	ccggtcaggt	ctcctcgccg	gaggacctgt	ggcaactggc	29100
tgccggcggt	gtggacgcga	tctccgaagt	tccgggggat	cgcggtggg	acctggatgg	29160
cgtgttcggt	ccggactccg	atcgctcctg	cacgtcgat	gcctgcgcgg	gcggttttct	29220
tcagggcggtg	tcggagttcg	acgcgggttt	cttcgggatt	tcgccgcgtg	aggcgctggc	29280
gatggatccg	cagcagcggt	tgctgctgga	agtcgcgtgg	gaggtcttcg	agcgggctgg	29340
gctggagcag	cggtcgacac	gcggttcccc	cgttggcggtg	ttcgtcggca	ccaatggcca	29400
ggactacgcg	tcgtggttgc	ggacgccgcc	gcctgcgggtg	gcaggtcatg	tgctgacggg	29460
cgggtgcggca	gcggttcttt	cgggcccgggt	tgcgatttcg	ttcgggttcg	agggtcctgc	29520
ggtgacgggtg	gatacggcgt	gttcgtcgtc	gttggtggcg	ttgcacctgg	cggggcaagc	29580
actgcggggc	ggtgagtgcg	accttgccct	tgccgggtggc	gtcacgggtga	tgctgacgcc	29640
gaagggtgttc	ctggagttct	cccgccaaacg	gggtctcgcg	ccggatgggc	ggtgcaagtc	29700
gttcgcggcg	ggtgcggatg	gcaactggatg	gggtgagggt	gccggactgt	tggtgctgga	29760
gcggttgtcg	gatgcccggc	ggaatgggca	tgagggtgctg	gcggttgttc	gtggtagtgc	29820
ggtgaatcag	gacggtgctg	cgaatggttt	gaccgcgccg	aatggttcgt	cgacgcagcg	29880
ggtgattacc	caggcggttg	cgagtgcggg	ggtgtcggtg	tccgatgtgg	atgctgtgga	29940
ggcgcatggg	acgggcacgc	ggcttggtga	tccgatcgag	gcgcaggcgc	tgatcgccac	30000
ctacggccgt	gatcgtgatc	ctggccggcc	ggtgtgggtg	gggtcgggtca	agtcgaacat	30060
cggtcatacg	caagcggcg	cgggtgtggc	tggtgtgatc	aagatgggtga	tggcgatgcg	30120
gcacggggcag	ctgccacgca	cgttgcacgt	ggaatcgccg	tcgccggagg	tggattggtc	30180
ggcggggacg	gttcaactcc	ttacggagaa	cacgccctgg	cccaggagtg	gtcgtgttcg	30240
tcgggtgggg	gtgtcgtcgt	tcgggatcag	tggtactaac	gcgcacgtca	tcctcgaaca	30300
gcccccgga	gtgccgagtc	agtctgcggg	gccgggttcg	ggttctgtcg	tggatgttcc	30360
ggtggtgccg	tggatggtgt	cgggcaaaac	acccgaagcg	ctatccgcgc	aggcaacggc	30420
gttgatgacc	tatctggacg	agcgacctga	tgtctcctcg	ctggatgttg	ggtactcgct	30480
ggcgttgaca	cggtcggcgc	tggatgagcg	agcggtggtg	ctggggtcgg	accgtgaaac	30540
gttgtgtg	ggtgtgaaag	cgctgtctgc	cggtcatgag	gcttctgggt	tggtgaccgg	30600
atctgtgggg	gctggggggc	gcatcggtgt	tgtgttttcc	ggtcaggggtg	gtcagtggtc	30660
ggggatgggc	cgggggcttt	accgggcttt	tccggtgttc	gctgctgcct	ttgacgaagc	30720

ttgtgccgag ctggatgcac atctgggcca ggaaatcggg gttcgggagg tgggtgtccgg	30780
ttcggatgcg cagttgctgg atcggacgtt gtgggcgcag tcggggtttgt tcgcgttgca	30840
gggtgggcttg ctgaagttgc tggattcgtg ggggggttcgg ccgagtgtgg tgttggggca	30900
ttcgggtgggc gagttggcgg cggcggttcgc ggcgggtgtg gtgtcgttgt cgggtgcggc	30960
tcgggttggtg gcgggtcgtg cccggttgat gcaggcgttg ccgtctggcg gtgggatgct	31020
ggcgggtgcct gctggtgagg agctgttggt gtcgttggtg gccgatcagg gtgatcgtgt	31080
ggggatcgcc gcgggtcaacg ctgcgggggtc ggtggtgctc tctggtgatc gggatgtgct	31140
cgatgacctt gccggtcggc tggacgggca agggatccgg tcgaggtggt tgcgggtgtc	31200
gcatgcgttt cattcgtatc ggatggatcc gatgctggcg gagttcgccg aattggcacg	31260
aaccgtggat taccggcgtt gtgaagtgcc gatcgtgtcg acctgaccg gagacctga	31320
tgacgctggc aggatgagcg ggcccgaacta ctgggtgctg caggtgcgag agccggtccg	31380
cttcgccgac ggtgtccagg cgctggctga gcacgatgtg gccactgttg tcgagctcgg	31440
tccggacggg gcgttgctcg cgctgatcca ggaatgtgtc gccgcacccg atcacgccgg	31500
gcggctgagc gcggtcccgg cgatgcgcag gaaccaggac gaggcgcaga aggtgatgac	31560
ggccctggca cacgtccacg tacgtggtgg tgcggtggac tggcggctgt tcttcgccgg	31620
tacgggagcg aaacaaatcg agctgccac ctacgccttc caacgacagc ggtactggct	31680
ggtgccatcg gattccggtg atgtgacagg tgccggtctg gccggggcgg agcatccgct	31740
gttgggtgct gtggtgccgg tcgcgggtgg tgacgaggtg ttgctgaccg gcaggatttc	31800
ggtgcggacg catccgtggc tggccgaaca ccgggtgctg ggtgaagtga tcgttgccgg	31860
caccgcgttg ctggagatcg ccttgcacgc gggggaacgt cttggttggt aacgggtgga	31920
agagctcacc ctggaagcac cgctggtcct gccggagcgc ggggcgatcc aggttcagct	31980
gcgagtgggc gcgcccgaaga attccggacg caggccgatg gcgctgtatt cacgccccga	32040
aggggcggcg gagcatgact ggacgcggca cgcacgggc cggttggcgc caggccgcgg	32100
cgaggcggct ggagacctgg ccgactggcc ggctcctggc gcgctgccgg tcgacctga	32160
cgaattctat cgggacctcg cagagcttgg gctggagtac ggcccgatct tccaagggt	32220
caaggcggcc tggcggcaag gggacgaggt gtacgccgaa gccgcgctgc cgggaacgga	32280
agattctggt ttcggggtgc atccggcact gctggacgcg gctctgcacg caacggctgt	32340
ccgagacatg gatgacgcac gcttgccgtt ccagtgggaa ggtgtgtccc tgcacgcaa	32400
ggccgcgccg gctttgcggg tccgcgtggt cccggctggt gacgatgcca agtccctgct	32460
ggtttgtgat ggcaccggtc gaccggtgat ctcggtggac cgactcgtat tgcggtcggc	32520
tgcggcccg cggaccggtg cgcgccgaca ggcccatcaa gctcggttgt accggttgag	32580
ctggccaacg gttcaactgc cgacatccgc tcagccaccg tcctgcgtgc ttctcggcac	32640
ctcagaagtg tccgctgaca tacaggtgta tccggacctc cggctcgttg cggctgcgtt	32700
ggatgccggt gccgaaccac ccggcgtcgt catcgacccc acgccccccg gcgggtggacg	32760
aacagcggat gtccgggaga cgactcggca tgactcgcac ctggtacaag gctggctttc	32820
cgatcagcga ctcaacgaat cccgattgct cctggtgaca caggagcag tggcgtgga	32880
gccgggcgaa cccgtgaccg atctggcgca ggccgcgctc tggggactgc tgcggtcgac	32940
gcagaccgaa caccctgatc gcttcgtcct cgtcgatgtg cctgagcccc cgcaactcct	33000

ccccgcgctg	ccgggggtgc	cygcctgcgg	cgaacctcag	ctcgcgttgc	gacgtggcgg	33060
cgctcatgcg	cccagactgg	ctggactggg	cagcgatgac	gtcctgcccc	tgccggacgg	33120
caccgggtgg	cgattggagg	ccacgcgccc	gggaagcctg	gatgggttgg	cattgggtgga	33180
cgaaccgacg	gccacggcac	cgctgggtga	cggtgaggtc	aggattgcga	tgcgcgcggc	33240
cgggggtgaac	ttccgggatg	cgctcatcgc	gctcggtatg	tatcccggtg	tggcatcgct	33300
gggcagtgag	ggcgccgggg	tcgtgggtgga	gaccggcccc	ggcgtcaccg	gcctggcacc	33360
cggcgaccgc	gtgatgggaa	tgatcccga	ggcgttcggg	ccgctcgcgg	tcgccgacca	33420
tcgcatgggtg	acgaggattc	ccgctgggtg	gagcttcgcg	cgggccgcat	cggtgccgat	33480
cgtctttctc	accgcctact	acgcgctggg	tgatctcgcc	gggttgagac	caggggagtc	33540
gttgctgggt	cattcggccg	ccggtggggg	ggggatggcc	gcgatccaac	tcgccaggca	33600
cctcggtgca	gaggtgtacg	ccaccgctag	cgaggacaag	tggcaagccg	tggagctgag	33660
ccgagaacac	ctcgcttcgt	cgcggaacgtg	cgatttcgag	cagcagttcc	tcggggcaac	33720
cggcggaacg	ggcgtcgacg	tcgtgctcaa	ctccctcgcc	ggggagtctg	ccgatgcgtc	33780
tctgcgaatg	ctgccgcgcg	gtggccggtt	cctggagttg	gggaagacgg	atgttcgtga	33840
ccccgctcag	gtcgcggatg	cgcattccggg	cgtgtcttac	caggctttcg	ataccgtaga	33900
ggcaggcccc	cagcgaatcg	gcgagatgct	tcacgagctg	gtggagttgt	tcgagggacg	33960
cgtgctggag	cccctgcctg	tcacggcttg	ggacgttcgg	caggcgcccc	aggcgctacg	34020
gcacctgagc	caagcgcggc	atgtgggaaa	gctgggtgctc	accatgcctc	cgggtgtggga	34080
cgccgcaggc	acggttcttg	ttaccggcgg	aacgggagca	cttggcgag	aggtcgcccc	34140
gcacctcgtg	atcgagcgcg	gggtgcgaaa	cctgggtcctc	gtcagcaggc	gcggtccccg	34200
agccagtggt	gctgctgagc	tcgtggcgca	actgacggcc	tacggtgccg	aggtttcctt	34260
gcaggcttgc	gatgtcgccg	atcgtgagac	cttggcgaa	gtgcttgcca	gcattcccga	34320
cgagcatccg	ttgaccgccc	tggtgcacgc	ggctgggtgt	ctcgacgacg	gagtgtccga	34380
atcgctcacc	gtggagcggc	tggaccaggt	tctgcgcccc	aaggctgatg	gcgcgcggaa	34440
tctgctcgag	ctgatcgacc	cggacgtggc	cctcgtgttg	ttctcgtcgg	tgtcgggtgt	34500
gctcggcagc	ggtgggcagg	gtaactacgc	ggcgcccaac	tccttcctcg	acgcattggc	34560
gcagcaaagg	cagtcgcgcg	gcctaccgac	gagatcattg	gcctgggggg	cctgggcgga	34620
acatggcatg	gccagcacct	tgcgcgaagc	cgagcaggat	cgattggcgc	gatctgggtt	34680
gctgccgac	tcgaccgagg	aggggttgct	ccagttcgac	gccgcgtgcg	gcggcgcgca	34740
taccgtgggtg	gcgccgggtc	gattcagccg	cttgtccgac	gggaacgcga	tcaagttctc	34800
cgtcctgcaa	ggtttggtcg	ggccgcacgc	cgtcaacaaa	gcggcgactg	cggatgatgc	34860
cgagagcctc	cggaaacggg	tgggacgctt	gccggatgca	gaacaacatc	ggattctgct	34920
ggacctcgtc	cgcattgcag	tggcggcag	gctcggattc	gccggttctc	aggagatcac	34980
cgcggacggc	acgttcaagg	tgctgggctt	cgactcgttg	accgtggctg	agttgcgcaa	35040
ccggatcaac	ggggcgacgg	ggctgcgaact	gcccgcacc	ctggtgttca	actaccgcac	35100
gccggatgcg	ctcgccgcgc	acctcgtcac	cgcgctgtcc	gcagaccgcc	tggccgggac	35160
attcgaggaa	ctcgacaggt	gggcggcgaa	cctgcccacg	ctggccaggg	atgaggccac	35220
gcgggcgcag	atcaccaccc	ggctacaggc	gatcttgag	agcctggcgg	acgtgtccgg	35280

cggaaccggc	ggcggctccg	tgccggaccg	gctcagatcg	gccacggacg	acgagctttt	35340
ccaactcctc	gacaacgata	tcgaacttcc	ctgatgcctc	agccggagcc	ttcgcaactt	35400
cctggaggga	aacgccacat	gtcgaatgaa	gagaagctcc	gggagtactt	gcggcgtgcg	35460
ctcgtggatc	tgcaccaggc	gcgcgagcgg	ctgcacgagg	cggagtcggg	agagcgggaa	35520
cccatcgca	tcgtggcgat	gggctgccgg	taccgggtg	gggtgcagga	cccgaaggg	35580
ctgtggaaac	tggtcgcctc	cggtgccgac	gccatcgggt	aattccccgc	tgatcgtggt	35640
tggcacctcg	acgagctcta	cgatcccgac	ccggatcagc	ccggaacctg	ctacaccggg	35700
cacggcggct	tcctccacga	cgccggcgag	ttcgacgcgg	gattcttcga	catcagcccc	35760
cgtgaggcgc	tcgcgatgga	cccgcagcag	cggctgctgc	tggaaatctc	ctgggagacc	35820
gtcgaatccg	ctgggatgga	cccgaagtcc	ttgcggggga	gccgcaccgg	ggtgttcgcg	35880
ggattgatgt	acgagggcta	tgacaccggc	gccaccggg	caggagaagg	tgtcgaaggc	35940
tatctcggaa	ccggcaatgc	gggaagcgtc	gcctctgggt	gggttcgta	tgcttcggg	36000
ttcgagggcc	cagcggtgac	ggtagacacg	gcgtgctcgt	cgctcgttgg	ggcgtgcat	36060
ttggcgtgtc	agtcgttgcg	gcagggcgag	tgtgatctgg	cgctggccgg	tggagtgcg	36120
gtgatgtcga	cgccggagag	gttcgtggag	ttctcccgtc	agcgtggtct	cgcaccggat	36180
gggcgggtgta	agtcgttcgc	ggcggctgcg	gatggaaccg	gttgggggtga	gggtgccggt	36240
ttgggtgttc	tggagcggct	gtcagacgcc	aggcggaaacg	ggcatcgggt	actggcgggt	36300
gttcgtggta	gcgcggtgaa	tcaggacggg	gcgtcgaacg	gattgacggc	cccgaacggg	36360
ctggcccagg	agcgggtcat	tcagcaggtg	ctcacgagtg	cggggctgtc	ggcgtccgat	36420
gtggacgctg	tggaggcgca	tggaaacggg	acgcggcttg	gtgatccgat	cgaggcgag	36480
gctctgatag	ccgcctatgg	acaggatcgg	gaccgggacc	ggccgctgtg	gttggggctg	36540
gtcaagtcca	acatcgggtca	tacgcaggcg	gctgcgggcg	tcgctggtgt	gatcaagatg	36600
gtcatggcga	tgccggcacgg	ggagctgccg	cgcacgttgc	acgtggacga	gccgaattcg	36660
cacgtggact	ggtcggctgg	tgccgtccga	ctcctgaccg	agaacatccg	ctggccaggg	36720
acgggtacgc	gccgcgctgg	agtgtcgtcg	ttcggggtaa	gcggtaccaa	cgcacacgtc	36780
atcctcgaac	acgaccgcgt	cgccgtgacc	gagaacgagg	aagcagcgca	gtccccagca	36840
cctgggatcg	tgccctgggc	gttgtccggg	cggctcgtcga	cggcgctgcg	ggcccaggcc	36900
gaacggctgc	gcgagctgtg	cgagcagacc	gatcccagacc	ccgtcgatgt	cggttttctca	36960
ctggccgcca	cgcgcacggc	ttgggagcac	cgagcgggtg	tgcttggtcg	ggacagcgct	37020
acgttgcgct	ccgggcttgg	cgttgttgcc	agcgggtgaac	cagcggtcga	tgtcgttgag	37080
gggagcgtcc	tggacggcga	ggtcgtcttc	gtcttccccg	gtcagggctg	gcagtgggcc	37140
ggtatggcag	tcgacctgct	ggacgcttcg	ccgacgttcg	cgcgccacat	ggacgagtgc	37200
gccaccgcgc	tgccggaggta	cgtggactgg	tcgttggtcg	acgtgctgcg	cggagcggag	37260
aactccccac	cgtgggaccg	ggtggacgtg	ctccagcccc	cgtccttcgc	ggtgatggtg	37320
tcgctcgccg	aggtgtggcg	ttcctacggg	gtgaggccgg	cggccgctcg	cggccacagt	37380
caaggcgaaa	tcgccgcggc	ctgcgcagcc	ggggtgctgc	cgtggaggga	tgccggccagg	37440
cttgctgcac	tgccgcagcag	agcgttgaag	ggactttcgg	ggcgggggtg	catggcgtcg	37500
ctggcctgcc	ctgcggatga	ggtcgcggca	ttgttcgcgg	gatcggggcg	ccgtctggaa	37560

gttgcgggcga	tcaacggccc	gcgatcggtc	gtggtgtccg	gcgatctgga	agcgggtggac	37620
gaactgctgg	cagagtgcgc	tgaaaaggac	atgcgtgcac	gccgtatccc	cgctcgactac	37680
gcctcgcatc	cagcgcacgt	ggaggtggtt	cggagcccgg	tgctggcggc	cgccgcccggg	37740
gtgcgacacc	gggacggcca	ggtgccgtgg	tggtcgacgg	tgatcggcga	ctgggtggat	37800
ccggccaggc	tggacggcga	gtattggtat	cggaacctcc	ggcagccggg	ccggttcgaa	37860
cacgccgtgc	agggcctggt	cgagcgggga	ttcggcctgt	tcacgaaaat	gagtgcgcac	37920
ccgggtgctga	ccacggcggt	cgaggaaacc	ggtgcggagt	cgagagaccg	cgtaggcccgc	37980
gtaggtacct	tgcgacgtga	ctcgggcggc	ctccggagg	tggtgcattc	gctggccgag	38040
gcgtacgtgc	gcggcgccac	cgtggactgg	gccgtggcgt	tcggggggcgc	gggcccagcg	38100
ctggacctgc	cgacctacc	gttccagcgc	cagcgggtact	ggctggacaa	gggagctgcc	38160
tccgacgagg	ctcgtgcggt	ctcggaccgc	gcggcgggct	ggttctggca	agccgtggcg	38220
cgccaagacc	tgaaaagcgt	gtccgatgcc	ctcgatctcg	acgccgacgc	accgctgagc	38280
gcaacacttc	cagccctgtc	cgtctggcac	cgtaggaac	gagaaaggg	cttggcagac	38340
ggttggcggt	accgagtcga	ctgggtacgg	gtggccccgc	agccggtccg	gagaacgcgg	38400
gaaacctggc	tcctggctgt	tccccgggc	ggcatcgagg	aagcgtggt	cgaacggctg	38460
acggatgcgt	tgaacacgcg	agggatcagc	accctgcgcc	tcgacgtgcc	accggcgccg	38520
accagtggcg	aactcgcaac	cgaactccgc	gccgcagccg	acggtgacct	ggtgaaggca	38580
atcctgtcgc	tcaccgcgtt	ggacgagcga	ccccaccccg	aatgcaagga	cgtcccgcgc	38640
gggattgcct	tgctgctgaa	cctgggtcaag	gcgctcggtg	aagccgacct	cagaattcct	38700
ctgtggacca	tcacgcgtgg	tgcggtcaag	gcaggccccc	cagatcggtc	gctgcgcccc	38760
atgcaggcgc	aagcatgggg	tctggggcga	gtagccgcac	tcgaacaccc	cgagcgctgg	38820
ggtgggctga	tcgacctgcc	ggattcgctg	gacggcgacg	tcctcacgag	gctgggcgaa	38880
gcgctcacca	acggcttggc	ggaagaccaa	ctggcgattc	gccagtcggg	cgtgctggcc	38940
cggcgactgg	taccgcgcc	ggcgaatcag	cccgtgggac	gtaagtggcg	ccccgaggg	39000
agcgcgctga	tcacggcgcg	actcggcgcg	gtgggcgcac	aggtggcgag	gtggttggcc	39060
gaaatcgagg	ccgagcgaat	cgtgctcacc	agtcgacggg	gcaaccaagc	agcaggcgcc	39120
gccgagctgg	aagccgaact	ccgggccctt	ggagcgcaag	tgtccatcgt	ggcttgcgac	39180
gtgaccgatc	gtgccgagat	gtccgcacta	ctggccgagt	tcgacgtcac	cgcggtgttc	39240
cacgcggccg	gagtcggtcg	gctgctgccg	ttggcggaga	ccgaccagaa	cggcctggcc	39300
gaaatatgcg	cggcgaagg	ccgcggcgct	caggtgctgg	acgaactgtg	cgacagcacc	39360
gatctcgatg	ccttcgtcct	gttctcctcg	ggtgccgggg	tatggggcgg	gggcggtcag	39420
ggcgcttacg	gcgcggcgaa	cgcattcttg	gacacactcg	ccgaacaacg	ccgagcacgc	39480
ggtctgccgg	caacctcgat	ctcctggggc	agttggggccg	gcggcgccat	ggccgacggc	39540
gcggcgggcg	aacacctgcg	gcgacgcggg	atacgtccga	tgccggcggc	gtcggccatc	39600
ctggctctgc	aggaagtact	tgaccaggat	gagacgtgcg	tgtagatcgc	tgatgtggac	39660
tgggaccgat	tcgttccac	gttcgccgcg	actcgcgcca	cccggttgtt	cgacgaagtg	39720
ccggcgggcga	gaaaggcgat	gcccgcgaat	gggcccggcag	aaccaggcgg	ctcgccgttc	39780
gcccgcgaatc	tcgcggagct	gccggaagcc	caacgacgcc	acgaactggt	ggatctggtg	39840

tgcgcccagg tggcaaccgt gctcggggcac ggcagtcgcg aggaagtcca gcccagagcgg	39900
gcgttccgcg cgctcgggtt cgactccctc atggcgggtg atctgcgcaa tcgtttgacc	39960
accgccaccg ggttgcgctt gccgaccaca accgtcttcg	40000
actacccgaa tccggccgcc ttggccgctc acctgctcga ggagctgggtg ggtgatgtcg	40060
cgtcggctgc ggtgaccgct gccagcgcgc ccgcgagtga cgaaccgatc gcgatcgtcg	40120
cgatgagctg ccggtttccg ggtggcgcgc actcgccgga agacctgtgg cggctggctg	40180
ccgccggcac ggaggtgatc ggcgagttcc cctccgaccg gggctgggat gcggaaggcc	40240
tttacgatcc ggatgcttcc aggcctggaa cgacgtatgc gcggatggcg ggattcctct	40300
acgacgccgg tgagttcgat gccgacctgt tcggcatcag cccacgtgag gcgttggcga	40360
tggtatccgca gcagcgggtt gtgctcgaaa tcgcctggga agccctcgaa cgggcccggaa	40420
tcgatccggt gtccttgaag ggcagtgggg tcggcacgta catcggcgtt ggaagccgtg	40480
ggtacgcgac ggatgtgcg cagtttcccg aggaggcggg gggctacctg ctgacgggta	40540
cctcggccag tgtgctgtcg ggtcgggtcg cgtattcggt tggtttcgag ggtcctgcgg	40600
tgacgggtgga tacggcttgt tcgtcgtcgt tgggtggcgt gcacctggcg tgccagtcgt	40660
tgcgttccgg cgagtgtgat ctggcggttg ccggtgggtg gaccgtgatg tcgacgccgg	40720
agatgttcgt ggagttctcc cgtcagcgcg gtttggcgcc ggatgggcgg tgcaagtcgt	40780
tcgcggagag cgcggacggc accggtcggg gcgaaggcgc gggcctgttg ttgctggagc	40840
ggttgtcggg cggccaccgg aatgggcacg ggggtgttgg ggtggttcgt gggtcagcgg	40900
tgaatcagga cggcgcctcg aacggactgg cggcgccgaa cggtcctcg cagcagcggg	40960
tgatcaacca ggcactcgcg aatgcggctc ttccggcgtc cgatgtggat gcgggtggagg	41020
cacatggcac cgggaccagg ctgggtgatc cgatcgaggc gcaggcattg atcgcaacgt	41080
atgggcaggc ccgggagcgg gatcgccctt tgtggctggg gtcggtcaag tcgaacatcg	41140
gtcatacgca ggccgcggcg ggtgttgccg gtgtgatcaa gatggtgatg gccatgcggc	41200
acgggcagct gcccgcctcg ctgcacgcgg atgagccac gtcggaggtc gattggtcgt	41260
cgggggcggg ccggctcctc gccgaacagg taccttggcc ggagtctgac cgtgttcgtc	41320
gggtgggggt ttcgctcgtt cggatcagcg gcaccaacgc acatgtgatc ctggaacaag	41380
ctacgaatgc gccagatagt acagcggaga cggacaaaac agaaccgga tctactgtcg	41440
atattccggt cgttccctgg ttggtgtcgg gaaagacgac ggattccctg cggggacaag	41500
ccgaacgagt cttgtctcag gtcgagtcgc ggccggagca gcgttcgctg gatgttgcct	41560
actcgcttgc ttctggccga gccgcgctgg atgaacgcgc tgtcgtgctg ggtgcggacc	41620
gcggtgagct ggttgctgga ctggcggcgt tggccgcgg tcaggaggct tctggggtga	41680
tcagcggaac tcgtgcttct gctcggttcg ggttcgtggt ctcggggcag ggtggtcagt	41740
ggttggggat gggcagagcg ctctactcga agtttccggt gttcgtgct gcgtttgatg	41800
aggcttgccg cgagttggag gcacatctgg gggaagaccg ccgggttcgg gatgtggtct	41860
tcggttccga tgcgcagctg ctggatcaga cgctgtgggc gcagtcgggt ctgttcgcgc	41920
tgcaagccgg cctcttgggg ctgctggggt cgtggggcgt tcggccggat gtggtgatgg	41980
ggcattccgt cggggagttg gccgcgcgct ttgcggctgg cgtgttgcg ttgcgggatg	42040
cggctcgggt ggtggccgcg cgcgcccggt tgatgcaagc cctgccctct gacggcgcga	42100

tggtggcggg	ggctgctggg	gaagaccttg	ttcggccatt	gctggccggg	cgaggaggag	42160
ccgtgagcgt	cgccgcgctc	aatgcccccg	gttcgggtgg	gttgctgggg	gatcgggagg	42220
tgctggccag	catcgtcggc	cggtgaccg	agctccgagt	ccggacgcgg	cgcttgccgg	42280
tctcccatgc	ttttcattcg	caccggatgg	acccgatgtt	gggcgagttc	gcccagatcg	42340
ccgagtctgc	ggagttcggg	aagccaacga	caccgcttgt	gtcgacgttg	acgggtgagc	42400
tcgacagagc	cgcggaatg	agcacaccag	ggtattgggt	gcgccaggcg	cgtgaacccg	42460
tccgtttcgc	cgacgggtgc	caggccctgg	cagcgcaggg	cataggcacg	gtcgtcgagc	42520
tcggccccga	cggaacgctg	gcggaactgg	ttcgggagtg	tgcgaccgag	tccgatcggg	42580
ttgggcggat	ttcgtcgatc	ccactgatgc	gcagggagcg	ggacgagacc	cgttcgggtga	42640
tgacagccct	ggcgcattct	cacaccctg	gtggtgaggt	ggactggcag	gcgtttttcg	42700
ccggtaccgg	cgctaggcag	ctcgagttgc	caacgtatgc	cttccaacga	cagcactact	42760
ggatcgagtc	cagtgcgcgg	ccagcacgcg	accgcgcaga	catcggcgag	gtggcggaac	42820
agttctggac	cgcggttgac	caaggcgatc	tggaacggtt	ggtcgccgct	ctggatcttg	42880
gggcggacga	cgacacatgc	gcacgttgga	gcgatgtatt	gccggcggtg	tcctcctggc	42940
gaagcggact	ccgcaaccgt	tcgctcgctg	attcctgccg	gtaccgaatc	agttggcatt	43000
cctctcggga	ggtgccggcc	ccgaagattt	ccggtacctg	gctgttggtc	gtgcccggtg	43060
ctgcggatga	cggattgggt	acggctttga	cgagttcact	ggtcggaggc	ggcgccgagg	43120
tcgtccggat	cggcctgtcc	gaagaggacc	cgcaccgcga	ggacgtcgca	cagcggctgg	43180
ccaatgcgct	gacggatgcc	ggtcaactcg	gtggcggtgct	ttcgctgttg	gggtcgcgatg	43240
aatcgccctg	tcggggattc	tcctgcttgc	caactgggtt	cgcgctgact	gtgcagcttc	43300
tgccggccct	gcggaaggcc	gacgtcgagg	cgcctttttg	ggcggtgacg	cgccggcgcg	43360
tcgcgttgga	agatgtacgc	gtgtctccgg	agcaggccct	ggtctggggg	ctgctgcgtg	43420
tcgcgggact	ggagcaccgc	gagttctggg	gtggcttgat	cgacctgcca	tcggactggg	43480
acgaccgatt	gggtgcccg	ttggcgggtg	tggtggcgga	tggtggcgag	gatcaagtgc	43540
ccattcgccg	tggtgggtgtg	ttcgtgcggc	ggttggaacg	cgctgggtgc	tcgggtgccg	43600
ggtcgggtgtg	gcgtcctcgg	gggacgggtg	tggtgacggg	tggtacgggc	ggtttggggg	43660
cgcatgttgc	ccggtgggtg	gccgggtgcc	gggctgagca	cgtggtgttg	accagccgtc	43720
gaggagcggg	cgctccgggc	gctggggaat	tgccggcgga	gctggaggcg	ctgggtgctc	43780
gggtgtcgat	tgtgccctgc	gacgtggctg	atcgtgacgc	agtggctgga	gtgttggcag	43840
ggatcggtgg	ggagtgtccg	ctgactgcgg	tggtacacgc	cgccgggggtc	ggcgaggcgg	43900
gcgacgtagt	ggagatgggt	ttggcggatt	ttgcagcggg	gttgctggcg	aaggtgcgtg	43960
gtgcggcgaa	tctggacgag	ttgctggccg	actcggagct	ggatgcgttt	gtgatgttct	44020
cctcgggtgtc	gggggtgtgg	ggagccggcg	gacagggtgc	gtatgcggct	gcgaacgcct	44080
acttggtatgc	gttggccgag	cagcgtcggg	cgaggggatt	ggtcgggacc	gcggttgcgt	44140
ggggaccgtg	ggccgggtgac	ggcatggccg	ccggcgaaac	cggcgcacag	ctgcaccgga	44200
tgggccctggc	gtcgatggaa	ccgagcgcgg	cgctgctggc	acttcagggt	gcattggacc	44260
gcgatgagac	ctccctcgtc	gtggccgatg	tcgattgggc	acggttcgcc	ccagccttca	44320
cctcggcacg	tcgacgcccg	ctgctggaca	ccatcgacga	ggcccagacc	gcattggaaa	44380

ccaccggcga acaagcgggc acaggcaaac ccgttgagct gacgcaacgc ctggccggac 44440
 tgtcgcggaa ggaacgcgac gatgcggtat tggatctggt gcgggcggag acggcggctg 44500
 tgctgggacg cgacgatgcc acggcccttg cgccatcgcg gccgttccag gaactcggat 44560
 tcgactcctt gatggcgggtg gagctgcgca accggctgaa caccgccacc gggatccagc 44620
 tgcccggcag cacgattttc gactacccca atgccgagtc gctgtcgcgt cacctctgcg 44680
 ccgagctttt cccaacggag actaccgtgg actcggccct tgccgagctc gatcgaatcg 44740
 agcagcagct ctcgatgctc accggcgaag cgcgggcacg ggaccgaatc gcgacacgac 44800
 tgcgagccct ccacgagaag tggaacagcg cagctgaagt accgaccgga gccgatgtcc 44860
 tgagcacgct cgattcggcg acgcacgacg agatattcga gttcatcgac aacgagctcg 44920
 acctgtcctg agcagttcct gcggaacttc aagcgccgaa atcgggtgga aatcacatg 44980
 gccaatgaag aaaagctctt cggttatctg aagaaggtaa ctgcggacct gcatacagacc 45040
 cggcagcgcc tgctcgcggc cgagagccgg agtcaggagc cgatcgcgat cgtctcggcg 45100
 agctgccgac tgcccggcgg cgtcgactct cccgaagcgc tctggcaact cgtgcgcact 45160
 ggcaccgacg ccatctcgga gttccccgcc gaccggggct gggatctcgg ccggttgtag 45220
 gatcccgaac cgaaccacca gggaaacgtcg tacacgcggg ccggcggttt cctcgcagga 45280
 gcgggagatt tcgacccgc catgttcggg atttcgccgc gtgaggcggt ggcatggac 45340
 ccgcagcaac ggttggtgct ggagctgtcc tgggaggccc tcgaacgggc gggcatagac 45400
 ccgacatccc tgcgcggcag caagaccggt gtcttcgggtg gtgtcacgcc ccaggagtac 45460
 gggccgtcct tgcaggagat gagccgaaac gctgggggtt ttggactcac cgggcggatg 45520
 gtgagtgtgg cgtcgggtcg ggttgctgat tcgtttggtt ttgagggtcc tgcggtgacg 45580
 gtggatacgg cgtgttcgct gtcgttggtg gccctgcatt tggcgtgtca gtcgttgctg 45640
 tccggcgaat gcgatctcgc gctggccggc ggtgtgacgg tgatggcgac accggcgacg 45700
 ttctgtggagt tctcccgta gcgtggtttg gctccggacg ggcggtgcaa gtcgttcgcg 45760
 gctgcccgcg atggcaccgg gtggggtgag ggtgccggtc tgggtgttget ggagcggttg 45820
 tcggatgcgc ggcggaatgg gcacgaggtt ctggcggttg tgccgggtag cgcggtgaac 45880
 caggacggcg cgtcgaatgg tttgactgcg ccgaatggtc cgtcgcagca gcgggtgatc 45940
 acccaggcgt tggcgagtgc ggggctgtcg gtttccgatg tggatgcggt cgaggcacat 46000
 gggaccggga ccacgttggg tgatccgac gaggcacagg ccctgatcgc cacgtacggg 46060
 cagggccggg agaaggatcg gccgttggtg ttggggtcgg tcaagtccaa catcggtcac 46120
 acgcaggcgg ccgctggcgt tgccggcgct atcaagatgg tcttggcgat gcggcacggg 46180
 cagctgcccg ccacgttgca tgtggatgag ccacgctcg cggtggactg gtcggcgggt 46240
 tcggtccggc ttctcacgga gaacacgccc tggccggaca gtggtcgtcc ttgccgggtg 46300
 ggggtgtcgt cgttcgggat cagcggcacc aacgcacatg tgattctcga acagtctcca 46360
 gtcgagcagg gcgaaccggc cgggccggtc gaaggcgagc gggaaaccgga tgtagccgtc 46420
 cccgtgggtg cttgggtgct gtcgggtaag acaccggagg ctgcgcgggc gcaggccgaa 46480
 cgggtgcatt cgcatacga ggaccggccg gggctgtcgc cggtggatgt ggcgtattcg 46540
 ctaggaatga cacgcgcggc gctggatgaa cgcgcagtgg tgttgggctc ggaccgtgcc 46600
 gcgctcctga ccgggttgag ggcattcgcc gacggctgcg atgcgccga agtggtttcg 46660

gggtctgtgg	ggcttggtgg	ccgcgtcggg	ttcgtgttct	cgggtcaggg	tggtcagtgg	46720
ccgggggatgg	gccgggggct	ctactcgggtg	tttccgggtgt	tcgccgacgc	gttcgacgag	46780
gcttgccgcg	agttggatgc	acacctgggc	caggaactgc	gggttcggga	tgtggtgttc	46840
ggttcgcaag	cgtggttgct	ggatcggacg	gtgtgggcgc	agtcgggttt	gttcgcgttg	46900
cagattggct	tgctgcggct	gctgggttcg	tggggtgttc	ggccggatgt	ggtgttgggg	46960
cactcgggtg	gtgagctggc	tgcggtgcat	gcggctggtg	tgttgtcgtt	gtcggaggcc	47020
gcgcggttgg	tggcgggtcg	cgcccgggtg	atgcaggcgt	tgccttctgg	tgggtgccatg	47080
ctcgcggtcg	ctacgggtga	gtttcaggtc	gatacctctgc	tggatggggg	gcgggaccgg	47140
atcgggtatcg	cggcgggtgaa	tggcccggaa	tgggttgtgc	tctctggtga	ccgcgagctg	47200
ctcaccgaga	tcgctgatcg	gttgacgat	caggggtgcc	ggaccgggtg	gttgccgggtg	47260
tcgcatgctt	tccattcgcc	ccatatggag	ccgatgctgg	aggagtctgc	ccagatctcc	47320
cgaggcccg	aatatcacgc	accggaactg	ccgatcatct	cgaccctgat	cggtgagctg	47380
gacggtggtc	gagtgatggg	cactcccag	tactgggtgc	gtcagggtgcg	tgagcccgtc	47440
cgtttcgccg	agggtgtcca	ggcgcttgct	ggtcagggtg	tcggcacgat	tgtcgaattg	47500
ggtccggacg	gggcgttgct	gacgttggtc	gaggagtgtg	tggcgggaatc	cgggcgggtg	47560
gccgggatcc	cgctgatgcg	caaggaccgc	gacgaggcgc	gaaccgtgct	ggcagctttg	47620
gcgcagatcc	acaccgtgg	tggtgagggtg	gactggcggt	cgttttctgc	cggtagccggg	47680
gcgaagcaag	tcgacctgcc	cacctacgcc	ttccagcggc	agcggtactg	gctggcatcc	47740
accgggcgtg	cgggtgacgt	gaccgccgcc	ggattggccg	aggcggacca	tccgctgtct	47800
ggtgcggtgg	ttgcgttggtc	agacggcgaa	ggtgtggtgc	tgaccggtcg	gttgacagcg	47860
ggttcgcac	cgtggttgct	cgatcaccgg	gtgctgggcg	aaatcgctcg	ccccggcacc	47920
gcgatcgctg	agctgggtgtg	gcacgtcggc	gagcgccctg	gttggtggccg	ggtggaagaa	47980
ctggcttttg	aagcgcccct	gatcctgccg	gatcatggag	cgggtccagg	tcagggtgctg	48040
gtgggaccgc	ccgggggaatc	cggagcccg	tcgggtggcg	tctactcctg	tcctggcgag	48100
gcgatcgaac	ccgagtggaa	gaagcacgcg	acgggcgtgc	ttctcccacc	cgtggccgcc	48160
gagaaccatg	agctgaccgc	atggcccccg	gagaatgcga	ccgaaatcga	tgacagacggg	48220
gtctacgcat	tccttgaagg	gcacggtttc	gcgtacggac	cggccttttag	atgtctgcgc	48280
ggtgcctggc	gacgaggcgg	ggaggtgttc	gccgaagtgc	cattgccgga	tgacatgcag	48340
gcgggggtcg	atcgattcgg	cgtccacccc	gcgttgctgg	acgcggttct	gcatgccgcc	48400
gcagccgaga	cgtcggtggt	ccagagcgaa	gcgcgggtgc	cgttctcgtg	gcgtgggggtg	48460
gaacttcgcg	ccactgaaag	cgcggtggtg	cgggcgcgcc	tctcgttgac	ttcggtatgac	48520
gaactgtcgt	tggtcgcagt	ggaccgggt	ggccgattcg	tggccacgggt	tgattcgctg	48580
gtgacccgac	cgatctcccg	gcagcagggtg	aggtctggcg	cgatcgggtga	ttgcctgttc	48640
gaggtggagt	ggcaccggaa	ggcgttggtg	ggaacaaccg	ccggcgacga	ccttgccatc	48700
gtcgggtgacg	gtcccagttg	gccggaatcg	gtgcgcgcaa	ccgcacgggt	cgcgaccctg	48760
gatgagttcc	gtgcggccgt	ggactcggac	gttcctgccc	cgggttcgggt	gttggtcgca	48820
gctatgtcgg	ccgaagagggt	cgagggtgga	tccctgccgt	cgcgcgccc	agagtcgacc	48880
tccgatctgc	tggctctcgt	gcagtcgtgg	cttgcggaacg	agcggttcgc	cgaatcccag	48940

ctcgtggtcg	tcacgcgtgc	agcgggtgctg	gccgactcgg	attcggacgt	cgcggaacctg	49000
gtgggtgctg	cgctcgtgggg	gttggttagt	tcagcccagt	cggagaaccc	gggtcgcttc	49060
gtgctggtgg	acgtggacgg	cacacctgag	tcgtggcagg	cggtgccggc	cgccgtgcga	49120
gcaggagaac	cgcagctggc	acttcggcgc	ggcgtggcgc	tggtgccctc	gttggcgcca	49180
ctcacgggtg	gcgaggagg	ctcctcccc	caactcgaca	cggacgggg	cgtcctcatc	49240
acgggtggca	ccggtgcgtt	ggggggagtg	gttgcccgtc	acctgggtgga	ggagcacggg	49300
attcggcgct	tgggtgttgg	aggccggcgt	ggctggaatg	cgcctggagt	ccacgagttg	49360
gtggatgagc	tggcgcgcg	gggcgcctg	gttgaggtgg	tggcttgcca	tgtggctgac	49420
cgcaccgatc	tggagcacgt	gctggccgcc	attccggtcg	actggccgct	gcgggggatc	49480
gtgcataccg	ctgggggtgct	ggccgacgga	gtgatcgggt	ccttgctcgg	ggcggatgtg	49540
ggcacgggtg	ttgccccgaa	ggtgacgggg	gcatggcatc	tgcacgagtt	gacccgcgat	49600
ctggatctgt	cgttcttcgt	tctttctct	tccttctccg	ggattgcggg	tgcgcaggg	49660
caggccaact	acgcggcggc	gaacacgttc	ctggatgcat	tggcgcggtta	tcgccggggc	49720
cgtgggctgc	ctgggttgtc	gttggcgtgg	ggactgtggg	cgcaaccag	cggtatgacg	49780
agtggcttgg	acgcggcgtc	ggtggagcgg	ttggcgcgga	cgggcacgc	agaactttcc	49840
acggaggatg	gactccgcct	gttcgatgcc	gcgttcgcga	aggaccgggc	ttgcgtcggt	49900
gccgctcgat	tggacagggc	gctgctggtc	gggaacggac	gatcgcacgc	gattccggcg	49960
ctgttgagcg	cgttggttcc	tgttcgcggc	ggtgtggcga	ggaaaacagc	caattctcag	50020
gccgcgggat	aggacgcact	gttgggtttg	gtgcgggagc	acgtttcggc	cgtgctgggt	50080
tattcgggtg	cggtcgaggt	tgggggcgac	cgtgctttcc	gtgatctggg	ttttgattcg	50140
ttgtctggcg	tggagttgcg	gaaccgcctt	gccgggggtg	tgggggtgcg	gttgccggcg	50200
actgcggtgt	tcgactatcc	gacgccgcgg	gcgctggcgc	gtttcctgca	tcaggaactg	50260
gcaggcgagg	tcgcgtccac	gtcgacgccg	gtgaccaggg	cagcgagtgc	cgaagaggat	50320
cttggtgcga	ttgtcgggat	gggatgtcgt	tttcgggtg	gggtgtcgtc	gccggaggag	50380
ctttggcggc	tgggtggcgg	cggcgtggat	gcggtggctg	ggttcccaga	cgatcgcggc	50440
tgggatctcg	cggcggttga	cgatcctgat	cccgatcgtc	tcgggacctc	gtatgtgtgt	50500
gagggcgggt	ttctgcggga	cgcggcggag	ttcgatgctg	acatgttcgg	catcagccc	50560
cgtgaggcgt	tggcgatgga	tccgcagcag	cggttgctgc	tggaggctgc	ctgggaaacc	50620
ttggagcggg	ctgggatcga	tccgttctcg	ttgcacggca	gccggaccgg	tgtgttcgcg	50680
ggcttgatgt	accacgacta	tggggcccga	ttcattacca	gagcaccgga	gggcttcgaa	50740
gggcacctcg	ggacgggcaa	tgcggggagc	gtgctgtcgg	gtcgggttgc	gtattcgttt	50800
ggtttcgagg	gtcctgcggg	gacggtggat	acggcgtgtt	cgtcgtcggt	ggtggcggtta	50860
cacctggcgg	gtcaagcact	gcgggcccgt	gagtgcgaat	tcgcccttgc	cgggtggcgtc	50920
acggtgatgt	cgacgccgac	gacgttcgtg	gagttctccc	gtcaacgggg	tctgggtccg	50980
gatgggcggg	gcaagtcgtt	cgcggcggcc	gcggatggca	ccgggtgggg	cgagggtgcc	51040
ggtctgggtg	tgctggagcg	gttgctcgat	gcccggcgca	atggggcacga	ggttctggcg	51100
gtgggtgcggg	gtagcgcggt	gaaccaggac	ggcgcgtcga	atggcttgac	tgcgccaaat	51160
ggtccgtcac	agcaaagggt	gatcaccag	gcactcacga	gtgccggggt	gtccgtgtcc	51220

gacgtggatg	ctgtggaggc	gcatgggacg	ggcacgcggc	ttggtgatcc	gatcgaggcg	51280
caggcggtga	tcgctacgta	cggccgggat	cgtgatcccc	gtcggccggt	gtggctgggg	51340
tcggtgaagt	cgaatattgg	tcacaccacg	gcggcggcgg	gtgtcgctgg	tgtgatcaag	51400
atggtgatgg	cgatgcggca	gggggagctg	ccgcgcacgt	tgcacgtgga	cgagccctcc	51460
gcgcaggtgg	actggtctgc	gggcacggtc	caactcctca	cggagaacac	gccctggccc	51520
gacagcggtc	gtcttcgccg	ggcgggcgtg	tcctcgcttcg	ggatcagtgg	caccaacgcg	51580
cacctgatcc	ttgaacaacc	tccgcgagag	tcgcagcgct	caacagagcc	ggattcgggt	51640
tctgtcccg	attttccggt	ggtgccgtgg	atggtgtcgg	gcaaaacacc	cgaagcgcta	51700
tccgcccgag	cagatgcatt	gatgtcctac	ttgagcaatc	gcgttgatgc	ttccccgcga	51760
gatatcggtt	attcgcttgc	ggtgacccgt	ccggcgttgg	accaccgcgc	tgtcgtgctg	51820
ggtgcggatc	gtgccgcgtt	gctgccgggc	ttgaaagcgc	tggccgtag	taatgacgct	51880
gccgaggtga	tcaccggcac	tcgtgccgct	gggccggtcg	gattcgtggt	ctccggtcaa	51940
ggtggtcagt	ggcccgggat	gggaagcggg	ctccactcgg	cgtttcgggt	gttcgccgac	52000
gcgtttgacg	aagcctgctg	cgagctggat	gcgcactctc	ggcagatggc	ccggctacga	52060
gatgtgttgt	ccggttcgga	tacgcaactt	ctggaccaga	ccttggtggg	gcagccgggc	52120
ctgttcgcgt	tgcaagtcgg	actctgggag	ttgttggtgt	cgtggggtgt	ccggcccgc	52180
gtggtgctgg	gccactcggt	cggtagctg	gcggcggcgt	tcgcggctgg	agtgttgctg	52240
ttgcgggatg	cggctcggct	ggtggcgggc	cgtgcccgg	tgatgcaagc	cctgccaa	52300
ggcggtgcca	tgctcgctgc	ggctgctgga	gaggagcagc	tgcccccgtt	gctggccgac	52360
tgccggtgat	gtgtggggat	cggccgggtc	aacgctcccc	ggtcgggtgt	gctctccggt	52420
gatcgggatg	tgctcgatga	cattgccgg	cggctggacg	ggcaagggat	ccggtccagg	52480
tggttgccgg	tttcgcatgc	gtttcattcg	catcggatgg	atccgatgct	ggcggagttc	52540
accgaaatcg	ccgggagcgt	ggactaccgg	tcgtcagggc	tgccgatcgt	gtcgacgttg	52600
acgggtgagc	tcgatgaggt	cggcatgccg	gctacgccgg	agtattgggt	gcgccagg	52660
cgagaacccg	tccgcttcgc	cgacgggtgt	gctgcgctcg	cggctcacgg	tgtgagcacc	52720
gtcgtcgagg	tcgggtccgga	tgggggtgtg	tcggcgctgg	tgccaggagt	cgccggccgga	52780
tccgatcagg	gcggacgggt	ggccgcgggt	ccgctcatgc	gcagcaatcg	cgacgaggcg	52840
cacacgggtga	caacggcatt	ggcgcagatc	catgtgcgtg	gtgctgaggt	ggactggcgg	52900
tcgtttttcg	ccgggtaccg	ggcaaagcag	gtcgagctgc	ccacgtatgc	cttccaacga	52960
cagcgggtact	ggcttgactc	accatccgaa	ccggtcgggc	aatccgccga	tcccgcgcgc	53020
cagtcgggct	tctgggaact	cgtcgagcag	gaagatgtca	gcgcgctcag	cgccgctctg	53080
cacattaccg	gcgatcacga	cgtgcaggcg	tccctggaat	cgggtggttc	ggtcctctcc	53140
tcctggcatc	gccggatccg	caacgaatcc	ctgggtgcacc	agtggcggtg	ccggatttcc	53200
tggcatgagc	gggcagatgt	gccagacccc	tcgttgctcg	ggacatggct	cgtcgtcgtg	53260
ccggaggggt	ggtcggcgag	tcggcaagtt	ctgcgtttca	acgagatgtt	cgaggaaacgg	53320
ggttgcccgg	cagttctgtt	cgagctcgcc	gggcacgacg	aggaagccct	ggcgcaacga	53380
ttccgctcgt	tgctgtgtgc	gtcaggggga	ataagcggcg	tggtgtcctt	gctggcgctg	53440
gatgaatcgc	cgtcctcgcc	gaacgctgct	ttgccgaatg	gcgcgctgaa	ctcgttggtg	53500

ctgctgcgag ctctgcgggc cgcggatgtg tcggcgccat tgtggttggc gacgtgtggt	53560
ggtgtcgcgg tcgggatgt gccggtgaac ccggggcagg cgctggtgtg gggactgggt	53620
cgctcgtcg gtctggagca tccggcctgg tggggtggcc tggtcgacgt gccgtgcttg	53680
ctcgatgagg acgctcgaga acgcttgctg gtcgtgttg caggtcttgg cgaggacgag	53740
atcgcggtac gtcccgggtg tgtgttcgtg cggcgggttg aacgcgctgg tgcggcgctg	53800
ggtgccgggt cgggtgtggc tcctcggggg acggtgttg tgacgggttg tacgggcggt	53860
ttgggggagc atgttgcccg gtggttggcg ggtgccgggg ctgagcatgt ggtgttgacc	53920
agccgtcgag gcgcggcggc tccgggcgct ggagatttgc gggcggagct ggaggcgctg	53980
ggcgctcggg ttctgatcac ggcctgcgac gtggccgac gtgacgcttt ggccgaagtg	54040
ttggcgacca ttccggatga ttgcccgctg accgcggtga tgcagcggc gggggtcggt	54100
gaagtccggc acgtggcgct gatgtgtttg accgacttcg ttggggtgct gtcggcgaag	54160
gcaggtggtg cggcgaatct cgatgagttg ctgcgcgatg tcgagctgga tgccttcgtg	54220
ctgttctcat ccgtctcggg tgtgtggggg gctggcgggc agggcgctta tgcggcgcg	54280
aatgcctact tggatgcgtt ggcgcagcag cgtcgggcaa gggggttggg ggggactgcg	54340
gttgcggtgg gcccggtggc cggtgacgga atggccgcag gtgaaggcgg tgcacagctg	54400
cgccggggcc gcctggtgcc aatggctgcg gatcgggcgt tgctggcact tcagggcgca	54460
ttggatcgtg acgagacatc cctggtcgtg gccgatatgg cgtgggagag gttcgccccg	54520
gtgttcgcca tgtcccgtcg gcgtccgctg ctgcacgagc tgcccgaagc acagcaggcg	54580
ttggcggatg cggagaacac cactgatgct gcggactcgg ccgtcccgt accgcggctc	54640
gcgggcatgg cagccgccga acgccgccgc gcgatgctgg acctggtgct ggccggaggcc	54700
tcgatttgtg tgggacacaa cgggtctgac ccagttggtc ccgaccgggc gttccaggag	54760
ctcgatttg attcgtgat ggccgtcgaa ctgcgcaaca ggttgggcga ggcaacagga	54820
ttgagtctgc cggccacgtt gatcttcgat tatccgagcc catccgcgt ggctgagcag	54880
ctggtcggcg agctggtggg agcgcagccc gcgaccaccg tcgtggccgg gcccgatcca	54940
gtggatgatc cggttgtcgt ggtcgcgatg ggatgccggt atccgggcga cgtctgctcg	55000
cccgaggagc tgtggcagct ggtttctgcg ggacgtgatg cggtatcgac gttccccgtc	55060
gatcgggggt gggactgcaa cacgttgctt gacccgatc cggatcgggc aggcagtacc	55120
tatgtgcgag aaggtgcctt cctgaccggt gctgatcggg tcgacgccgg gttcttcggc	55180
atcagccctc gcgaggcgcg cgcaatggat ccgcagcaga ggttggtgct cgaagtggcg	55240
tgggaggttt tcgaacgagc aggaatcgct ccgctgtcgt tgcggggtag caggaccggt	55300
gtgttcgcgg ggaccaatgg gcaggaccac ggtgcgaaag tggctgccgc gccggaggcg	55360
gcgggtcacc tcctgaccgg aaacgccgcg agtgtcctgg ccggccggct ttcctacacg	55420
ttcggccttg aggggcctgc ggtggcggtg gataccgcgt gttcgtcgtc gttggtggcg	55480
ttgcatttg cgtgccagtc gctgcgttcg ggtgagtgtg atatggcgtt ggcagggtggt	55540
gtgacgggtg tgctgacacc cctggctttc ctcgagttct ctgctcagcg cggtttggcg	55600
ccagatggtc ggtgcaagtc gtttgccggc gctgcggatg gcaccgggtg gggtaggggt	55660
gccggcctgg tggtgctgga gcggttgctg gatgctcgtc ggaatggtca ccgggtgttg	55720
gccgtgggtc gcgggtctgc ggtgaatcag gatggtgcgt cgaatggcct gactgcgccg	55780

aatgggtccgt	cgcagcagcg	ggtgattcgg	caggccctcg	cgaatgcggg	gctgtcggcg	55840
tccgatgtgg	atgtcgtgga	ggcgcacggg	accggtaccg	ggctcgggga	tccgatcgag	55900
gcgcaggcgc	tgatcgcgac	atatgggag	gagcgggata	ctgagcgggc	cctgtggctg	55960
gggtcgatca	agtccaacat	cggccacacg	caggcggcgg	ccggtgtggc	gggggtcatc	56020
aagatgggtg	aggccatgcg	gcacggggag	ttgcctgcga	cgttgcacgt	ggacaagccc	56080
actccacagg	tggactgggt	tgccggggcc	gttcggtccc	tcaccgggaa	cacgccctgg	56140
cccagagagc	gccgtcctcg	tcgagcgggg	gtgtcgtcgt	tcgggatcag	cggcaccaac	56200
gcacacctca	tcctcgaaca	accaccgtcg	gaaccagcgg	agatcgacca	atcggatcgg	56260
cgggtcactg	cgcattccagc	ggtgatcccg	tggatgttgt	cggctaggag	tctcgcagcg	56320
ctgcaggccc	aagcggctgc	gctgcaggcc	cggctggacc	ggggtcctgg	cgtttctccg	56380
ctggatttgg	ggtatttact	cgcgaccact	cgttctgtgc	tggacgaacg	cgccgtcgtg	56440
tgggggtgcc	atcgggaggg	actgctgtcc	aggctggcag	cgtcgcgga	tggccggacg	56500
gcgccggggg	tgataacggg	ctctgcgaat	tccggtggcc	gcacgggatt	cgttttttcc	56560
ggtcagggca	gtcagtgggt	ggggatggga	aaggcgttgt	gcgcggcttt	cccggcggtc	56620
gcggacgcct	tcgaggaagc	ctgcgacgcg	ctaagcgcac	acctgggcgc	ggacgttcgg	56680
ggtgtgctgt	tcggtgctga	tgagcagatg	ctcgaccgga	cgtgtggggc	gcagtcgggg	56740
atcttcgcgg	ttcaagtccg	cctcctggga	ttgctgaggt	cgtggggcgt	gcggccggcc	56800
gcggtgctgg	ggcactcggg	cggcgagttg	gctgcggcgc	acgcggctgg	tgtgttgtcc	56860
ttgccggacg	ctgcacgggt	ggttgcggtc	cggggccacc	tgatgcaggc	attgcccacc	56920
ggcggcgcaa	tgctcgcggg	cgccaccagc	gaggcggcgg	tcggaccgct	gctttccggg	56980
gtgtgcgata	gggtcagcat	cgtcgcgata	aacggccccg	agtcggtagt	gctctccggc	57040
gaccgcgatg	tgctcgtgga	gctcgcaggc	gaattcgatg	cccaggggct	taggacaaaa	57100
tgggtgcggg	tctcccatgc	tttccactcg	caccggatgg	aaccgattct	ggacgagtac	57160
gcggaaaccg	ccaggtgcgt	caggttcggg	gaaccgggtg	tgccgatcgt	ctccgcgcgc	57220
accggtgcgc	tggacaccac	cggactgatg	tgccgggccg	actactggac	gcgccaagtg	57280
cgtgatcctg	tccgcttcgg	agacggtgtc	cgggcgctcg	tcggccaagg	cgtggacacg	57340
atcgtcagat	tcggcccggg	cggggcggtg	tcggccctgg	tcgagcagtg	cttggccggg	57400
tccgaccagg	ctgggagggg	ggcggcgatc	cggctgatgc	gcagggaccg	cgatgaggtc	57460
gagaccgcgg	tggcggccct	ggcgcacgtg	cacgtccgcg	gtggtgcggg	ggactgggtc	57520
gcttgcttcg	ccggcacccg	cgcgcgcacc	gtcgagttgc	ccacctacgc	cttccaacgc	57580
cagcggta	ggctggccgg	gcaagcggac	gggcgcggcg	gcgatgtggg	tgccgacccg	57640
gtcgacgcgc	gcttctggga	gttggtcgag	cgcgccgata	cggaaaccgt	ggtggatgaa	57700
ctctgcata	accgggacca	gcccttcggg	gaggtgctgc	ccgttctggc	ttcctggcgc	57760
gagaaacaac	gccaggaggc	cctcgcggat	tcctggcgct	accaggtgcg	ctggaggtcc	57820
gtcgaggtgc	cgtccgcagc	cgccttcggg	ggcgtgtggc	tgggtgggtg	tccagctgac	57880
gtgccccgag	atcaaccggc	ggtcgtcatc	gacgcgctga	tcgcgcgcgg	cgcgcaggtc	57940
gcggtcctgg	aattgaccga	gcaggacctc	caacgcagtg	cgttctgtga	caaggtgcgc	58000
gccgtcattg	cggaccgcac	caggtgacg	ggtgtgttgt	ctctgttggc	gatggacggc	58060

atgccctgcg	cggcgcatcc	gcacctgtcc	cgtggtgtcg	ccgctaccgt	gatactgacg	58120
caggtgttgg	gcgatgcggg	tgtttccgcc	ccgctgtggc	tggccacgac	cgggtggcgtc	58180
gaggccggga	ccgaggacgg	tccggccgat	ccggaccacg	gcttgatctg	ggggctcggc	58240
agggtcgtcg	gccttgaaca	tccgcagtgg	tggggtggcc	tgatcgacct	tccggagaca	58300
ctggacgaga	cgtcccggaa	cgggttggtg	gccgcactcg	ccgggacggc	ggccgaagat	58360
cagctcgccg	tgcgttcata	cgggttggtc	gttcgcagag	tgggtgcgcg	agcgcggaac	58420
ccccggtcag	agacatggcg	tagccgggga	acggtcctca	tcacgggcgg	aacaggcgcg	58480
ctcgggtgccg	aggtcgcacg	atggctggcc	cggcggggag	ctgagcacct	ggtgttgatc	58540
agtcgcccg	gcccggaaag	tcccggcgca	gcggacctag	gggccgagct	gactgaactc	58600
ggcgtgaaag	tcacagtctt	ggcctgcgat	gtgacggacc	gcgacgagct	ggcggcggtg	58660
ctggcgggcg	ttcccacgga	gtatccgctg	tggcggtcg	tgacacccgc	cggcgtcggg	58720
acgcctgcga	acctggccga	gacgaccttg	gcgcagttcg	ccgacgtggt	gtcggccaag	58780
gtcgtcggcg	cggcgaacct	ggaccggctg	cttgccgggg	aaccgttgga	cgccttcgtg	58840
ctgttctcct	cgatctcggg	agtttgggga	gccggcgggc	aaggagccta	ttcggccgcc	58900
aatgcgtatc	tcgatgccct	tgccgagcgc	cgacgggctt	gcgggcggcc	ggcgacgtgc	58960
atcgctggg	gtcgtgggg	gggtgcgggc	atggccgttc	aggaaggtaa	cgaggcgcat	59020
ctccgcgaa	ggggcctggt	accgatggaa	ccgcagtcgg	ccctcttcgc	gctgcaacag	59080
gccctgtccc	aacgagaaac	cgccatcacc	gtcgcagatg	tggactggga	gcgattcgcc	59140
gcctctttca	ccgcggcccc	cccgcgacca	ctgttggaag	agatcgtgga	tctacggccc	59200
gacaccgaga	ccgaggagaa	gcacgggtgc	ggcgagctgg	ggcagcagct	ggccgcactg	59260
ccgcccgtg	agcgcggaca	cctgctgctg	gaggtggtgc	tggcggaaac	cgccagcacc	59320
ctggggcacg	attcggcgga	ggctgtgcaa	ccgcatcgga	ccttcgccga	actgggcttc	59380
gattcgctga	ccgcggtaga	gctgcgcaac	aggttgaaac	cggtgaccgg	gcttcgcctg	59440
ccgccgacgc	tggttttcga	ccaccgcagc	ccgctggcgt	tgtccgaaca	gttggttccg	59500
gccctggtcg	cggagccgga	caacggcatc	gaatcgctgc	tcgccgagct	cgacaggctg	59560
gataccacgt	tggcgcaagg	gccttcgatc	ccactggaag	accaggccaa	ggtggcgagg	59620
cgttgacag	cactcctcgc	caagtgggac	ggggcgctg	acggcacggc	cagagcgacg	59680
tcaccccaat	cgctgacggc	ggccacggac	gacgaaatct	tcgacctcat	cgaccggaag	59740
ttccggcgct	gaccgccctt	tcctcgctc	agctccctcg	attactggaa	cgggtgtattt	59800
cgatggccaa	tgaagaaaag	ctccgcgagt	acctcaagcg	tgtcgtcgtc	gaactggaag	59860
aggcgcacga	acgcctgcac	gagttggagc	gccaggagca	cgaccccatc	gcgatcgtgt	59920
cgatgggatg	tcgttatccc	ggtggcgtct	ccactccgga	ggagctgtgg	cgactggtcg	59980
tcgacggagg	agacgcgatc	gcgaacttcc	ccgaagaccg	tggctggaat	ctggacgagc	60040
tgttcgatcc	tgatccgggc	cgagccggga	cctcctacgt	ccgcgagggg	ggtttcctgc	60100
gcggggtcgc	ggacttcgat	gccgggctct	tcgggatcag	tccgcgcgag	gcacaggcga	60160
tggacccgca	acagcggttg	ctgctggaga	tctcgtggga	ggtgttcgag	cgcgccggca	60220
ttgacccgtt	ttctttgcgg	ggtaccaaga	ccggtgtggt	cgcgggcctg	atctaccacg	60280
actacgcgtc	gcggtttcgc	aagacccccg	cggagttcga	gggttacttc	gccaccggca	60340

acgcgggag	cgctgcaccc	ggccgggtgg	cttacacctt	cgggttagag	ggcccggcgg	60400
tcaccgtgga	caccgcctgc	tcgtcgcccc	tggtggcgct	gcacctggcc	tgccagtccc	60460
tgccgctggg	cgaatgcgac	ctggccctgg	ccggtggcat	ttcgggtgatg	gccacgccgg	60520
gagccttcgt	cgagttcagc	cggcaacgcg	cactcgcctc	ggatggccgg	tgcaagccct	60580
tcgcgggatgc	cgccgacggc	accggctggg	gcgagggcgc	cggaatgctg	ctgctggaac	60640
ggctgtcggg	cgcacgacga	aacggccacc	cgggtgctggc	ggcgggtggc	ggttcgcgca	60700
tcaaccagga	cgggacgtcc	aacggcctga	ccgcgcccag	cgggtcccgca	cagcagcgag	60760
tgatccgcca	agccctggcg	aacgccgggt	tgctcgccgc	cgaggtcgat	gtggctcgagg	60820
cgcacggcac	gggcacggcc	ttgggcgacc	cgatcgaggc	gcagggccctg	atcgccacct	60880
acggggcgaa	ccggtcggcg	gatcatccgc	tgctgctggg	ttccctcaag	tcgaacatcg	60940
gccacaccca	ggctgccgcc	ggtgtggccg	gggtgatcaa	gtcgggtcctg	gccatcaggc	61000
accgggagat	gccccgcagc	ctgcacatcg	accagccatc	gcagcacgtg	gactggctcg	61060
cgggcgcggg	gcggctgctc	acggacagcg	ttgactggcc	ggatctcggc	aggccgcgcc	61120
gagcaggggt	gtcctcgctc	ggcatgagcg	gtaccaacgc	acacctgatc	gtcgagggaag	61180
tatccgacga	gccggtctcg	ggcagtaccg	agccgaccgg	ggcatttccc	tgcccgctgt	61240
ccggcaagac	ggagacggca	ttgcgcgagc	aggctgccga	gttgctctcc	gtagtgaccg	61300
agcaccgcga	gccgggactg	ggggacgtcg	ggtactcgct	ggccaccggg	cgcgctgcga	61360
tgagagcacc	ggctgtcgtg	ggtgccgacg	atcgggactc	tttcgctgcc	ggactgacgg	61420
cgttggtgct	gggcgttccg	gcagccaacg	tggtgcaggg	cgcggccgac	tgcaaggga	61480
aggctcgcgt	cgtgttcccc	ggccagggtc	cgcattggca	ggggatggcg	agggaactgt	61540
ccgaatcctc	gccggtgttc	cggcggaagc	tgccggaatg	cgcggcgggt	acggccccct	61600
acgtggactg	gtcgtgctc	ggcgtccttc	gcgggtgatc	cgatgcaccc	gcgctggatc	61660
gcgacgacgt	gattcagctc	gcgctgttcg	ccatgatggg	gtcgtggtcc	gaactgtggc	61720
gttcgtgcgg	agtggagccc	gccgcgggtg	tcgggtcatc	ccagggcgag	atcgccgcgg	61780
cccatgtggc	aggcgctttg	tccttgactg	atgcgggtgc	catcatcgct	gcccgctgcg	61840
atgcgggtgc	ggcgctgacc	gggaaggag	gcattgctgc	gattgccttg	ccggaaagcg	61900
cgggtggtgaa	gcgaatcgca	ggcctgccgg	agctgaccgt	tgccggcggtc	aacggacccg	61960
gctccactgt	cgtttccggc	gaaccgtcgg	ctctggagcg	tctgcagacc	gaactgaccg	62020
cggaaaacgt	gcagaccggg	cgggtgggaa	ttgattacgc	ctcgcattcg	ccgcagatcg	62080
cgcaggtcca	gggcgggctt	ctggaccggc	tgggcggaag	cgggtccgaa	cctgctgaga	62140
tcgctttcta	ctcgacgggc	accggcgagc	ggacggacac	cggccgactc	gacgccgact	62200
actggtacca	gaaccttcgg	cagcccgtcc	gcttcacgca	gaccgtcgcc	cggatggcag	62260
atcagggtca	tcggttcttc	gtcgaggtga	gcccgcaccc	gctgctcacc	gccggaatcc	62320
aggaaacgct	ggaagccgcg	gacgcgggcg	gggtgggtgg	cggttcgctg	cggcggtggc	62380
agggcggctc	ccggcgctgg	ctgacttcgc	tgcccgagtg	ccagggtgcg	ggactgccgg	62440
tgaattggga	acagggtatt	ctcaacaccg	gagcccgacg	cgtgccgctg	ccgacctacc	62500
cgttccagcg	gcagcgggtac	tggttgaggt	ccgccgagta	cgacgcgggc	gatctcgggt	62560
cgggtgggctt	gctctccgcc	gagcatcccc	tgctcggggc	tgccgtgacg	ctggccgatg	62620

cgggcggggtt cctgctgacc ggcaagctgt cgggtcaagac ccagccctgg ttggccgacc	62680
acgtggtcgg cggggcgatc ctgctgcccg gcaccgcgtt cgtggaaatg ctgatacgcg	62740
ccgcggacca ggtcgggtgc gatctgatcg aggagtgtgc cctgacgact ccgctggttt	62800
tggccgcgac cgggtgcggtg caggtgcaga tcgcggttg cgggtccggac gaggccgggc	62860
gccgctcggg ccgcgtgcat tcctgtcgag acgacgccgt gccgcaggac tcgtggacct	62920
gccacgcgac cggcacgttg acctccagcg atcaccagga cgcgggccag ggccccgatg	62980
ggatttgccc gcccacgat gctgtcgcgg ttccgctgga cagcttctac gcccgcgag	63040
ctgagcgggg cttcgatttc ggcccggcgt tccaggggtt gcaggcggct tggaagcgcg	63100
gagacgagat cttcgccgag gtcggcctgc ccaccgcaca ccgcgaagac gccggcgaggt	63160
tcggaatcca ccctgctctg ctggatgcgg cactgcaggc gctgggcgca gccgaagagg	63220
atccggacga gggatggctc ccgttcgcgt ggcaagggtg gtccctcaaa gcgacgggcg	63280
cactttccct tcgggtgcac ctcgttccgg cgggcgcgaa tgcggtgtcg gtgttcacga	63340
ccgacacgac tggccaagcc gtgctctcca tcgattcgct ggtgctgcgc cagatttcgg	63400
acaagcagtt ggcagcgccc cgtgcgatgg aacacgagtc cctgttcggg gtcgactgga	63460
agcgaatctc gcccgcgct gccaaagcgg tctcctgggc agtgatcggc aatgacgaac	63520
tcgcccagac ctgcggctcg gcacttggca cggaactcca ccccgacctg accgggttgg	63580
ctgaccgccc cccggacgtc gtggtggtgc catgcggtgc gtctcgccag gacttggacg	63640
ttgcttccga ggcacgtgcc gcgacacaac gcatgcttga cctgatccag gattggttgg	63700
cggcggcgcg attcgccgga tctcgcttgg tggttgtgac gtgtggtgcg gcgtcgacag	63760
gtcccgcgga ggggtgttcc gacctggtgc atgctgcgtc gtgggggttg ttgcgttcgg	63820
cgcagtcgga gaaccgcgac cgattcgtgt tggtcgatgt ggacggaacc gccgaatcat	63880
ggcgtgcgct cgcggcgccc gtgcgttccg gagaaccgca gctggcggtg cgcgcgggtg	63940
aagtccgggt gcctcgctg gcgcgatgtg ttgccgcgga ggacagccgg atcccagtc	64000
ccggtgcgga tgggacggtg ttgatttccg gcggtacggg cctgctgggc gggttggtt	64060
cccggcattt ggtggcggag cgcggtgtcc gccgcctggg gctcgcgggg cgacgcggct	64120
ggagcgcccc cggggtcacc gacctggtgg atgagttggt gggcctggga gctgcggtcg	64180
aggtggcgag ctgcgatgtc ggggatcggg ccagattgga ccggtgctg acgacgatct	64240
cggcagagtt cccgctgcgc ggagtgggtc atgcggccgg ggcacttgcc gacggggctg	64300
tcgagtcgct gacaccagag cacgtggcaa aggtgttcgg cccgaaggcc gccggtgcgt	64360
ggcacctgca cgagttgact cttgatctgg atctctcgtt cttcgtgctc ttctcctcgt	64420
tctccggcgt ggcgggggct gcgggtcagg gaaactacgc ggcggcgaac gcgttcctgg	64480
acggcctggc tcagcaccgg cggacggcgg ggctgcctgc ggtgtcgctg gcttggggct	64540
tgtgggagca gccacgcggg atgaccggag cgctcgatgc ggcgggccgt agccgcattg	64600
cgcgcaccaa tccgccgatg tccgcgccgg acgggttgcg gctgttcgag atggcggttc	64660
gcgttccggg cgaatcgctt ctggttccgg tccacgtcga cctgaacgcc ctgcgcgctg	64720
atgcggccga cggcgggtgt cctgcgttgt tgcgcgacct ggtgccagcg cccgtgcggc	64780
ggagcgcggg caacgagtcg gcggacgtca acggtctggg tggtcggctg cggaggctgc	64840
cggacctgga tcaggaaacc cagctgttgg gtttgggtgc cgagcatgtt tcggcgggtgc	64900

tggggcattc	gggtgcggtc	gaggtcgggg	ccgatcgtgc	tttccgggat	ttgggttttg	64960
attcgttgtc	cggtgtggag	tttcggaacc	ggcttggcgg	ggtgctgggc	gttcggttgc	65020
cggctactgc	ggtgttcgac	tatccgacac	cgcgggcgtt	ggttcggttc	ttgctcgaca	65080
aactgattgg	tggcgtggag	gctccgactc	ccgcaccggc	ggctgtggcg	gcggtgactg	65140
ctgacgatcc	cggtgtgatc	gtgggggatgg	gctgtcgtta	tccgggtggg	gtgtcctcgc	65200
cggaggagct	ttggcgtttg	gtggccgggg	gcttggatgc	ggtggcggag	ttcccggacg	65260
atcgtggctg	ggatcaggcg	gggttggtcg	atccggatcc	cgatcgtcct	gggacctcgt	65320
atgtgtgtga	gggtggcttc	ctgcgagatg	cggcagagtt	cgatgccggg	ttcttcggga	65380
tttcccccg	tgaggcggtg	gcgatggatc	cgcagcagcg	gttgctgctg	gaagtcgctt	65440
gggaaaccgt	ggagcgggcg	gggattgatc	cgctttcggt	gcgggggagc	cggaccggcg	65500
tgttcgcggg	gctgatgcac	cacgactacg	gcgcgcgggt	catcacgagg	gcgccggagg	65560
gtttcgaggg	ttatctaggt	aatggcagcg	cgggaggcgt	gttttcgggt	cgggttgctg	65620
attcgttttg	tttcgagggg	cctgcggtga	cgggtggatac	ggcgtgttcg	tcgtcgttgg	65680
tggcgctgca	cctggcgggt	caagcactgc	ggtctgggtga	gtgtgatctg	gctcttgccg	65740
gtggtgtgac	ggtgatggcc	acgccgggga	tgttcgtgga	gttttcgcgt	caacggggct	65800
tggcggcgga	tgggcgggtg	aagtcgtttg	cggcggtcgc	ggatggcacc	ggttggggag	65860
aaggcgcggg	cttgggtgtg	ttggagcggc	tgtcggatgc	ccggcgcaac	gggcacgcgg	65920
ttctggcggt	cgtgcggggg	agcgcggtga	atcaggatgg	tgctgcgaat	ggtttgacgg	65980
cgccgaatgg	gccctcgacg	cagcgggtga	tcacgcaggc	gttggcgagt	gctggtttgt	66040
cgggtgtctga	tgtggacgcc	gtggaggcgc	atgggactgg	aaccaggctt	ggtgatccga	66100
ttgaggcgca	ggctctgatt	gccacttacg	ggcaggggcg	ggatagcgat	cggccggtgt	66160
ggttggggtc	ggtgaagtcg	aatattggtc	atacgcaggc	ggcggcgggt	gtcgtggtg	66220
tgatcaagat	ggtgatggcg	atgcggcacg	ggcagctgcc	cgcgacgttg	catgtggatg	66280
aacctacgtc	ggaagtggat	tggtcggcgg	gggatgtcca	gctcctcacg	gagaacaccc	66340
cctggccccg	caacagccat	cctcggcggg	tgggcgtgtc	gtcgttcggg	atcagcggca	66400
ccaacgcaca	cgctcatcct	gaacaagcct	cgaaaacacc	agacgagact	gcggacaaga	66460
gcggtcccga	ttcggaatcg	accgtggacc	ttccagcggg	cccgttgatc	gtgtcgggga	66520
gaacaccggc	agcgctcagc	gctcaggcga	gcgcattgtt	gtcctatttg	ggtgagcgtg	66580
gcgatatttc	cacgctggat	gcggcgtttt	cgttggcttc	ctcccgggcc	gcgttgaggg	66640
agcgggcggg	ggtgctggga	gcggaccgcg	aaacgttggt	gtccgggttg	gaagcgctgg	66700
cttccggctg	cgaggcttct	gggggtggtg	cgggatcccc	ggtctctggc	gggggtgggt	66760
tcgtgttcgc	cggtcagggc	ggacagtggg	tggggatggg	ccgggggctc	tactcggttt	66820
ttccggtgtt	cgctgacgcg	tttgacgaag	catgtgccgg	actggacgcg	catctggggc	66880
aggacgtggg	ggtccgggat	gtggtgtttg	gttccgacgg	gtccttggtg	gatcggacgc	66940
tgtggggcca	gtcgggtttg	ttcgcggtgc	aggttggttt	gctgagcctg	ctgggttcgt	67000
ggggtgtccg	gccgggtgtg	gtgctgggcc	attcggtcgg	cgagtttcgcg	gcggcggttg	67060
cggcgggagt	gttgctggtg	ccggatgcgg	ctcggatggg	ggcgggtcgt	gcccggttga	67120
tgcaggcggt	gccttctggc	ggtgccatgt	tggcggtggc	tgctgggtgag	gagcagctgc	67180

ggccggttgc	ggccgacg	gtcgatggtg	cgggtatcgc	cgcgggtcaac	gctcctgagt	67240
cggtggtgct	ctccggcgat	cgggaggtgc	ttgacgacat	cgccggcgcg	ctggatgggc	67300
aagggattcg	gtggcgggcg	ttgcgggttt	cgcattgcgtt	tcattcgtat	cggatggacc	67360
cgatgttgca	ggagttcgcc	gaaatcgcac	gcagcgtgga	ctaccggcgt	ggcgacctac	67420
cggtcgtgtc	gacgttgacg	ggtgagctcg	acaccgcagg	tgtgatggct	acgccggagt	67480
attgggtg	tcaggttcga	gagcccgtcc	gcttcgccga	cggcgtccgg	gtgctcgcg	67540
agcaaggggt	cgccacgatc	ttcgaactcg	gccctgatgc	gacgctgtcg	gccctgattc	67600
ccgattgtca	ttcgtgggct	gatcaggcca	tgccgattcc	gatgctgcgt	aaagaccgta	67660
cggaaaccga	aactgtggtc	gccgcgggtg	cgcgggcgca	cacgcgtggt	gttccggctg	67720
aatggtcggc	gtatttcgcc	ggcaccgggg	cacggcgggt	cgagttgccg	acgtatgcct	67780
tccagcggca	gcggtactgg	ctggaaacat	cggattacgg	cgatgtgacg	ggtatcggcc	67840
tggctgcggc	ggagcatccg	ttgctggggg	ccgtgggttc	gctggccgat	ggtgatggga	67900
tgggtgctgac	cggccgggtg	tcggtgggga	cgcattccgtg	gctggcccag	catcgcgctg	67960
tgggcgaggt	cgtcgtcccc	ggcaccgccca	tcctggagat	ggccctgcac	gcaggggcgc	68020
gtctcggctg	tgaccgggtg	gaagagctca	ccctggaaac	accgctggtg	gtccccgaac	68080
gcgcggcg	tgccggtagt	cgtggccctg	cgggagggac	cacagtttca	attgaaactg	68140
cggaagaacg	tgtgcggacg	aacgacgcca	tcgaaatcca	gctgctggtg	aacgcacccg	68200
acgaaggcgg	tcggcgaagg	gtgtcgctgt	attcccgcgc	ggccgggtggg	tcgagaggtg	68260
ggggttgac	gcgccacgcc	accggcgaaac	tcgtcgctcg	caccaccggt	ggtagggcgg	68320
ttcctgattg	gtcggctgag	ggtgccgagt	cgattgctct	cgatgagttc	tacgtcgctc	68380
tggccggaaa	cgggttcgag	tacgggccgt	tggtccaggg	gcttcaggcg	gcattggcgtc	68440
gtggtgacga	ggttctcgcc	gaaatcgccc	cgcgggccga	ggccgatgcg	atggcgctcg	68500
gatacctgct	cgaccagcg	ttgctggatg	ccgcgctgca	ggcgtccgcg	ctcggcgacc	68560
gcccggagca	aggcggcgcg	tggtgcgcgt	tctcattcac	cggcgctgaa	ctttccgctc	68620
cggcagggac	gatcagcagg	gtgcggctgg	agaccaggcg	acccgacgcg	atatcgggtg	68680
ccgtgatgga	tgagagtggg	cggttgctcg	cctcgatcga	ttctctcagg	ctacgaagcg	68740
tgctcgctgg	acagctggcg	aatcgggacg	ctgtccgcga	cgcgctgttc	gaggtgacct	68800
gggagccggg	ggcgacgcag	tcgacggaac	cgggtcgctg	ggccctgctt	ggtgatactg	68860
cctgcggtaa	agacgatctc	atcaaactcg	caacggattc	cgcgcaccgc	tgccgagatc	68920
tggcggcgct	agccgagaaa	cttgattcca	gcgcgctggt	tcctgatgtc	gtggtctact	68980
gcgccggaga	acaggcggtat	cccggcaccg	gcgcagccgc	acttgccggag	accagcaga	69040
cgttggtctct	gctccaagcg	tggttggtg	agccgcggtt	ggccgaggca	cgtctggtgg	69100
tggtgacgtg	tgacgcgggtg	acgacggctc	cgagtgcagg	tgcatcagag	ctggcacatg	69160
cgcggttg	ggggttggtg	cgtgccgcgc	aggtggagaa	cccggggcag	tttgtgctgg	69220
cggacgtcga	cggaaaccgcc	gaatcggtgg	gtgcgttgcc	gagtgcggtg	ggctcgatgg	69280
aaccgcagtt	ggccctgcgg	aaggggcgcg	tgcgagcgcc	ccgcttggtg	tcggctcgccg	69340
ggcagatcga	cgtgcccgcg	gttggtggcg	atcccagaccg	aaccgtgctg	atttcggggcg	69400
gcacgggcct	gttggggggc	gcggttgccc	gccacctggt	gaccgaacgc	ggtgtccgcc	69460

gattggtggt	gacgggcccgt	cgtggctggg	atgctcctgg	aatcaccgag	ttggtgggtg	69520
agctgaacgg	cctcgggtgcc	gtgggtcgacg	tggtggcgtg	cgacgtcgcg	gatcgtgctg	69580
atctggagtc	gttgctggcg	gcgggtcccgg	cggaatttcc	gttggtcgggc	gtgggtgcatg	69640
ccgcggggggc	gctggccgac	ggggtgatcg	agtcgttgctc	accggacgac	gtgggagcgg	69700
tgttcggccc	gaaggcggcg	ggggcgtgga	atctgcacga	gctgactcgt	gatacggacc	69760
tgtcgttctt	cgcggtgttc	tcctcgcttt	ccggtgttg	cggcgtcct	ggtcagggca	69820
attatgcggc	ggcgaacg	ttcctggacg	cattggcgca	ttaccggcgg	tcacagggac	69880
tgccctgcgg	gtcgctggcc	tggggcctgt	gggagcagcc	gagcgggatg	acggagacgc	69940
tcagcgaggt	cgaccggagc	aggatcgcg	gcgccaaccc	gccgttgctc	accaaggagg	70000
gattgcggct	gttcgatgcc	gggctggcg	tggaccgggc	agcggtagtt	ccggcgaagt	70060
tggacaggac	tttcctggcc	gagcaggcgc	ggtcgggctc	gctgcccgca	ttgttgacgg	70120
cactggtacc	ccccatccgt	cgtaataagg	gggctagcgg	aaccgagctc	gcggacgagg	70180
gcaccctgct	cgggggtggg	cgggagcatg	ccgcggccgt	gctgggggat	tcgagcgcg	70240
ctgacgtcgg	ggtcgagcgc	gctttccggg	atctgggttt	tgattcgctg	tctgggtgtg	70300
agttgcggaa	ccgccttgcc	ggggtgctgg	gggtgcggtt	gccggcgact	gcggtgttcg	70360
actatccgac	gccgagggcg	ctggcccggg	tcctgcacca	ggaactggca	gacgagatcg	70420
ctacgacgcc	agcgccgggtg	acgacgacca	gggcaccggg	cgccgaagac	gatctcgtcg	70480
cgatagtcgg	gatgggatgc	cgttttcccg	gtcaggtgtc	ctcgccggag	gagctctggc	70540
gtttggtggc	cggggggcgtg	gatgcggtcg	cggacttccc	agccgatcgc	ggctgggatc	70600
tggcaggctt	gttcgatccg	gacccggaac	gggctgggaa	gacctacgtg	cgggaagggg	70660
ccttcctcac	cgacgccgat	cggttcgatg	cgggtttctt	cgggatttcc	ccgcgtgagg	70720
cgttggcgat	ggatccgcag	caacggctgt	tgctggagct	gtcctgggag	gccattgaac	70780
gggcagggat	cgatccgggt	tcgctgaggg	ggagtcggac	cggtgtgttc	gcggggctga	70840
tgtaccacga	ctatggcgcc	cggttcgcca	gccgagcccc	ggaagggttc	gaggggtatc	70900
tcggcaatgg	cagtgtctggg	agtgtcgcg	cgggccggat	tgcgctactc	tttggtttcg	70960
agggctcctg	ggtgacgggtg	gatactgcgt	gttcgtcgctc	gttggtggcg	ttgcatttgg	71020
cgggtcagtc	gttgcgttcc	ggcgaatgcg	atctcgccct	tgccggtggg	gtgacgggtga	71080
tgctgcagcc	cgggacgttt	gtggaattct	cccgtcagcg	gggcctggca	ccggacgggc	71140
gggtgcaagtc	gttcgaggag	agcgcgagcg	gtaccgggtg	gggtgagggg	gctgggtttg	71200
tggtgttgga	gcgggtgtcg	gatgctcggc	ggaatgggca	tcgggtgttg	gcgggtggtc	71260
gtgggtcggc	ggtgaatcag	gatgggtcgt	cgaatggctt	gaccgcgccg	aatggtccct	71320
cgcagcagcg	ggtcatccag	caggcgttgg	cgagtgcggg	tctgtcggtg	tccgatgtgg	71380
atgccgtgga	ggcgcatggg	accgggacca	ggttgggtga	tccgattgag	gcgcaggctc	71440
tgattgctac	gtatgggcgc	gatcgtgatc	ccggtcggcc	gttggtggtg	gggtcgggtga	71500
agtccaacat	cggtcatacg	caggcggcg	cgggtgttg	cggtgtgatc	aagatggtga	71560
tggcgatg	gcacgggcaa	cttcgcgcga	cgctgcacgt	ggatgcaccc	tcctcgagg	71620
tggattggtc	ggcggggagg	gtccagctcc	tgacggagaa	cacgccctgg	cccagagtg	71680
gtcgccctg	tcgggtgggg	gtgtcgctcg	tcgggatcag	cggcaccaac	gcgcacgtca	71740

tccctggaaca gtccacgggg cagatggatc aggcagcggg gccggattcg agtcctgttc	71800
tggatgttcc ggtggtgccg tgggtggtgt cgggcaaac acccgaagcg ctatccgccc	71860
aggcggcaac gttggcgacc tatttggacc aaaatgttga tgtctcccct ctggacgttg	71920
ggatttcgct tgcggtgacc cgttcggcgc tggatgagcg ggcggtggtg ctggggtcgg	71980
atcgtgacac gttgttgtct ggccatgaatg cgctggctgc cggcatgag gctgctggcg	72040
tggttacggg acctgtcggg attggtggcc ggaccgggtt tgtgttcgcc ggtcaaggcg	72100
gtcagtgggt ggggatgggc cggcggttgt actcggagtt tccggcgttc gccggtgctt	72160
tcgacgaagc atgcgccgag ctcatgcca acctggggag ggaagtcggg gttcgggatg	72220
tgggtgttcg ctccgacgag tccttgcctg atcggacttt gtgggcgcag tcgggtttgt	72280
tcgctgtgca ggtcgggtctc tgggaattgt tgggtacgtg ggggtgttcg cccagcgtag	72340
tgctggggca ttcggtcggg gagctagccg cggcggttcgc cgcaggtgtg ctgtcatgg	72400
cggaggcggc tcggctggtg gcgggtcgtg cgcggttgat gcaggcggtt ccttctggcg	72460
gtgccatgct ggcggtgtcc gcgaccgagg cccgagtcgg cccgctgctc gatggggtgc	72520
gggatcgtgt tgggtgtcga gcggttaacg ctccggggtc ggtggtgctt tccggtgacc	72580
gggatgtgct cgatggcatt gccggtcggc tggacgggca aggtatccgg tcgaggtggt	72640
tgccgggtttc gcacgcgttt cattcgcata ggatggatcc gatgctggcg gaggctcggc	72700
agctcgcacg gagcgtggac taccggtctc caccgctgcc gattgtctcg acgtgaccg	72760
gaaacctcga tgacgtgggc gtgatggcta cggcgagta ttgggtgcgc cagggtgcgag	72820
agcccgctccg ctccgcgcac ggtgtccagg cgcttgtgga ccaaggcgtc gacacgattg	72880
tggaaactcg tccggacggg gcgttgtcga gcttgggttca agagtgtgtg gcggagtccg	72940
ggcgggcgac ggggattccg ttggtgcgga gagaccgtga tgagggtccga acggtgctgg	73000
acgctttggc gcagaccac actcgtggtg gcgcggtgga ctgggggtca ttttctcgtg	73060
gtacgagggc aacgcaagtc gaccttccca cgtatgcctt ccaacgacag cggtagctggc	73120
tggagccatc ggattccggt gatgtgaccg gtgttggcct gaccggggcg gagcatccgc	73180
tggttgggtgc cgtggtgccg gtcgcgggcg gcgatgaggt gctgctgacc ggcaggctgt	73240
cgggtggggac gcatccgtgg ctggcggaac accgcgtgct gggcgaagtc gtcgtccccg	73300
gcaccgcgtt gctggagatg gcgtggcggg ccggtagcca ggtcggttgt gaacgtgtgg	73360
aggagctcac cttggaggca ccgctggtcc tgccggagcg ggcgctgcg gcggtgcagt	73420
tggcgggtgg ggtccggat gaggccggcc ggcgcagttt gcagctctat tcccaggcg	73480
ctgatgaaga cggcgactgg cggcggtatt cctccgggct gttggcccag gccaatgagg	73540
tgccgcccgc ggattcgacg gcatggccgc cggacggcgc cgggcaggtc gatctggcgg	73600
agttctacga gcgcctcgcc gagcgcggtt tgacctacgg tccggtattc caagggtcc	73660
gcgcgcgatg gcggcacggc gacgatattc tcgccgaatt ggccgggtca ccagacgcct	73720
cgggtttcgg catccaccgc gcgctgctgg acgctgcact gcacgcgatg gcgcttggtg	73780
cttcgcccga ctccgaagcg cgtctgccgt tttcctggcg tggcggccag ctgtaccgcg	73840
ctgaaggagc agcgttcgg gtacggctct cggcgctggg ctccggtgca gtctcattga	73900
cgttggtgga tgccacaggg cgcagagtcg ctgcggtgga atcgctttcg acgcgaccgg	73960
tctccaccga ccagatcggt gccggtcgcg gcgatcaaga gcggctgctg cagctcagat	74020

gggtaaggct	ggctgaatct	gcggggatgt	ctctgacctc	ctgcgcggtg	gtcgggtttgg	74080
gcgaaccgga	gtggcacgct	gcgctgaaga	ccactggtgt	ccaagtcgag	tcccatgcgg	74140
accttgcttc	gttggccacc	gaggttgcca	agcgggggttc	agctcctggt	gcgggtcatcg	74200
tcccgctgcc	gcgaccccga	gcgatgcagg	agctgccgac	cgccgcgcga	agggcgacgc	74260
aacaggcgat	ggcgatgctg	cagcaatggc	ttgccgatga	ccggttcgtc	agtacgcgcc	74320
tgatcctgct	gacgcacgcg	gcggtctccg	cagttgctgg	agaagacgtg	ctcgacctgg	74380
tacacgcgcc	gctgtggggc	ttggtccgca	gcgcgcaagc	ggagcaccgc	gaccgattcg	74440
ccttgatcga	tatggacgac	gagcgagcat	cgcagacggc	actcgccgaa	gcgctgactg	74500
cgggagaagc	gcagctcgcg	gtgcggtcgg	gagttgtgct	ggcgccccgc	ctcggccagg	74560
tgaaggtag	tggaggtaga	gcgttcagg	gggatgaagg	caccgtgctg	gtcaccggcg	74620
gaaccggcgg	gctcggggcc	ctgctcgcac	gccatctggt	cagcgcccac	ggtgtgcggc	74680
acctgttgct	cgcaagtcgc	cgtggtctgg	cgcgccccgc	agcggtatg	ctgggtggccg	74740
agctggagca	ggccggcgcc	gacgtcgcgg	tcgtcgcgtg	cgactcggca	gatcgggact	74800
cgcttgcgcg	gctgggtggcg	tcgggtgcctg	cgaaaaaccc	gttgcggggtg	gtgggtgcacg	74860
ccgccggtgt	gctggatgac	ggtgtgctga	tgctgatgtc	gccggagcgc	ttggacgcgg	74920
tggtgcggcc	caaagtggat	gccgcgtggt	acctgcacga	gctgactcgg	gaactcggtc	74980
tgctcggcgt	cgtgttgctc	tcctcggctc	cgggcctgtt	cggcggtgcg	gggcagagca	75040
attacgctgc	eggcaacgct	ttcctggatg	ccttgggcgca	ttgccggcag	gccagggggc	75100
tgcccgcgct	gtcgtcggcc	tcggggtgtg	gggcgagtat	cgatggaatg	gcgggcgacc	75160
tcgctgcggc	agatgtggag	cggtgtgcgc	gggcaggcat	tggcccgtt	tcggcaccgg	75220
gagggctggc	cttgctcgac	gctgccgttg	gctcggacga	accgttgctg	gcaccggtgc	75280
gactggatgt	cgaagcactg	cgtgtgcagg	cccgatccgt	gcagaccgcg	attccggaaa	75340
tgctgcatgg	catggcaatg	gggccaaagc	gccgcactcc	gttcacttcc	aggggtgagc	75400
cgttgacgca	acggctggcc	ggattgtcgg	agggcgaacg	tcggcagcaa	gtgctccagc	75460
gcgtccgcgc	cgatatcgcg	gtgggtactg	ggcacggcag	gtcgagcgat	gtggacatcg	75520
agaagccttt	ggccgagctg	ggtttcgcact	cgctgacggc	catcgaactc	cgcaaccgtc	75580
tcgctaccgc	caccggactg	cggttcccg	cgacgtggc	cttcgaccac	ggcactgcgg	75640
cggcactcgc	ccagcacgtg	tgccgcgcagc	taggcaccgc	gaccgcgcgcg	gcaccgaggc	75700
gaaccgacga	caacgacgcc	acggagcccg	tgaggctcgt	cttccaacag	gcgtatgcgg	75760
ctggccggat	acttgacggg	atggatttgg	tgaaggctcg	tgcccagttg	cgaccggtgt	75820
tcgggttcgc	tggcgagctg	gaatccctgc	cgaaaccgt	ccagctttcc	cgtggtcccg	75880
aagagcttgc	cttggtgtgc	atgccggcgc	tgatcgggat	gccgcccgc	cagcagtagc	75940
cgcggtatcg	cgccgggttc	cgcgatgtgc	gggacgtttc	ggtgatcccg	atgcctggat	76000
tcattgcggg	agaaccgctg	ccgtccgcca	tcgaggtggc	ggttcggacg	caggcggagg	76060
cgggtgctga	ggaattcgcc	gggggctcgt	tcgtactggt	cgggcattcc	tcggggggct	76120
ggctggcgca	cgaggtagcc	ggtgagctgg	agcgtcgcgg	ggtcgtcccg	gccggggctc	76180
tactgctgga	cacctacatc	cccgtgaga	tcacgccgag	gttctccgtg	gcgatggccc	76240
accggacgta	tgagaagctc	gcgactttca	cggacatgca	ggatgtcggg	atcaccgcga	76300

tgggcgggta cttccggatg ttcaccgagt ggactccgac gccgatcggg gctccgacgc	76360
tgttcgtgcg gaccgaagat tgcgtcgag accctgaagg gcggccgtgg acagatgact	76420
cctggcgggc aggggtggact ctgcgagatg ccacgggtcca ggtgccgggc gaccacttct	76480
cgatgatgga cgagcacgcc ggggtccaccg cacaggcagt cgcgagttgg cttgacaaac	76540
tcaaccagcg caccgctcgg caacgctgac gggcgtcctt ttaggacctt ctgggcggca	76600
ccggccaccc cggcgggtgcc gccttcctg gtccaggctc gccgatcttg acggcgacgc	76660
atgcgcggca cgcgcgtga tcgtgattcc gctgccgctc gtggccatcg gcctggcgaa	76720
tcatgtcctt tcgggcaacg tcaaacgaat tcgtccgagc ccgcattccg aggtgagggg	76780
cacccttggg tggctgagcc gctcaagggt gccctcacc tcgaaattcg tccgatttgg	76840
gcgggtggacg caaccccggt gggcgtgggt cgtctttctt gttgacagag cggtgagaag	76900
ccgctgacac acctgagagg aaaaggggag catgatgctc aagcgccacc gtttgacgac	76960
cgccatcacc ggccttctgg ggggagtact gctggtcagc ggctgcggaa ccgccgccgc	77020
acttcagtcc tcgccggcgc ccgggcatga cgcgcgcaat gttggtatgg cctcgggcgg	77080
gggcggcggg gacatcggca cgtcgaactg ctcgagggcc gatttcctcg ccaccgcgac	77140
accggtgaaa ggcgaccccg gcagtttcat cgtggcgtag gggaaccggt cggacaagac	77200
ctgcacgatc aacggcgggc tgccgaacct caagggcgtg gacatgagca actcgccgat	77260
cgaggacctg ccggtcgagg acgtgcggct tcccgcgcg cccaaggaat tcacctcca	77320
gcccggtcag agcgcgtacg ccggcattgg catggtcctg gccgacagcg gcgacccgaa	77380
cgcccatgtc ctccaccgggt tccagtctc gctgccggac atgtccgagg ccagccgggt	77440
caacgttctc ggcgacggca acgtgaagtt cgcgcggaag tacctgcgag tcagctcgct	77500
ggtgtctacc gcagacgagc tgcgtaaaa cccatgtgag tcccgcagat tcgacctgc	77560
cgtgcggcgc ctccggcgaa gcgtccgtac gtttgcgtt gtgaccagcg ttgttcacgt	77620
ccgggcgcag cgtggtaca tactcaggcg tctcgggcgc ctccaacggg gcctggcatc	77680
cggggccgtc gagtgcggcg gcgtgacgc gttctctgtc gggcgttgct acgccgccgg	77740
cctcgaaccg gtcccgcccc gtcggagccg gtggtccagc gcggtgtggc ggcggccgga	77800
gccgacggtg cgcaccgcct gcccgagggc ctttttcgaa ccgacgagga ccacgacctt	77860
cttggcccgg gtgaccgccg tgtagagcag gttgcgctgc agcatcatcc aggcgcttgt	77920
ggtcaagggg atcaccacgc acgggtattc gttccctgc gaacgatgga tggtcaccgc	77980
gtaggcggtg accagttcgt cgagttctgt gaagtcgtag tcgatgtcct cgtcctcgtc	78040
ggttcgcacg gtcattggtc gtgcttcgtt gtcgagggcg gacacgacgc cctgcgtgcc	78100
ggtgaacacg ccgttgccgc ccttgctgta gttgttgcg atctgcgtga ccttgctgcc	78160
gacgcggaag atccgtccgc cgaaccgcc ctctggcagg ccctccctgg ccgggggtgat	78220
cgcttcctgc aacagctggt tcagcgccc tgcacctgc gggcctcgat gcacggggc	78280
gaggacctgc acgtcggtgc gcgggttgaa ccggaacttc cgcggaatcc ggcgggcgac	78340
gacgtcgacg gtgagctcgg cggtcgggtc gctttctct acgtggaaca ggaagaagtc	78400
ggtcagcccg tgtgtcagcg gatagctccc ggcgttgatt cgggtgcgct tggtcaccac	78460
cccggactcg gcggcctgcc ggaacacctc gttgagccgc acgtgtggaa tcgggggtgcc	78520
aggggcgagc agatcgcgca gtacctcacc ggctccgacc gacgggagct ggtcgacgtc	78580

gccgaccagc agcagggtgcg cgccggggcgc gatcgcccttg gccagtttgt tggctaacag 78640
 cagggtcgagc atggacgcct cgtcgaccac gacgagggtcg gcgtccagcg ggttgtcccg 78700
 gtcgtaggcg gcgtccccgc ccggctggag ttggagcagg cgggtgcacgg tcgccgcgtc 78760
 gtgtccggtg agctcggtca gccgcttcgc cgctcgctcc gtcggcgcgg cgaggatcac 78820
 cttggccttt ttgcctgag ctaatgcgat gatcgaccgc acggtgaagc tcttgccgca 78880
 gcctggacct ccggtgagca cggcgacctt ctcggtcagg gccagcttga cggcgcgctc 78940
 ctgcgcctcg gcgagttcgg caccggtagc gcggcgcaac cagtcgaggg ccttgtgccca 79000
 atcgacgtcg gcgaagacgg gcatccggtc cgcgctggtg ttcagcagcc gggacagctg 79060
 gttggccagg gcgaacttcgg cgcggtggaa gggcacgagg tagatcgga ccgtcggcac 79120
 ctcgctgtca tcggtgggga tctcctcgcg gaccacacct tctcggtga cgagttcggc 79180
 gaggcattcg atcaccagcc cgggtgtcgac ggcgaggatc ttcaccgcct cggcgatcag 79240
 ctcgttctcc ggcaggtagc agttgccgtc gccggtggac tccgacagcg tgaactgaag 79300
 gccgccttt acccgctgcg gggagtcgtg cgggattccc accgctttgg cgatggtgtc 79360
 ggcggtcctt aaaccgattc cccacacgtc gcctgccagc cggtatggct cttccttgac 79420
 ggtccggatc gcgtcgctgt ggtactgctt gtagatcttc accgccagcg aggtcgagac 79480
 gccgacgcct tgcaggaaga tcatcacctc cttgatcgcc ttctgctcct cccacgcgtc 79540
 ggcgatcagc ttcgtccgct tcggggccgag cttggggacc tcgatcagcc gcgcgggttc 79600
 ctgctcgatg acgtcgagcg cggcgacgcc gaagtggtcg acgatcttct cggcgagttt 79660
 ggggccgatg cccttgatca ggccagacct caggtagcgg cggatacctt gcacggtcgc 79720
 aggcagcacg gtcgtgtagt cgtcgacgtg gaactgccgc ccgtactggg ggtgcgaccc 79780
 ccaccggccg cgcagcgca acgcctcgcc gggctgcgcg cccagcagcg cgccgacgac 79840
 cgtcaccagg tcaccgcccc ggccggtgtc gatccgcgcg acggtgtagc cgctctcctc 79900
 gttggcgaac gtgatccgct ccagcgtgcc ctccagcacc gcagtccacg tggccgactc 79960
 ccgtcctttt tccaccgaca acacgtatca cgaacggctg tcaagcaaac cggcggtcac 80020
 cacatgcagc ggcattctcc gaacgcctcg ggctccggcg tcagcgggtg ggcgttcgcg 80080
 atgccttggt gcggccgggtg ggagttgtag attttttcgt cctcgcgag ggcctggagt 80140
 aggtgccgct ggctccagat c 80161

<210> 2

<211> 2595

<212> PRT

<213> *Saccharopolyspora spinosa*

<400> 2

Met Ser Glu Ala Gly Asn Leu Ile Ala Val Ile Gly Leu Ser Cys Arg
 1 5 10 15
 Leu Pro Gln Ala Pro Asp Pro Ala Ser Phe Trp Arg Leu Leu Arg Thr
 20 25 30
 Gly Thr Asp Ala Ile Thr Thr Val Pro Glu Gly Arg Trp Gly Asp Pro
 35 40 45

Leu Pro Gly Arg Asp Ala Pro Lys Gly Pro Glu Trp Gly Gly Phe Leu
 50 55 60
 Ala Asp Val Asp Cys Phe Asp Pro Glu Phe Phe Gly Ile Ser Pro Arg
 65 70 75 80
 Glu Ala Ala Thr Val Asp Pro Gln Gln Arg Leu Ala Leu Glu Leu Ala
 85 90 95
 Trp Glu Ala Leu Glu Asp Ala Gly Ile Pro Ala Gly Glu Leu Arg Gly
 100 105 110
 Thr Ala Ala Gly Val Phe Met Gly Ala Ile Ser Asp Asp Tyr Ala Ala
 115 120 125
 Leu Leu Arg Glu Ser Pro Pro Glu Val Ala Ala Gln Tyr Arg Leu Thr
 130 135 140
 Gly Thr His Arg Ser Leu Ile Ala Asn Arg Val Ser Tyr Val Leu Gly
 145 150 155 160
 Leu Arg Gly Pro Ser Leu Thr Val Asp Ser Gly Gln Ser Ser Ser Leu
 165 170 175
 Val Gly Val His Leu Ala Ser Glu Ser Leu Arg Arg Gly Glu Cys Thr
 180 185 190
 Ile Ala Leu Ala Gly Gly Val Asn Leu Asn Leu Ala Ala Glu Ser Asn
 195 200 205
 Ser Ala Leu Met Asp Phe Gly Ala Leu Ser Pro Asp Gly Arg Cys Phe
 210 215 220
 Thr Phe Asp Val Arg Ala Asn Gly Tyr Val Arg Gly Glu Gly Gly Gly
 225 230 235 240
 Leu Val Val Leu Lys Lys Ala Asp Gln Ala His Ala Asp Gly Asp Arg
 245 250 255
 Ile Tyr Cys Leu Ile Arg Gly Ser Ala Val Asn Asn Asp Gly Gly Gly
 260 265 270
 Ala Gly Leu Thr Val Pro Ala Ala Asp Ala Gln Ala Glu Leu Leu Arg
 275 280 285
 Gln Ala Tyr Arg Asn Ala Gly Val Asp Pro Ala Ala Val Gln Tyr Val
 290 295 300
 Glu Leu His Gly Ser Ala Thr Arg Val Gly Asp Pro Val Glu Ala Ala
 305 310 315 320
 Ala Leu Gly Ala Val Leu Gly Ala Ala Arg Arg Pro Gly Asp Glu Leu
 325 330 335
 Arg Val Gly Ser Ala Lys Thr Asn Val Gly His Leu Glu Ala Ala Ala
 340 345 350
 Gly Val Thr Gly Leu Leu Lys Thr Ala Leu Ser Ile Trp His Arg Glu
 37

355		360		365
Leu Pro Pro Ser Leu His Phe Thr Ala Pro Asn Pro Glu Ile Pro Leu				
370		375		380
Asp Glu Leu Asn Leu Arg Val Gln Arg Asp Leu Arg Pro Trp Pro Glu				
385		390		395
Ser Glu Gly Pro Leu Leu Ala Gly Val Ser Ala Phe Gly Met Gly Gly				
	405		410	415
Thr Asn Cys His Leu Val Leu Ser Gly Thr Ser Arg Val Glu Arg Arg				
	420		425	430
Arg Ser Gly Pro Ala Glu Ala Thr Met Pro Trp Val Leu Ser Ala Arg				
	435		440	445
Thr Pro Val Ala Leu Arg Ala Gln Ala Ala Arg Leu His Thr His Leu				
	450		455	460
Asn Thr Ala Gly Gln Ser Pro Leu Asp Val Ala Tyr Ser Leu Ala Thr				
	465		470	475
Thr Arg Ser Ala Leu Pro His Arg Ala Ala Leu Val Ala Asp Asp Glu				
	485		490	495
Pro Lys Leu Leu Ala Gly Leu Lys Ala Leu Ala Asp Gly Asp Asp Ala				
	500		505	510
Pro Thr Leu Cys His Gly Ala Thr Ser Gly Glu Arg Ala Ala Val Phe				
	515		520	525
Val Phe Pro Gly Gln Gly Ser Gln Trp Ile Gly Met Gly Arg Gln Leu				
	530		535	540
Leu Glu Thr Ser Glu Val Phe Ala Ala Ser Met Ser Asp Cys Ala Asp				
	545		550	555
Ala Leu Ala Pro His Leu Asp Trp Ser Leu Leu Asp Val Leu Arg Asn				
	565		570	575
Ala Ala Gly Ala Ala His Leu Asp His Asp Asp Val Val Gln Pro Ala				
	580		585	590
Leu Phe Ala Ile Met Val Ser Leu Ala Glu Leu Trp Arg Ser Trp Gly				
	595		600	605
Val Arg Pro Val Ala Val Val Gly His Ser Gln Gly Glu Ile Ala Ala				
	610		615	620
Ala Cys Val Ala Gly Ala Leu Ser Val Arg Asp Ala Ala Arg Val Val				
	625		630	635
Ala Val Arg Ser Arg Leu Leu Thr Ala Leu Ala Gly Ser Gly Ala Met				
	645		650	655
Ala Ser Leu Gln His Pro Ala Glu Glu Val Arg Gln Ile Leu Leu Pro				
	660		665	670

Trp Arg Asp Arg Ile Gly Val Ala Gly Val Asn Gly Pro Ser Ser Thr
 675 680 685
 Leu Val Ser Gly Asp Arg Glu Ala Met Ala Glu Leu Leu Ala Glu Cys
 690 695 700
 Ala Asp Arg Glu Leu Arg Met Arg Arg Ile Pro Val Glu Tyr Ala Ser
 705 710 715 720
 His Ser Pro His Ile Glu Val Val Arg Asp Glu Leu Leu Gly Leu Leu
 725 730 735
 Ala Pro Val Glu Pro Arg Thr Gly Ser Ile Pro Ile Tyr Ser Thr Thr
 740 745 750
 Thr Gly Asp Leu Leu Asp Arg Pro Met Asp Ala Asp Tyr Trp Tyr Arg
 755 760 765
 Asn Leu Arg Gln Pro Val Leu Phe Glu Ala Ala Val Glu Ala Leu Leu
 770 775 780
 Lys Arg Gly Tyr Asp Ala Phe Ile Glu Ile Ser Pro His Pro Val Leu
 785 790 795 800
 Thr Ala Asn Ile Gln Glu Thr Ala Val Arg Ala Gly Arg Glu Val Val
 805 810 815
 Ala Leu Gly Thr Leu Arg Arg Gly Glu Gly Gly Met Arg Gln Ala Leu
 820 825 830
 Thr Ser Leu Ala Arg Ala His Val His Gly Val Ala Ala Asp Trp His
 835 840 845
 Ala Val Phe Ala Gly Thr Gly Ala Gln Arg Val Asp Leu Pro Thr Tyr
 850 855 860
 Ala Phe Gln Arg Gln Arg Tyr Trp Leu Asp Ala Lys Leu Pro Asp Val
 865 870 875 880
 Ala Met Pro Glu Ser Asp Val Ser Thr Ala Leu Arg Glu Lys Leu Arg
 885 890 895
 Ser Ser Pro Arg Ala Asp Val Asp Ser Thr Thr Leu Thr Met Ile Arg
 900 905 910
 Ala Gln Ala Ala Val Val Leu Gly His Ser Asp Pro Lys Glu Val Asp
 915 920 925
 Pro Asp Arg Thr Phe Lys Asp Leu Gly Phe Asp Ser Ser Met Val Val
 930 935 940
 Glu Leu Cys Asp Arg Leu Asn Ala Ala Thr Gly Leu Arg Leu Ala Pro
 945 950 955 960
 Ser Val Val Phe Asp Cys Pro Thr Pro Asp Lys Leu Ala Arg Gln Val
 965 970 975

Arg Thr Leu Leu Leu Gly Glu Pro Ala Pro Met Thr Ser His Arg Pro
 980 985 990
 Asp Ser Asp Ala Asp Glu Pro Ile Ala Val Ile Gly Met Gly Cys Arg
 995 1000 1005
 Phe Pro Gly Gly Val Ser Ser Pro Glu Glu Leu Trp Gln Leu Val Ala
 1010 1015 1020
 Ala Gly Arg Asp Val Val Ser Glu Phe Pro Ala Asp Arg Gly Trp Asp
 1025 1030 1035 1040
 Leu Glu Arg Ala Gly Thr Ser His Val Arg Ala Gly Gly Phe Leu His
 1045 1050 1055
 Gly Ala Pro Asp Phe Asp Pro Gly Phe Phe Arg Ile Ser Pro Arg Glu
 1060 1065 1070
 Ala Leu Ala Met Asp Pro Gln Gln Arg Leu Leu Leu Glu Ile Ala Trp
 1075 1080 1085
 Glu Ala Val Glu Arg Gly Gly Ile Asn Pro Gln His Leu His Gly Ser
 1090 1095 1100
 Gln Thr Gly Val Phe Val Gly Ala Thr Ser Leu Asp Tyr Gly Pro Arg
 1105 1110 1115 1120
 Leu His Glu Ala Ser Glu Glu Ala Ala Gly Tyr Val Leu Thr Gly Ser
 1125 1130 1135
 Thr Thr Ser Val Ala Ser Gly Arg Val Ala Tyr Ser Phe Gly Phe Glu
 1140 1145 1150
 Gly Pro Ala Val Thr Val Asp Thr Ala Cys Ser Ser Ser Leu Val Ala
 1155 1160 1165
 Leu His Leu Ala Cys Gln Ser Leu Arg Ser Gly Glu Cys Asp Leu Ala
 1170 1175 1180
 Leu Ala Gly Gly Val Thr Val Met Ala Thr Pro Gly Met Phe Val Glu
 1185 1190 1195 1200
 Phe Ser Arg Gln Arg Gly Leu Ala Pro Asp Gly Arg Cys Lys Ser Phe
 1205 1210 1215
 Ala Glu Ala Ala Asp Gly Thr Gly Trp Ser Glu Gly Ala Gly Leu Val
 1220 1225 1230
 Leu Leu Glu Arg Leu Ser Asp Ala Arg Arg Asn Gly His Glu Val Leu
 1235 1240 1245
 Ala Val Val Arg Gly Ser Ala Val Asn Gln Asp Gly Ala Ser Asn Gly
 1250 1255 1260
 Leu Thr Ala Pro Asn Gly Ser Ser Gln Gln Arg Val Ile Ala Gln Ala
 1265 1270 1275 1280
 Leu Ala Ser Ala Gly Leu Ser Val Ser Asp Val Asp Ala Val Glu Ala
 40

1285	1290	1295
His Gly Thr Gly Thr Arg Leu Gly Asp Pro Ile Glu Ala Gln Ala Leu 1300	1305	1310
Ile Ala Thr Tyr Gly Gln Gly Arg Leu Pro Glu Arg Pro Leu Trp Leu 1315	1320	1325
Gly Ser Met Lys Ser Asn Ile Gly His Ala Gln Ala Ala Ala Gly Ile 1330	1335	1340
Ala Gly Val Met Lys Met Val Met Ala Met Arg His Gly Gln Leu Pro 1345	1350	1355 1360
Arg Thr Leu His Val Asp Glu Pro Thr Ser Gly Val Asp Trp Ser Ala 1365	1370	1375
Gly Thr Val Gln Leu Leu Thr Glu Asn Thr Pro Trp Pro Gly Ser Gly 1380	1385	1390
Arg Val Arg Arg Val Gly Val Ser Ser Phe Gly Ile Ser Gly Thr Asn 1395	1400	1405
Ala His Val Ile Leu Glu Gln Pro Pro Gly Val Pro Ser Gln Ser Ala 1410	1415	1420
Gly Pro Gly Ser Gly Ser Val Val Asp Val Pro Val Val Pro Trp Met 1425	1430	1435 1440
Val Ser Gly Lys Thr Pro Glu Ala Leu Ser Ala Gln Ala Thr Ala Leu 1445	1450	1455
Met Thr Tyr Leu Asp Glu Arg Pro Asp Val Ser Ser Leu Asp Val Gly 1460	1465	1470
Tyr Ser Leu Ala Leu Thr Arg Ser Ala Leu Asp Glu Arg Ala Val Val 1475	1480	1485
Leu Gly Ser Asp Arg Glu Thr Leu Leu Cys Gly Val Lys Ala Leu Ser 1490	1495	1500
Ala Gly His Glu Ala Ser Gly Leu Val Thr Gly Ser Val Gly Ala Gly 1505	1510	1515 1520
Gly Arg Ile Gly Phe Val Phe Ser Gly Gln Gly Gly Gln Trp Leu Gly 1525	1530	1535
Met Gly Arg Gly Leu Tyr Arg Ala Phe Pro Val Phe Ala Ala Ala Phe 1540	1545	1550
Asp Glu Ala Cys Ala Glu Leu Asp Ala His Leu Gly Gln Glu Ile Gly 1555	1560	1565
Val Arg Glu Val Val Ser Gly Ser Asp Ala Gln Leu Leu Asp Arg Thr 1570	1575	1580
Leu Trp Ala Gln Ser Gly Leu Phe Ala Leu Gln Val Gly Leu Leu Lys 1585	1590	1595 1600

Leu Leu Asp Ser Trp Gly Val Arg Pro Ser Val Val Leu Gly His Ser
 1605 1610 1615
 Val Gly Glu Leu Ala Ala Ala Phe Ala Ala Gly Val Val Ser Leu Ser
 1620 1625 1630
 Gly Ala Ala Arg Leu Val Ala Gly Arg Ala Arg Leu Met Gln Ala Leu
 1635 1640 1645
 Pro Ser Gly Gly Gly Met Leu Ala Val Pro Ala Gly Glu Glu Leu Leu
 1650 1655 1660
 Trp Ser Leu Leu Ala Asp Gln Gly Asp Arg Val Gly Ile Ala Ala Val
 1665 1670 1675 1680
 Asn Ala Ala Gly Ser Val Val Leu Ser Gly Asp Arg Asp Val Leu Asp
 1685 1690 1695
 Asp Leu Ala Gly Arg Leu Asp Gly Gln Gly Ile Arg Ser Arg Trp Leu
 1700 1705 1710
 Arg Val Ser His Ala Phe His Ser Tyr Arg Met Asp Pro Met Leu Ala
 1715 1720 1725
 Glu Phe Ala Glu Leu Ala Arg Thr Val Asp Tyr Arg Arg Cys Glu Val
 1730 1735 1740
 Pro Ile Val Ser Thr Leu Thr Gly Asp Leu Asp Asp Ala Gly Arg Met
 1745 1750 1755 1760
 Ser Gly Pro Asp Tyr Trp Val Arg Gln Val Arg Glu Pro Val Arg Phe
 1765 1770 1775
 Ala Asp Gly Val Gln Ala Leu Val Glu His Asp Val Ala Thr Val Val
 1780 1785 1790
 Glu Leu Gly Pro Asp Gly Ala Leu Ser Ala Leu Ile Gln Glu Cys Val
 1795 1800 1805
 Ala Ala Ser Asp His Ala Gly Arg Leu Ser Ala Val Pro Ala Met Arg
 1810 1815 1820
 Arg Asn Gln Asp Glu Ala Gln Lys Val Met Thr Ala Leu Ala His Val
 1825 1830 1835 1840
 His Val Arg Gly Gly Ala Val Asp Trp Arg Ser Phe Phe Ala Gly Thr
 1845 1850 1855
 Arg Ala Lys Gln Ile Glu Leu Pro Thr Tyr Ala Phe Gln Arg Gln Arg
 1860 1865 1870
 Tyr Trp Leu Asn Ala Leu Arg Glu Ser Ser Ala Gly Asp Met Gly Arg
 1875 1880 1885
 Arg Val Glu Ala Lys Phe Trp Gly Ala Val Glu His Glu Asp Val Glu
 1890 1895 1900

Ser Leu Ala Arg Val Leu Gly Ile Val Asp Asp Gly Ala Ala Val Asp
 1905 1910 1915 1920
 Ser Leu Arg Ser Ala Leu Pro Val Leu Ala Gly Trp Gln Arg Thr Arg
 1925 1930 1935
 Thr Thr Glu Ser Ile Met Asp Pro Arg Cys Tyr Arg Ile Gly Trp Arg
 1940 1945 1950
 Gln Val Ala Gly Leu Pro Pro Met Gly Thr Val Phe Gly Thr Trp Leu
 1955 1960 1965
 Val Phe Ala Pro His Gly Trp Ser Ser Glu Pro Glu Val Val Asp Cys
 1970 1975 1980
 Val Thr Ala Leu Arg Ala Arg Gly Ala Ser Val Val Leu Val Glu Ala
 1985 1990 1995 2000
 Asp Pro Asp Pro Thr Ser Phe Gly Asp Arg Val Arg Thr Leu Cys Ser
 2005 2010 2015
 Gly Leu Pro Asp Leu Val Gly Val Leu Ser Met Leu Cys Leu Glu Glu
 2020 2025 2030
 Ser Val Leu Pro Gly Phe Ser Ala Val Ser Arg Gly Phe Ala Leu Thr
 2035 2040 2045
 Val Glu Leu Val Arg Val Leu Arg Ala Ala Gly Ala Thr Ala Arg Leu
 2050 2055 2060
 Trp Leu Leu Thr Cys Gly Gly Val Ser Val Gly Asp Val Pro Val Arg
 2065 2070 2075 2080
 Pro Ala Gln Ala Leu Ala Trp Gly Leu Gly Arg Val Val Gly Leu Glu
 2085 2090 2095
 His Pro Asp Trp Trp Gly Gly Leu Ile Asp Ile Pro Val Leu Phe Asp
 2100 2105 2110
 Glu Asp Ala Gln Glu Arg Leu Ser Ile Val Leu Ala Gly Leu Asp Glu
 2115 2120 2125
 Asp Glu Val Ala Ile Arg Pro Asp Gly Met Phe Ala Arg Arg Leu Val
 2130 2135 2140
 Arg His Thr Val Ser Ala Asp Val Lys Lys Ala Trp Arg Pro Arg Gly
 2145 2150 2155 2160
 Ser Val Leu Val Thr Gly Gly Thr Gly Gly Leu Gly Ala His Val Ala
 2165 2170 2175
 Arg Trp Leu Ala Asp Ala Gly Ala Glu His Val Ala Met Val Ser Arg
 2180 2185 2190
 Arg Gly Glu Gln Ala Pro Ser Ala Glu Lys Leu Arg Thr Glu Leu Glu
 2195 2200 2205
 Asp Leu Gly Thr Arg Val Ser Ile Val Ser Cys Asp Val Thr Asp Arg
 43

2210	2215	2220
Glu Ala Leu Ala Glu Val Leu Lys Ala Leu Pro Ala Glu Asn Pro Leu		
2225	2230	2235 2240
Thr Ala Val Val His Ala Ala Gly Val Ile Glu Thr Gly Asp Ala Ala		
	2245	2250 2255
Ala Met Ser Leu Ala Asp Phe Asp His Val Leu Ser Ala Lys Val Ala		
	2260	2265 2270
Gly Ala Ala Asn Leu Asp Ala Leu Leu Ala Asp Val Glu Leu Asp Ala		
	2275	2280 2285
Phe Val Leu Phe Ser Ser Val Ser Gly Val Trp Gly Ala Gly Gly His		
	2290	2295 2300
Gly Ala Tyr Ala Ala Ala Asn Ala Tyr Leu Asp Ala Leu Ala Glu Gln		
	2305	2310 2315 2320
Arg Arg Ser Arg Gly Leu Val Ala Thr Ala Val Ala Trp Gly Pro Trp		
	2325	2330 2335
Ala Gly Glu Gly Met Ala Ser Gly Glu Thr Gly Asp Gln Leu Arg Arg		
	2340	2345 2350
Tyr Gly Leu Ser Pro Met Ala Pro Gln His Ala Ile Ala Gly Ile Arg		
	2355	2360 2365
Gln Ala Val Glu Gln Asp Glu Ile Ser Leu Val Val Ala Asp Val Asp		
	2370	2375 2380
Trp Ala Arg Phe Ser Ala Gly Leu Leu Ala Ala Arg Pro Arg Pro Leu		
	2385	2390 2395 2400
Leu Asn Glu Leu Ala Glu Val Lys Glu Leu Leu Val Asp Ala Gln Pro		
	2405	2410 2415
Glu Ala Gly Val Leu Ala Asp Ala Ser Leu Glu Trp Arg Gln Arg Leu		
	2420	2425 2430
Ser Ala Ala Pro Arg Pro Thr Gln Glu Gln Leu Ile Leu Glu Leu Val		
	2435	2440 2445
Arg Gly Glu Thr Ala Leu Val Leu Gly His Pro Gly Ala Ala Ala Val		
	2450	2455 2460
Ala Ser Glu Arg Ala Phe Lys Asp Ser Gly Phe Asp Ser Gln Ala Ala		
	2465	2470 2475 2480
Val Glu Leu Arg Val Arg Leu Asn Arg Ala Thr Gly Leu Gln Leu Pro		
	2485	2490 2495
Ser Thr Ile Ile Phe Ser His Pro Thr Pro Ala Glu Leu Ala Ala Glu		
	2500	2505 2510
Leu Arg Ala Arg Leu Leu Pro Glu Ser Ala Gly Ala Gly Ile Pro Glu		
	2515	2520 2525

Glu Asp Glu Ala Arg Ile Arg Ala Ala Leu Thr Ser Ile Pro Phe Pro
 2530 2535 2540

Ala Leu Arg Glu Ala Gly Leu Val Ser Pro Leu Leu Ala Leu Ala Gly
 2545 2550 2555 2560

His Pro Val Asp Ser Gly Ile Ser Ser Asp Asp Ala Ala Ala Thr Ser
 2565 2570 2575

Ile Asp Ala Met Asp Val Ala Gly Leu Val Glu Ala Ala Leu Gly Glu
 2580 2585 2590

Arg Glu Ser
 2595

<210> 3
 <211> 2152
 <212> PRT
 <213> Saccharopolyspora spinosa

<400> 3
 Met Thr Val Thr Thr Ser Tyr Glu Glu Val Val Glu Ala Leu Arg Ala
 1 5 10 15

Ser Leu Lys Glu Asn Glu Arg Leu Arg Arg Gly Arg Asp Arg Phe Ser
 20 25 30

Ala Glu Lys Asp Asp Pro Ile Ala Ile Val Ala Met Ser Cys Arg Tyr
 35 40 45

Pro Gly Gln Val Ser Ser Pro Glu Asp Leu Trp Gln Leu Ala Ala Gly
 50 55 60

Gly Val Asp Ala Ile Ser Glu Val Pro Gly Asp Arg Gly Trp Asp Leu
 65 70 75 80

Asp Gly Val Phe Val Pro Asp Ser Asp Arg Pro Gly Thr Ser Tyr Ala
 85 90 95

Cys Ala Gly Gly Phe Leu Gln Gly Val Ser Glu Phe Asp Ala Gly Phe
 100 105 110

Phe Gly Ile Ser Pro Arg Glu Ala Leu Ala Met Asp Pro Gln Gln Arg
 115 120 125

Leu Leu Leu Glu Val Ala Trp Glu Val Phe Glu Arg Ala Gly Leu Glu
 130 135 140

Gln Arg Ser Thr Arg Gly Ser Arg Val Gly Val Phe Val Gly Thr Asn
 145 150 155 160

Gly Gln Asp Tyr Ala Ser Trp Leu Arg Thr Pro Pro Pro Ala Val Ala
 165 170 175

Gly His Val Leu Thr Gly Gly Ala Ala Ala Val Leu Ser Gly Arg Val
 180 185 190

Ala Tyr Ser Phe Gly Phe Glu Gly Pro Ala Val Thr Val Asp Thr Ala
 195 200 205
 Cys Ser Ser Ser Leu Val Ala Leu His Leu Ala Gly Gln Ala Leu Arg
 210 215 220
 Ala Gly Glu Cys Asp Leu Ala Leu Ala Gly Gly Val Thr Val Met Ser
 225 230 235 240
 Thr Pro Lys Val Phe Leu Glu Phe Ser Arg Gln Arg Gly Leu Ala Pro
 245 250 255
 Asp Gly Arg Cys Lys Ser Phe Ala Ala Gly Ala Asp Gly Thr Gly Trp
 260 265 270
 Gly Glu Gly Ala Gly Leu Leu Leu Leu Glu Arg Leu Ser Asp Ala Arg
 275 280 285
 Arg Asn Gly His Glu Val Leu Ala Val Val Arg Gly Ser Ala Val Asn
 290 295 300
 Gln Asp Gly Ala Ser Asn Gly Leu Thr Ala Pro Asn Gly Ser Ser Gln
 305 310 315 320
 Gln Arg Val Ile Thr Gln Ala Leu Ala Ser Ala Gly Leu Ser Val Ser
 325 330 335
 Asp Val Asp Ala Val Glu Ala His Gly Thr Gly Thr Arg Leu Gly Asp
 340 345 350
 Pro Ile Glu Ala Gln Ala Leu Ile Ala Thr Tyr Gly Arg Asp Arg Asp
 355 360 365
 Pro Gly Arg Pro Leu Trp Leu Gly Ser Val Lys Ser Asn Ile Gly His
 370 375 380
 Thr Gln Ala Ala Ala Gly Val Ala Gly Val Ile Lys Met Val Met Ala
 385 390 395 400
 Met Arg His Gly Gln Leu Pro Arg Thr Leu His Val Glu Ser Pro Ser
 405 410 415
 Pro Glu Val Asp Trp Ser Ala Gly Thr Val Gln Leu Leu Thr Glu Asn
 420 425 430
 Thr Pro Trp Pro Arg Ser Gly Arg Val Arg Arg Val Gly Val Ser Ser
 435 440 445
 Phe Gly Ile Ser Gly Thr Asn Ala His Val Ile Leu Glu Gln Pro Pro
 450 455 460
 Gly Val Pro Ser Gln Ser Ala Gly Pro Gly Ser Gly Ser Val Val Asp
 465 470 475 480
 Val Pro Val Val Pro Trp Met Val Ser Gly Lys Thr Pro Glu Ala Leu
 485 490 495

Ser Ala Gln Ala Thr Ala Leu Met Thr Tyr Leu Asp Glu Arg Pro Asp
 500 505 510

Val Ser Ser Leu Asp Val Gly Tyr Ser Leu Ala Leu Thr Arg Ser Ala
 515 520 525

Leu Asp Glu Arg Ala Val Val Leu Gly Ser Asp Arg Glu Thr Leu Leu
 530 535 540

Cys Gly Val Lys Ala Leu Ser Ala Gly His Glu Ala Ser Gly Leu Val
 545 550 555 560

Thr Gly Ser Val Gly Ala Gly Gly Arg Ile Gly Phe Val Phe Ser Gly
 565 570 575

Gln Gly Gly Gln Trp Leu Gly Met Gly Arg Gly Leu Tyr Arg Ala Phe
 580 585 590

Pro Val Phe Ala Ala Ala Phe Asp Glu Ala Cys Ala Glu Leu Asp Ala
 595 600 605

His Leu Gly Gln Glu Ile Gly Val Arg Glu Val Val Ser Gly Ser Asp
 610 615 620

Ala Gln Leu Leu Asp Arg Thr Leu Trp Ala Gln Ser Gly Leu Phe Ala
 625 630 635 640

Leu Gln Val Gly Leu Leu Lys Leu Leu Asp Ser Trp Gly Val Arg Pro
 645 650 655

Ser Val Val Leu Gly His Ser Val Gly Glu Leu Ala Ala Ala Phe Ala
 660 665 670

Ala Gly Val Val Ser Leu Ser Gly Ala Ala Arg Leu Val Ala Gly Arg
 675 680 685

Ala Arg Leu Met Gln Ala Leu Pro Ser Gly Gly Gly Met Leu Ala Val
 690 695 700

Pro Ala Gly Glu Glu Leu Leu Trp Ser Leu Leu Ala Asp Gln Gly Asp
 705 710 715 720

Arg Val Gly Ile Ala Ala Val Asn Ala Ala Gly Ser Val Val Leu Ser
 725 730 735

Gly Asp Arg Asp Val Leu Asp Asp Leu Ala Gly Arg Leu Asp Gly Gln
 740 745 750

Gly Ile Arg Ser Arg Trp Leu Arg Val Ser His Ala Phe His Ser Tyr
 755 760 765

Arg Met Asp Pro Met Leu Ala Glu Phe Ala Glu Leu Ala Arg Thr Val
 770 775 780

Asp Tyr Arg Arg Cys Glu Val Pro Ile Val Ser Thr Leu Thr Gly Asp
 785 790 795 800

Leu Asp Asp Ala Gly Arg Met Ser Gly Pro Asp Tyr Trp Val Arg Gln

805					810					815					
Val	Arg	Glu	Pro	Val	Arg	Phe	Ala	Asp	Gly	Val	Gln	Ala	Leu	Val	Glu
		820						825					830		
His	Asp	Val	Ala	Thr	Val	Val	Glu	Leu	Gly	Pro	Asp	Gly	Ala	Leu	Ser
		835					840					845			
Ala	Leu	Ile	Gln	Glu	Cys	Val	Ala	Ala	Ser	Asp	His	Ala	Gly	Arg	Leu
		850					855					860			
Ser	Ala	Val	Pro	Ala	Met	Arg	Arg	Asn	Gln	Asp	Glu	Ala	Gln	Lys	Val
		865					870					875			880
Met	Thr	Ala	Leu	Ala	His	Val	His	Val	Arg	Gly	Gly	Ala	Val	Asp	Trp
				885					890					895	
Arg	Ser	Phe	Phe	Ala	Gly	Thr	Gly	Ala	Lys	Gln	Ile	Glu	Leu	Pro	Thr
			900					905					910		
Tyr	Ala	Phe	Gln	Arg	Gln	Arg	Tyr	Trp	Leu	Val	Pro	Ser	Asp	Ser	Gly
		915					920					925			
Asp	Val	Thr	Gly	Ala	Gly	Leu	Ala	Gly	Ala	Glu	His	Pro	Leu	Leu	Gly
		930					935					940			
Ala	Val	Val	Pro	Val	Ala	Gly	Gly	Asp	Glu	Val	Leu	Leu	Thr	Gly	Arg
				945			950					955			960
Ile	Ser	Val	Arg	Thr	His	Pro	Trp	Leu	Ala	Glu	His	Arg	Val	Leu	Gly
				965					970					975	
Glu	Val	Ile	Val	Ala	Gly	Thr	Ala	Leu	Leu	Glu	Ile	Ala	Leu	His	Ala
			980					985					990		
Gly	Glu	Arg	Leu	Gly	Cys	Glu	Arg	Val	Glu	Glu	Leu	Thr	Leu	Glu	Ala
		995					1000					1005			
Pro	Leu	Val	Leu	Pro	Glu	Arg	Gly	Ala	Ile	Gln	Val	Gln	Leu	Arg	Val
		1010					1015					1020			
Gly	Ala	Pro	Glu	Asn	Ser	Gly	Arg	Arg	Pro	Met	Ala	Leu	Tyr	Ser	Arg
		1025					1030					1035			1040
Pro	Glu	Gly	Ala	Ala	Glu	His	Asp	Trp	Thr	Arg	His	Ala	Thr	Gly	Arg
			1045					1050					1055		
Leu	Ala	Pro	Gly	Arg	Gly	Glu	Ala	Ala	Gly	Asp	Leu	Ala	Asp	Trp	Pro
			1060					1065					1070		
Ala	Pro	Gly	Ala	Leu	Pro	Val	Asp	Leu	Asp	Glu	Phe	Tyr	Arg	Asp	Leu
		1075					1080					1085			
Ala	Glu	Leu	Gly	Leu	Glu	Tyr	Gly	Pro	Ile	Phe	Gln	Gly	Leu	Lys	Ala
		1090					1095					1100			
Ala	Trp	Arg	Gln	Gly	Asp	Glu	Val	Tyr	Ala	Glu	Ala	Ala	Leu	Pro	Gly
		1105					1110					1115			1120

Thr Glu Asp Ser Gly Phe Gly Val His Pro Ala Leu Leu Asp Ala Ala
 1125 1130 1135
 Leu His Ala Thr Ala Val Arg Asp Met Asp Asp Ala Arg Leu Pro Phe
 1140 1145 1150
 Gln Trp Glu Gly Val Ser Leu His Ala Lys Ala Ala Pro Ala Leu Arg
 1155 1160 1165
 Val Arg Val Val Pro Ala Gly Asp Asp Ala Lys Ser Leu Leu Val Cys
 1170 1175 1180
 Asp Gly Thr Gly Arg Pro Val Ile Ser Val Asp Arg Leu Val Leu Arg
 1185 1190 1195 1200
 Ser Ala Ala Ala Arg Arg Thr Gly Ala Arg Arg Gln Ala His Gln Ala
 1205 1210 1215
 Arg Leu Tyr Arg Leu Ser Trp Pro Thr Val Gln Leu Pro Thr Ser Ala
 1220 1225 1230
 Gln Pro Pro Ser Cys Val Leu Leu Gly Thr Ser Glu Val Ser Ala Asp
 1235 1240 1245
 Ile Gln Val Tyr Pro Asp Leu Arg Ser Leu Thr Ala Ala Leu Asp Ala
 1250 1255 1260
 Gly Ala Glu Pro Pro Gly Val Val Ile Ala Pro Thr Pro Pro Gly Gly
 1265 1270 1275 1280
 Gly Arg Thr Ala Asp Val Arg Glu Thr Thr Arg His Ala Leu Asp Leu
 1285 1290 1295
 Val Gln Gly Trp Leu Ser Asp Gln Arg Leu Asn Glu Ser Arg Leu Leu
 1300 1305 1310
 Leu Val Thr Gln Gly Ala Val Ala Val Glu Pro Gly Glu Pro Val Thr
 1315 1320 1325
 Asp Leu Ala Gln Ala Ala Leu Trp Gly Leu Leu Arg Ser Thr Gln Thr
 1330 1335 1340
 Glu His Pro Asp Arg Phe Val Leu Val Asp Val Pro Glu Pro Ala Gln
 1345 1350 1355 1360
 Leu Leu Pro Ala Leu Pro Gly Val Leu Ala Cys Gly Glu Pro Gln Leu
 1365 1370 1375
 Ala Leu Arg Arg Gly Gly Ala His Ala Pro Arg Leu Ala Gly Leu Gly
 1380 1385 1390
 Ser Asp Asp Val Leu Pro Val Pro Asp Gly Thr Gly Trp Arg Leu Glu
 1395 1400 1405
 Ala Thr Arg Pro Gly Ser Leu Asp Gly Leu Ala Leu Val Asp Glu Pro
 1410 1415 1420

Thr Ala Thr Ala Pro Leu Gly Asp Gly Glu Val Arg Ile Ala Met Arg
 1425 1430 1435 1440
 Ala Ala Gly Val Asn Phe Arg Asp Ala Leu Ile Ala Leu Gly Met Tyr
 1445 1450 1455
 Pro Gly Val Ala Ser Leu Gly Ser Glu Gly Ala Gly Val Val Val Glu
 1460 1465 1470
 Thr Gly Pro Gly Val Thr Gly Leu Ala Pro Gly Asp Arg Val Met Gly
 1475 1480 1485
 Met Ile Pro Lys Ala Phe Gly Pro Leu Ala Val Ala Asp His Arg Met
 1490 1495 1500
 Val Thr Arg Ile Pro Ala Gly Trp Ser Phe Ala Arg Ala Ala Ser Val
 1505 1510 1515 1520
 Pro Ile Val Phe Leu Thr Ala Tyr Tyr Ala Leu Val Asp Leu Ala Gly
 1525 1530 1535
 Leu Arg Pro Gly Glu Ser Leu Leu Val His Ser Ala Ala Gly Gly Val
 1540 1545 1550
 Gly Met Ala Ala Ile Gln Leu Ala Arg His Leu Gly Ala Glu Val Tyr
 1555 1560 1565
 Ala Thr Ala Ser Glu Asp Lys Trp Gln Ala Val Glu Leu Ser Arg Glu
 1570 1575 1580
 His Leu Ala Ser Ser Arg Thr Cys Asp Phe Glu Gln Gln Phe Leu Gly
 1585 1590 1595 1600
 Ala Thr Gly Gly Arg Gly Val Asp Val Val Leu Asn Ser Leu Ala Gly
 1605 1610 1615
 Glu Phe Ala Asp Ala Ser Leu Arg Met Leu Pro Arg Gly Gly Arg Phe
 1620 1625 1630
 Leu Glu Leu Gly Lys Thr Asp Val Arg Asp Pro Val Glu Val Ala Asp
 1635 1640 1645
 Ala His Pro Gly Val Ser Tyr Gln Ala Phe Asp Thr Val Glu Ala Gly
 1650 1655 1660
 Pro Gln Arg Ile Gly Glu Met Leu His Glu Leu Val Glu Leu Phe Glu
 1665 1670 1675 1680
 Gly Arg Val Leu Glu Pro Leu Pro Val Thr Ala Trp Asp Val Arg Gln
 1685 1690 1695
 Ala Pro Glu Ala Leu Arg His Leu Ser Gln Ala Arg His Val Gly Lys
 1700 1705 1710
 Leu Val Leu Thr Met Pro Pro Val Trp Asp Ala Ala Gly Thr Val Leu
 1715 1720 1725
 Val Thr Gly Gly Thr Gly Ala Leu Gly Ala Glu Val Ala Arg His Leu

1730	1735	1740
Val Ile Glu Arg Gly Val Arg Asn Leu Val Leu Val Ser Arg Arg Gly		
1745	1750	1755 1760
Pro Ala Ala Ser Gly Ala Ala Glu Leu Val Ala Gln Leu Thr Ala Tyr		
	1765	1770 1775
Gly Ala Glu Val Ser Leu Gln Ala Cys Asp Val Ala Asp Arg Glu Thr		
	1780	1785 1790
Leu Ala Lys Val Leu Ala Ser Ile Pro Asp Glu His Pro Leu Thr Ala		
	1795	1800 1805
Val Val His Ala Ala Gly Val Leu Asp Asp Gly Val Ser Glu Ser Leu		
	1810	1815 1820
Thr Val Glu Arg Leu Asp Gln Val Leu Arg Pro Lys Val Asp Gly Ala		
	1825	1830 1835 1840
Arg Asn Leu Leu Glu Leu Ile Asp Pro Asp Val Ala Leu Val Leu Phe		
	1845	1850 1855
Ser Ser Val Ser Gly Val Leu Gly Ser Gly Gly Gln Gly Asn Tyr Ala		
	1860	1865 1870
Ala Ala Asn Ser Phe Leu Asp Ala Leu Ala Gln Gln Arg Gln Ser Arg		
	1875	1880 1885
Gly Leu Pro Thr Arg Ser Leu Ala Trp Gly Pro Trp Ala Glu His Gly		
	1890	1895 1900
Met Ala Ser Thr Leu Arg Glu Ala Glu Gln Asp Arg Leu Ala Arg Ser		
	1905	1910 1915 1920
Gly Leu Leu Pro Ile Ser Thr Glu Glu Gly Leu Ser Gln Phe Asp Ala		
	1925	1930 1935
Ala Cys Gly Gly Ala His Thr Val Val Ala Pro Val Arg Phe Ser Arg		
	1940	1945 1950
Leu Ser Asp Gly Asn Ala Ile Lys Phe Ser Val Leu Gln Gly Leu Val		
	1955	1960 1965
Gly Pro His Arg Val Asn Lys Ala Ala Thr Ala Asp Asp Ala Glu Ser		
	1970	1975 1980
Leu Arg Lys Arg Leu Gly Arg Leu Pro Asp Ala Glu Gln His Arg Ile		
	1985	1990 1995 2000
Leu Leu Asp Leu Val Arg Met His Val Ala Ala Val Leu Gly Phe Ala		
	2005	2010 2015
Gly Ser Gln Glu Ile Thr Ala Asp Gly Thr Phe Lys Val Leu Gly Phe		
	2020	2025 2030
Asp Ser Leu Thr Val Val Glu Leu Arg Asn Arg Ile Asn Gly Ala Thr		
	2035	2040 2045

Gly Leu Arg Leu Pro Ala Thr Leu Val Phe Asn Tyr Pro Thr Pro Asp
 2050 2055 2060
 Ala Leu Ala Ala His Leu Val Thr Ala Leu Ser Ala Asp Arg Leu Ala
 2065 2070 2075 2080
 Gly Thr Phe Glu Glu Leu Asp Arg Trp Ala Ala Asn Leu Pro Thr Leu
 2085 2090 2095
 Ala Arg Asp Glu Ala Thr Arg Ala Gln Ile Thr Thr Arg Leu Gln Ala
 2100 2105 2110
 Ile Leu Gln Ser Leu Ala Asp Val Ser Gly Gly Thr Gly Gly Gly Ser
 2115 2120 2125
 Val Pro Asp Arg Leu Arg Ser Ala Thr Asp Asp Glu Leu Phe Gln Leu
 2130 2135 2140
 Leu Asp Asn Asp Leu Glu Leu Pro
 2145 2150
 <210> 4
 <211> 3170
 <212> PRT
 <213> Saccharopolyspora spinosa
 <400> 4
 Met Ser Asn Glu Glu Lys Leu Arg Glu Tyr Leu Arg Arg Ala Leu Val
 1 5 10 15
 Asp Leu His Gln Ala Arg Glu Arg Leu His Glu Ala Glu Ser Gly Glu
 20 25 30
 Arg Glu Pro Ile Ala Ile Val Ala Met Gly Cys Arg Tyr Pro Gly Gly
 35 40 45
 Val Gln Asp Pro Glu Gly Leu Trp Lys Leu Val Ala Ser Gly Gly Asp
 50 55 60
 Ala Ile Gly Glu Phe Pro Ala Asp Arg Gly Trp His Leu Asp Glu Leu
 65 70 75 80
 Tyr Asp Pro Asp Pro Asp Gln Pro Gly Thr Cys Tyr Thr Arg His Gly
 85 90 95
 Gly Phe Leu His Asp Ala Gly Glu Phe Asp Ala Gly Phe Phe Asp Ile
 100 105 110
 Ser Pro Arg Glu Ala Leu Ala Met Asp Pro Gln Gln Arg Leu Leu Leu
 115 120 125
 Glu Ile Ser Trp Glu Thr Val Glu Ser Ala Gly Met Asp Pro Arg Ser
 130 135 140
 Leu Arg Gly Ser Arg Thr Gly Val Phe Ala Gly Leu Met Tyr Glu Gly
 145 150 155 160

Tyr Asp Thr Gly Ala His Arg Ala Gly Glu Gly Val Glu Gly Tyr Leu
 165 170 175
 Gly Thr Gly Asn Ala Gly Ser Val Ala Ser Gly Arg Val Ala Tyr Ala
 180 185 190
 Phe Gly Phe Glu Gly Pro Ala Val Thr Val Asp Thr Ala Cys Ser Ser
 195 200 205
 Ser Leu Val Ala Leu His Leu Ala Cys Gln Ser Leu Arg Gln Gly Glu
 210 215 220
 Cys Asp Leu Ala Leu Ala Gly Gly Val Thr Val Met Ser Thr Pro Glu
 225 230 235 240
 Arg Phe Val Glu Phe Ser Arg Gln Arg Gly Leu Ala Pro Asp Gly Arg
 245 250 255
 Cys Lys Ser Phe Ala Ala Ala Ala Asp Gly Thr Gly Trp Gly Glu Gly
 260 265 270
 Ala Gly Leu Val Leu Leu Glu Arg Leu Ser Asp Ala Arg Arg Asn Gly
 275 280 285
 His Arg Val Leu Ala Val Val Arg Gly Ser Ala Val Asn Gln Asp Gly
 290 295 300
 Ala Ser Asn Gly Leu Thr Ala Pro Asn Gly Leu Ala Gln Glu Arg Val
 305 310 315 320
 Ile Gln Gln Val Leu Thr Ser Ala Gly Leu Ser Ala Ser Asp Val Asp
 325 330 335
 Ala Val Glu Ala His Gly Thr Gly Thr Arg Leu Gly Asp Pro Ile Glu
 340 345 350
 Ala Gln Ala Leu Ile Ala Ala Tyr Gly Gln Asp Arg Asp Arg Asp Arg
 355 360 365
 Pro Leu Trp Leu Gly Ser Val Lys Ser Asn Ile Gly His Thr Gln Ala
 370 375 380
 Ala Ala Gly Val Ala Gly Val Ile Lys Met Val Met Ala Met Arg His
 385 390 395 400
 Gly Glu Leu Pro Arg Thr Leu His Val Asp Glu Pro Asn Ser His Val
 405 410 415
 Asp Trp Ser Ala Gly Ala Val Arg Leu Leu Thr Glu Asn Ile Arg Trp
 420 425 430
 Pro Gly Thr Gly Thr Arg Arg Ala Gly Val Ser Ser Phe Gly Val Ser
 435 440 445
 Gly Thr Asn Ala His Val Ile Leu Glu His Asp Pro Leu Ala Val Thr
 450 455 460

Glu Asn Glu Glu Ala Ala Gln Ser Pro Ala Pro Gly Ile Val Pro Trp
 465 470 475 480
 Ala Leu Ser Gly Arg Ser Ser Thr Ala Leu Arg Ala Gln Ala Glu Arg
 485 490 495
 Leu Arg Glu Leu Cys Glu Gln Thr Asp Pro Asp Pro Val Asp Val Gly
 500 505 510
 Phe Ser Leu Ala Ala Thr Arg Thr Ala Trp Glu His Arg Ala Val Val
 515 520 525
 Leu Gly Arg Asp Ser Ala Thr Leu Arg Ser Gly Leu Gly Val Val Ala
 530 535 540
 Ser Gly Glu Pro Ala Val Asp Val Val Glu Gly Ser Val Leu Asp Gly
 545 550 555 560
 Glu Val Val Phe Val Phe Pro Gly Gln Gly Trp Gln Trp Ala Gly Met
 565 570 575
 Ala Val Asp Leu Leu Asp Ala Ser Pro Thr Phe Ala Arg His Met Asp
 580 585 590
 Glu Cys Ala Thr Ala Leu Arg Arg Tyr Val Asp Trp Ser Leu Val Asp
 595 600 605
 Val Leu Arg Gly Ala Glu Asn Ser Pro Pro Leu Asp Arg Val Asp Val
 610 615 620
 Leu Gln Pro Ala Ser Phe Ala Val Met Val Ser Leu Ala Glu Val Trp
 625 630 635 640
 Arg Ser Tyr Gly Val Arg Pro Ala Ala Val Val Gly His Ser Gln Gly
 645 650 655
 Glu Ile Ala Ala Ala Cys Ala Ala Gly Val Leu Pro Leu Glu Asp Ala
 660 665 670
 Ala Arg Leu Val Ala Leu Arg Ser Arg Ala Leu Lys Gly Leu Ser Gly
 675 680 685
 Arg Gly Gly Met Ala Ser Leu Ala Cys Pro Ala Asp Glu Val Ala Ala
 690 695 700
 Leu Phe Ala Gly Ser Gly Gly Arg Leu Glu Val Ala Ala Ile Asn Gly
 705 710 715 720
 Pro Arg Ser Val Val Val Ser Gly Asp Leu Glu Ala Val Asp Glu Leu
 725 730 735
 Leu Ala Glu Cys Ala Glu Lys Asp Met Arg Ala Arg Arg Ile Pro Val
 740 745 750
 Asp Tyr Ala Ser His Ser Ala His Val Glu Val Val Arg Ser Pro Val
 755 760 765
 Leu Ala Ala Ala Ala Gly Val Arg His Arg Asp Gly Gln Val Pro Trp

770	775	780
Trp Ser Thr Val Ile Gly Asp Trp Val Asp Pro Ala Arg Leu Asp Gly		
785	790	795 800
Glu Tyr Trp Tyr Arg Asn Leu Arg Gln Pro Val Arg Phe Glu His Ala		
	805	810 815
Val Gln Gly Leu Val Glu Arg Gly Phe Gly Leu Phe Ile Glu Met Ser		
	820	825 830
Ala His Pro Val Leu Thr Thr Ala Val Glu Glu Thr Gly Ala Glu Ser		
	835	840 845
Glu Thr Ala Val Ala Ala Val Gly Thr Leu Arg Arg Asp Ser Gly Gly		
	850	855 860
Leu Arg Arg Leu Leu His Ser Leu Ala Glu Ala Tyr Val Arg Gly Ala		
865	870	875 880
Thr Val Asp Trp Ala Val Ala Phe Gly Gly Ala Gly Arg Arg Leu Asp		
	885	890 895
Leu Pro Thr Tyr Pro Phe Gln Arg Gln Arg Tyr Trp Leu Asp Lys Gly		
	900	905 910
Ala Ala Ser Asp Glu Ala Arg Ala Val Ser Asp Pro Ala Ala Gly Trp		
	915	920 925
Phe Trp Gln Ala Val Ala Arg Gln Asp Leu Lys Ser Val Ser Asp Ala		
930	935	940
Leu Asp Leu Asp Ala Asp Ala Pro Leu Ser Ala Thr Leu Pro Ala Leu		
945	950	955 960
Ser Val Trp His Arg Gln Glu Arg Glu Arg Val Leu Ala Asp Gly Trp		
	965	970 975
Arg Tyr Arg Val Asp Trp Val Arg Val Ala Pro Gln Pro Val Arg Arg		
	980	985 990
Thr Arg Glu Thr Trp Leu Leu Val Val Pro Pro Gly Gly Ile Glu Glu		
	995	1000 1005
Ala Leu Val Glu Arg Leu Thr Asp Ala Leu Asn Thr Arg Gly Ile Ser		
	1010	1015 1020
Thr Leu Arg Leu Asp Val Pro Pro Ala Ala Thr Ser Gly Glu Leu Ala		
1025	1030	1035 1040
Thr Glu Leu Arg Ala Ala Ala Asp Gly Asp Pro Val Lys Ala Ile Leu		
	1045	1050 1055
Ser Leu Thr Ala Leu Asp Glu Arg Pro His Pro Glu Cys Lys Asp Val		
	1060	1065 1070
Pro Ser Gly Ile Ala Leu Leu Leu Asn Leu Val Lys Ala Leu Gly Glu		
	1075	1080 1085

Ala Asp Leu Arg Ile Pro Leu Trp Thr Ile Thr Arg Gly Ala Val Lys
 1090 1095 1100
 Ala Gly Pro Ala Asp Arg Leu Leu Arg Pro Met Gln Ala Gln Ala Trp
 1105 1110 1115 1120
 Gly Leu Gly Arg Val Ala Ala Leu Glu His Pro Glu Arg Trp Gly Gly
 1125 1130 1135
 Leu Ile Asp Leu Pro Asp Ser Leu Asp Gly Asp Val Leu Thr Arg Leu
 1140 1145 1150
 Gly Glu Ala Leu Thr Asn Gly Leu Ala Glu Asp Gln Leu Ala Ile Arg
 1155 1160 1165
 Gln Ser Gly Val Leu Ala Arg Arg Leu Val Pro Ala Pro Ala Asn Gln
 1170 1175 1180
 Pro Ala Gly Arg Lys Trp Arg Pro Arg Gly Ser Ala Leu Ile Thr Gly
 1185 1190 1195 1200
 Gly Leu Gly Ala Val Gly Ala Gln Val Ala Arg Trp Leu Ala Glu Ile
 1205 1210 1215
 Gly Ala Glu Arg Ile Val Leu Thr Ser Arg Arg Gly Asn Gln Ala Ala
 1220 1225 1230
 Gly Ala Ala Glu Leu Glu Ala Glu Leu Arg Ala Leu Gly Ala Gln Val
 1235 1240 1245
 Ser Ile Val Ala Cys Asp Val Thr Asp Arg Ala Glu Met Ser Ala Leu
 1250 1255 1260
 Leu Ala Glu Phe Asp Val Thr Ala Val Phe His Ala Ala Gly Val Gly
 1265 1270 1275 1280
 Arg Leu Leu Pro Leu Ala Glu Thr Asp Gln Asn Gly Leu Ala Glu Ile
 1285 1290 1295
 Cys Ala Ala Lys Val Arg Gly Ala Gln Val Leu Asp Glu Leu Cys Asp
 1300 1305 1310
 Ser Thr Asp Leu Asp Ala Phe Val Leu Phe Ser Ser Gly Ala Gly Val
 1315 1320 1325
 Trp Gly Gly Gly Gly Gln Gly Ala Tyr Gly Ala Ala Asn Ala Phe Leu
 1330 1335 1340
 Asp Thr Leu Ala Glu Gln Arg Arg Ala Arg Gly Leu Pro Ala Thr Ser
 1345 1350 1355 1360
 Ile Ser Trp Gly Ser Trp Ala Gly Gly Gly Met Ala Asp Gly Ala Ala
 1365 1370 1375
 Gly Glu His Leu Arg Arg Arg Gly Ile Arg Pro Met Pro Ala Ala Ser
 1380 1385 1390

Ala Ile Leu Ala Leu Gln Glu Val Leu Asp Gln Asp Glu Thr Cys Val
1395 1400 1405

Ser Ile Ala Asp Val Asp Trp Asp Arg Phe Val Pro Thr Phe Ala Ala
1410 1415 1420

Thr Arg Ala Thr Arg Leu Phe Asp Glu Val Pro Ala Ala Arg Lys Ala
1425 1430 1435 1440

Met Pro Ala Asn Gly Pro Ala Glu Pro Gly Gly Ser Pro Phe Ala Arg
1445 1450 1455

Asn Leu Ala Glu Leu Pro Glu Ala Gln Arg Arg His Glu Leu Val Asp
1460 1465 1470

Leu Val Cys Ala Gln Val Ala Thr Val Leu Gly His Gly Ser Arg Glu
1475 1480 1485

Glu Val Gln Pro Glu Arg Ala Phe Arg Ala Leu Gly Phe Asp Ser Leu
1490 1495 1500

Met Ala Val Asp Leu Arg Asn Arg Leu Thr Thr Ala Thr Gly Leu Arg
1505 1510 1515 1520

Leu Pro Thr Thr Thr Val Phe Asp Tyr Pro Asn Pro Ala Ala Leu Ala
1525 1530 1535

Ala His Leu Leu Glu Glu Leu Val Gly Asp Val Ala Ser Ala Ala Val
1540 1545 1550

Thr Ala Ala Ser Ala Pro Ala Ser Asp Glu Pro Ile Ala Ile Val Ala
1555 1560 1565

Met Ser Cys Arg Phe Pro Gly Gly Ala His Ser Pro Glu Asp Leu Trp
1570 1575 1580

Arg Leu Val Ala Ala Gly Thr Glu Val Ile Gly Glu Phe Pro Ser Asp
1585 1590 1595 1600

Arg Gly Trp Asp Ala Glu Gly Leu Tyr Asp Pro Asp Ala Ser Arg Pro
1605 1610 1615

Gly Thr Thr Tyr Ala Arg Met Ala Gly Phe Leu Tyr Asp Ala Gly Glu
1620 1625 1630

Phe Asp Ala Asp Leu Phe Gly Ile Ser Pro Arg Glu Ala Leu Ala Met
1635 1640 1645

Asp Pro Gln Gln Arg Leu Val Leu Glu Ile Ala Trp Glu Ala Leu Glu
1650 1655 1660

Arg Ala Gly Ile Asp Pro Leu Ser Leu Lys Gly Ser Gly Val Gly Thr
1665 1670 1675 1680

Tyr Ile Gly Ala Gly Ser Arg Gly Tyr Ala Thr Asp Val Arg Gln Phe
1685 1690 1695

Pro Glu Glu Ala Glu Gly Tyr Leu Leu Thr Gly Thr Ser Ala Ser Val

1700	1705	1710
Leu Ser Gly Arg Val Ala Tyr Ser Phe Gly Phe Glu Gly Pro Ala Val 1715	1720	1725
Thr Val Asp Thr Ala Cys Ser Ser Ser Leu Val Ala Leu His Leu Ala 1730	1735	1740
Cys Gln Ser Leu Arg Ser Gly Glu Cys Asp Leu Ala Leu Ala Gly Gly 1745	1750	1755 1760
Val Thr Val Met Ser Thr Pro Glu Met Phe Val Glu Phe Ser Arg Gln 1765	1770	1775
Arg Gly Leu Ala Pro Asp Gly Arg Cys Lys Ser Phe Ala Glu Ser Ala 1780	1785	1790
Asp Gly Thr Gly Trp Gly Glu Gly Ala Gly Leu Leu Leu Leu Glu Arg 1795	1800	1805
Leu Ser Asp Ala His Arg Asn Gly His Arg Val Leu Ala Val Val Arg 1810	1815	1820
Gly Ser Ala Val Asn Gln Asp Gly Ala Ser Asn Gly Leu Ala Ala Pro 1825	1830	1835 1840
Asn Gly Pro Ser Gln Gln Arg Val Ile Asn Gln Ala Leu Ala Asn Ala 1845	1850	1855
Ala Leu Ser Ala Ser Asp Val Asp Ala Val Glu Ala His Gly Thr Gly 1860	1865	1870
Thr Arg Leu Gly Asp Pro Ile Glu Ala Gln Ala Leu Ile Ala Thr Tyr 1875	1880	1885
Gly Gln Ala Arg Glu Arg Asp Arg Pro Leu Trp Leu Gly Ser Val Lys 1890	1895	1900
Ser Asn Ile Gly His Thr Gln Ala Ala Ala Gly Val Ala Gly Val Ile 1905	1910	1915 1920
Lys Met Val Met Ala Met Arg His Gly Gln Leu Pro Ala Ser Leu His 1925	1930	1935
Ala Asp Glu Pro Thr Ser Glu Val Asp Trp Ser Ser Gly Ala Val Arg 1940	1945	1950
Leu Leu Ala Glu Gln Val Pro Trp Pro Glu Ser Asp Arg Val Arg Arg 1955	1960	1965
Val Gly Val Ser Ser Phe Gly Ile Ser Gly Thr Asn Ala His Val Ile 1970	1975	1980
Leu Glu Gln Ala Thr Asn Ala Pro Asp Ser Thr Ala Glu Thr Asp Lys 1985	1990	1995 2000
Thr Glu Ser Gly Ser Thr Val Asp Ile Pro Val Val Pro Trp Leu Val 2005	2010	2015

Ser Gly Lys Thr Thr Asp Ser Leu Arg Gly Gln Ala Glu Arg Val Leu
 2020 2025 2030
 Ser Gln Val Glu Ser Arg Pro Glu Gln Arg Ser Leu Asp Val Ala Tyr
 2035 2040 2045
 Ser Leu Ala Ser Gly Arg Ala Ala Leu Asp Glu Arg Ala Val Val Leu
 2050 2055 2060
 Gly Ala Asp Arg Gly Glu Leu Val Ala Gly Leu Ala Ala Leu Ala Ala
 2065 2070 2075 2080
 Gly Gln Glu Ala Ser Gly Val Ile Ser Gly Thr Arg Ala Ser Ala Arg
 2085 2090 2095
 Phe Gly Phe Val Phe Ser Gly Gln Gly Gly Gln Trp Leu Gly Met Gly
 2100 2105 2110
 Arg Ala Leu Tyr Ser Lys Phe Pro Val Phe Ala Ala Ala Phe Asp Glu
 2115 2120 2125
 Ala Cys Ala Glu Leu Glu Ala His Leu Gly Glu Asp Arg Arg Val Arg
 2130 2135 2140
 Asp Val Val Phe Gly Ser Asp Ala Gln Leu Leu Asp Gln Thr Leu Trp
 2145 2150 2155 2160
 Ala Gln Ser Gly Leu Phe Ala Leu Gln Ala Gly Leu Leu Gly Leu Leu
 2165 2170 2175
 Gly Ser Trp Gly Val Arg Pro Asp Val Val Met Gly His Ser Val Gly
 2180 2185 2190
 Glu Leu Ala Ala Ala Phe Ala Ala Gly Val Leu Ser Leu Arg Asp Ala
 2195 2200 2205
 Ala Arg Leu Val Ala Ala Arg Ala Arg Leu Met Gln Ala Leu Pro Ser
 2210 2215 2220
 Asp Gly Ala Met Leu Ala Val Ala Ala Gly Glu Asp Leu Val Arg Pro
 2225 2230 2235 2240
 Leu Leu Ala Gly Arg Glu Glu Ser Val Ser Val Ala Ala Leu Asn Ala
 2245 2250 2255
 Pro Gly Ser Val Val Leu Ser Gly Asp Arg Glu Val Leu Ala Ser Ile
 2260 2265 2270
 Val Gly Arg Leu Thr Glu Leu Arg Val Arg Thr Arg Arg Leu Arg Val
 2275 2280 2285
 Ser His Ala Phe His Ser His Arg Met Asp Pro Met Leu Gly Glu Phe
 2290 2295 2300
 Ala Gln Ile Ala Glu Ser Ala Glu Phe Gly Lys Pro Thr Thr Pro Leu
 2305 2310 2315 2320

Val Ser Thr Leu Thr Gly Glu Leu Asp Arg Ala Ala Glu Met Ser Thr
2325 2330 2335

Pro Gly Tyr Trp Val Arg Gln Ala Arg Glu Pro Val Arg Phe Ala Asp
2340 2345 2350

Gly Val Gln Ala Leu Ala Ala Gln Gly Ile Gly Thr Val Val Glu Leu
2355 2360 2365

Gly Pro Asp Gly Thr Leu Ala Ala Leu Val Arg Glu Cys Ala Thr Glu
2370 2375 2380

Ser Asp Arg Val Gly Arg Ile Ser Ser Ile Pro Leu Met Arg Arg Glu
2385 2390 2395 2400

Arg Asp Glu Thr Arg Ser Val Met Thr Ala Leu Ala His Leu His Thr
2405 2410 2415

Arg Gly Gly Glu Val Asp Trp Gln Ala Phe Phe Ala Gly Thr Gly Ala
2420 2425 2430

Arg Gln Leu Glu Leu Pro Thr Tyr Ala Phe Gln Arg Gln His Tyr Trp
2435 2440 2445

Ile Glu Ser Ser Ala Arg Pro Ala Arg Asp Arg Ala Asp Ile Gly Glu
2450 2455 2460

Val Ala Glu Gln Phe Trp Thr Ala Val Asp Gln Gly Asp Leu Ala Thr
2465 2470 2475 2480

Leu Val Ala Ala Leu Asp Leu Gly Ala Asp Asp Asp Thr Cys Ala Ser
2485 2490 2495

Leu Ser Asp Val Leu Pro Ala Leu Ser Ser Trp Arg Ser Gly Leu Arg
2500 2505 2510

Asn Arg Ser Leu Val Asp Ser Cys Arg Tyr Arg Ile Ser Trp His Ser
2515 2520 2525

Ser Arg Glu Val Pro Ala Pro Lys Ile Ser Gly Thr Trp Leu Leu Val
2530 2535 2540

Val Pro Gly Ala Ala Asp Asp Gly Leu Val Thr Ala Leu Thr Ser Ser
2545 2550 2555 2560

Leu Val Gly Gly Gly Ala Glu Val Val Arg Ile Gly Leu Ser Glu Glu
2565 2570 2575

Asp Pro His Arg Glu Asp Val Ala Gln Arg Leu Ala Asn Ala Leu Thr
2580 2585 2590

Asp Ala Gly Gln Leu Gly Gly Val Leu Ser Leu Leu Gly Leu Asp Glu
2595 2600 2605

Ser Pro Ala Pro Gly Phe Ser Cys Leu Pro Thr Gly Phe Ala Leu Thr
2610 2615 2620

Val Gln Leu Leu Arg Ala Leu Arg Lys Ala Asp Val Glu Ala Pro Phe
60

2625	2630	2635	2640
Trp Ala Val Thr Arg Gly Gly Val Ala Leu Glu Asp Val Arg Val Ser	2645	2650	2655
Pro Glu Gln Ala Leu Val Trp Gly Leu Leu Arg Val Ala Gly Leu Glu	2660	2665	2670
His Pro Glu Phe Trp Gly Gly Leu Ile Asp Leu Pro Ser Asp Trp Asp	2675	2680	2685
Asp Arg Leu Gly Ala Arg Leu Ala Gly Val Leu Ala Asp Gly Gly Glu	2690	2695	2700
Asp Gln Val Ala Ile Arg Arg Gly Gly Val Phe Val Arg Arg Leu Glu	2705	2710	2715
Arg Ala Gly Ala Ser Gly Ala Gly Ser Val Trp Arg Pro Arg Gly Thr	2725	2730	2735
Val Leu Val Thr Gly Gly Thr Gly Gly Leu Gly Ala His Val Ala Arg	2740	2745	2750
Trp Leu Ala Gly Ala Gly Ala Glu His Val Val Leu Thr Ser Arg Arg	2755	2760	2765
Gly Ala Asp Ala Pro Gly Ala Gly Glu Leu Arg Ala Glu Leu Glu Ala	2770	2775	2780
Leu Gly Ala Arg Val Ser Ile Val Pro Cys Asp Val Ala Asp Arg Asp	2785	2790	2795
Ala Val Ala Gly Val Leu Ala Gly Ile Gly Gly Glu Cys Pro Leu Thr	2805	2810	2815
Ala Val Val His Ala Ala Gly Val Gly Glu Ala Gly Asp Val Val Glu	2820	2825	2830
Met Gly Leu Ala Asp Phe Ala Ala Val Leu Ser Ala Lys Val Arg Gly	2835	2840	2845
Ala Ala Asn Leu Asp Glu Leu Leu Ala Asp Ser Glu Leu Asp Ala Phe	2850	2855	2860
Val Met Phe Ser Ser Val Ser Gly Val Trp Gly Ala Gly Gly Gln Gly	2865	2870	2875
Ala Tyr Ala Ala Ala Asn Ala Tyr Leu Asp Ala Leu Ala Glu Gln Arg	2885	2890	2895
Arg Ala Arg Gly Leu Val Gly Thr Ala Val Ala Trp Gly Pro Trp Ala	2900	2905	2910
Gly Asp Gly Met Ala Ala Gly Glu Thr Gly Ala Gln Leu His Arg Met	2915	2920	2925
Gly Leu Ala Ser Met Glu Pro Ser Ala Ala Leu Leu Ala Leu Gln Gly	2930	2935	2940

Ala Leu Asp Arg Asp Glu Thr Ser Leu Val Val Ala Asp Val Asp Trp
 2945 2950 2955 2960
 Ala Arg Phe Ala Pro Ala Phe Thr Ser Ala Arg Arg Arg Pro Leu Leu
 2965 2970 2975
 Asp Thr Ile Asp Glu Ala Arg Ala Ala Leu Glu Thr Thr Gly Glu Gln
 2980 2985 2990
 Ala Gly Thr Gly Lys Pro Val Glu Leu Thr Gln Arg Leu Ala Gly Leu
 2995 3000 3005
 Ser Arg Lys Glu Arg Asp Asp Ala Val Leu Asp Leu Val Arg Ala Glu
 3010 3015 3020
 Thr Ala Ala Val Leu Gly Arg Asp Asp Ala Thr Ala Leu Ala Pro Ser
 3025 3030 3035 3040
 Arg Pro Phe Gln Glu Leu Gly Phe Asp Ser Leu Met Ala Val Glu Leu
 3045 3050 3055
 Arg Asn Arg Leu Asn Thr Ala Thr Gly Ile Gln Leu Pro Ala Ser Thr
 3060 3065 3070
 Ile Phe Asp Tyr Pro Asn Ala Glu Ser Leu Ser Arg His Leu Cys Ala
 3075 3080 3085
 Glu Leu Phe Pro Thr Glu Thr Thr Val Asp Ser Ala Leu Ala Glu Leu
 3090 3095 3100
 Asp Arg Ile Glu Gln Gln Leu Ser Met Leu Thr Gly Glu Ala Arg Ala
 3105 3110 3115 3120
 Arg Asp Arg Ile Ala Thr Arg Leu Arg Ala Leu His Glu Lys Trp Asn
 3125 3130 3135
 Ser Ala Ala Glu Val Pro Thr Gly Ala Asp Val Leu Ser Thr Leu Asp
 3140 3145 3150
 Ser Ala Thr His Asp Glu Ile Phe Glu Phe Ile Asp Asn Glu Leu Asp
 3155 3160 3165
 Leu Ser
 3170

<210> 5

<211> 4928

<212> PRT

<213> Saccharopolyspora spinosa

<400> 5

Val Glu Ile Thr Met Ala Asn Glu Glu Lys Leu Phe Gly Tyr Leu Lys
 1 5 10 15

Lys Val Thr Ala Asp Leu His Gln Thr Arg Gln Arg Leu Leu Ala Ala
 20 25 30

Glu Ser Arg Ser Gln Glu Pro Ile Ala Ile Val Ser Ala Ser Cys Arg
 35 40 45
 Leu Pro Gly Gly Val Asp Ser Pro Glu Ala Leu Trp Gln Leu Val Arg
 50 55 60
 Thr Gly Thr Asp Ala Ile Ser Glu Phe Pro Ala Asp Arg Gly Trp Asp
 65 70 75 80
 Leu Gly Arg Leu Tyr Asp Pro Asp Pro Asn His Gln Gly Thr Ser Tyr
 85 90 95
 Thr Arg Ala Gly Gly Phe Leu Ala Gly Ala Gly Asp Phe Asp Pro Ala
 100 105 110
 Met Phe Gly Ile Ser Pro Arg Glu Ala Leu Ala Met Asp Pro Gln Gln
 115 120 125
 Arg Leu Leu Leu Glu Leu Ser Trp Glu Ala Leu Glu Arg Ala Gly Ile
 130 135 140
 Asp Pro Thr Ser Leu Arg Gly Ser Lys Thr Gly Val Phe Gly Gly Val
 145 150 155 160
 Thr Pro Gln Glu Tyr Gly Pro Ser Leu Gln Glu Met Ser Arg Asn Ala
 165 170 175
 Gly Gly Phe Gly Leu Thr Gly Arg Met Val Ser Val Ala Ser Gly Arg
 180 185 190
 Val Ala Tyr Ser Phe Gly Phe Glu Gly Pro Ala Val Thr Val Asp Thr
 195 200 205
 Ala Cys Ser Ser Ser Leu Val Ala Leu His Leu Ala Cys Gln Ser Leu
 210 215 220
 Arg Ser Gly Glu Cys Asp Leu Ala Leu Ala Gly Gly Val Thr Val Met
 225 230 235 240
 Ala Thr Pro Ala Thr Phe Val Glu Phe Ser Arg Gln Arg Gly Leu Ala
 245 250 255
 Pro Asp Gly Arg Cys Lys Ser Phe Ala Ala Ala Asp Gly Thr Gly
 260 265 270
 Trp Gly Glu Gly Ala Gly Leu Val Leu Leu Glu Arg Leu Ser Asp Ala
 275 280 285
 Arg Arg Asn Gly His Glu Val Leu Ala Val Val Arg Gly Ser Ala Val
 290 295 300
 Asn Gln Asp Gly Ala Ser Asn Gly Leu Thr Ala Pro Asn Gly Pro Ser
 305 310 315 320
 Gln Gln Arg Val Ile Thr Gln Ala Leu Ala Ser Ala Gly Leu Ser Val
 325 330 335

Ser Asp Val Asp Ala Val Glu Ala His Gly Thr Gly Thr Thr Leu Gly
 340 345 350
 Asp Pro Ile Glu Ala Gln Ala Leu Ile Ala Thr Tyr Gly Gln Gly Arg
 355 360 365
 Glu Lys Asp Arg Pro Leu Trp Leu Gly Ser Val Lys Ser Asn Ile Gly
 370 375 380
 His Thr Gln Ala Ala Ala Gly Val Ala Gly Val Ile Lys Met Val Leu
 385 390 395 400
 Ala Met Arg His Gly Gln Leu Pro Ala Thr Leu His Val Asp Glu Pro
 405 410 415
 Thr Ser Ala Val Asp Trp Ser Ala Gly Ser Val Arg Leu Leu Thr Glu
 420 425 430
 Asn Thr Pro Trp Pro Asp Ser Gly Arg Pro Cys Arg Val Gly Val Ser
 435 440 445
 Ser Phe Gly Ile Ser Gly Thr Asn Ala His Val Ile Leu Glu Gln Ser
 450 455 460
 Pro Val Glu Gln Gly Glu Pro Ala Gly Pro Val Glu Gly Glu Arg Glu
 465 470 475 480
 Pro Asp Val Ala Val Pro Val Val Pro Trp Val Leu Ser Gly Lys Thr
 485 490 495
 Pro Glu Ala Ala Arg Ala Gln Ala Glu Arg Val His Ser His Ile Glu
 500 505 510
 Asp Arg Pro Gly Leu Ser Pro Val Asp Val Ala Tyr Ser Leu Gly Met
 515 520 525
 Thr Arg Ala Ala Leu Asp Glu Arg Ala Val Val Leu Gly Ser Asp Arg
 530 535 540
 Ala Ala Leu Leu Thr Gly Leu Arg Ala Phe Ala Asp Gly Cys Asp Ala
 545 550 555 560
 Pro Glu Val Val Ser Gly Ser Val Gly Leu Gly Gly Arg Val Gly Phe
 565 570 575
 Val Phe Ser Gly Gln Gly Gly Gln Trp Pro Gly Met Gly Arg Gly Leu
 580 585 590
 Tyr Ser Val Phe Pro Val Phe Ala Asp Ala Phe Asp Glu Ala Cys Ala
 595 600 605
 Glu Leu Asp Ala His Leu Gly Gln Glu Leu Arg Val Arg Asp Val Val
 610 615 620
 Phe Gly Ser Gln Ala Trp Leu Leu Asp Arg Thr Val Trp Ala Gln Ser
 625 630 635 640
 Gly Leu Phe Ala Leu Gln Ile Gly Leu Leu Arg Leu Leu Gly Ser Trp

65

Gly Arg Leu Thr Ala Gly Ser His Pro Trp Leu Ser Asp His Arg Val
 965 970 975
 Leu Gly Glu Ile Val Val Pro Gly Thr Ala Ile Val Glu Leu Val Trp
 980 985 990
 His Val Gly Glu Arg Leu Gly Cys Gly Arg Val Glu Glu Leu Ala Leu
 995 1000 1005
 Glu Ala Pro Leu Ile Leu Pro Asp His Gly Ala Val Gln Val Gln Val
 1010 1015 1020
 Leu Val Gly Pro Pro Gly Glu Ser Gly Ala Arg Ser Val Ala Leu Tyr
 1025 1030 1035 1040
 Ser Cys Pro Gly Glu Ala Ile Glu Pro Glu Trp Lys Lys His Ala Thr
 1045 1050 1055
 Gly Val Leu Leu Pro Pro Val Ala Ala Glu Asn His Glu Leu Thr Ala
 1060 1065 1070
 Trp Pro Pro Glu Asn Ala Thr Glu Ile Asp Ala Asp Gly Val Tyr Ala
 1075 1080 1085
 Phe Leu Glu Gly His Gly Phe Ala Tyr Gly Pro Ala Phe Arg Cys Leu
 1090 1095 1100
 Arg Gly Ala Trp Arg Arg Gly Gly Glu Val Phe Ala Glu Val Ala Leu
 1105 1110 1115 1120
 Pro Asp Asp Met Gln Ala Gly Val Asp Arg Phe Gly Val His Pro Ala
 1125 1130 1135
 Leu Leu Asp Ala Val Leu His Ala Ala Ala Ala Glu Thr Ser Val Val
 1140 1145 1150
 Gln Ser Glu Ala Arg Val Pro Phe Ser Trp Arg Gly Val Glu Leu Arg
 1155 1160 1165
 Ala Thr Glu Ser Ala Val Val Arg Ala Arg Leu Ser Leu Thr Ser Asp
 1170 1175 1180
 Asp Glu Leu Ser Leu Val Ala Val Asp Pro Ala Gly Arg Phe Val Ala
 1185 1190 1195 1200
 Thr Val Asp Ser Leu Val Thr Arg Pro Ile Ser Arg Gln Gln Val Arg
 1205 1210 1215
 Ser Gly Ala Ile Gly Asp Cys Leu Phe Glu Val Glu Trp His Arg Lys
 1220 1225 1230
 Ala Leu Leu Gly Thr Thr Ala Gly Asp Asp Leu Ala Ile Val Gly Asp
 1235 1240 1245
 Gly Pro Ser Trp Pro Glu Ser Val Arg Ala Thr Ala Arg Phe Ala Thr
 1250 1255 1260

Leu Asp Glu Phe Arg Ala Ala Val Asp Ser Asp Val Pro Ala Pro Gly
1265 1270 1275 1280

Ser Val Leu Val Ala Ala Met Ser Ala Glu Glu Val Glu Gly Gly Ser
1285 1290 1295

Leu Pro Ser Arg Ala Gln Glu Ser Thr Ser Asp Leu Leu Ala Leu Val
1300 1305 1310

Gln Ser Trp Leu Ala Asp Glu Arg Phe Ala Glu Ser Gln Leu Val Val
1315 1320 1325

Val Thr Arg Ala Ala Val Ser Ala Asp Ser Asp Ser Asp Val Ala Asp
1330 1335 1340

Leu Val Gly Ala Ser Ser Trp Gly Leu Leu Ser Ser Ala Gln Ser Glu
1345 1350 1355 1360

Asn Pro Gly Arg Phe Val Leu Val Asp Val Asp Gly Thr Pro Glu Ser
1365 1370 1375

Trp Gln Ala Leu Pro Ala Ala Val Arg Ala Gly Glu Pro Gln Leu Ala
1380 1385 1390

Leu Arg Arg Gly Val Ala Leu Val Pro Arg Leu Ala Arg Leu Thr Val
1395 1400 1405

Arg Glu Glu Gly Ser Ser Pro Gln Leu Asp Thr Asp Gly Thr Val Leu
1410 1415 1420

Ile Thr Gly Gly Thr Gly Ala Leu Gly Gly Val Val Ala Arg His Leu
1425 1430 1435 1440

Val Glu Glu His Gly Ile Arg Arg Leu Val Leu Ala Gly Arg Arg Gly
1445 1450 1455

Trp Asn Ala Pro Gly Val His Glu Leu Val Asp Glu Leu Ala Arg Ala
1460 1465 1470

Gly Ala Val Val Glu Val Val Ala Cys Asp Val Ala Asp Arg Thr Asp
1475 1480 1485

Leu Glu His Val Leu Ala Ala Ile Pro Val Asp Trp Pro Leu Arg Gly
1490 1495 1500

Ile Val His Thr Ala Gly Val Leu Ala Asp Gly Val Ile Gly Ser Leu
1505 1510 1515 1520

Ser Ala Ala Asp Val Gly Thr Val Phe Ala Pro Lys Val Thr Gly Ala
1525 1530 1535

Trp His Leu His Glu Leu Thr Arg Asp Leu Asp Leu Ser Phe Phe Val
1540 1545 1550

Leu Phe Ser Ser Phe Ser Gly Ile Ala Gly Ala Ala Gly Gln Ala Asn
1555 1560 1565

Tyr Ala Ala Ala Asn Thr Phe Leu Asp Ala Leu Ala Arg Tyr Arg Arg

1570	1575	1580
Ala Arg Gly Leu Pro Gly Leu Ser Leu Ala Trp Gly Leu Trp Ala Gln 1585	1590	1595 1600
Pro Ser Gly Met Thr Ser Gly Leu Asp Ala Ala Ser Val Glu Arg Leu 1605	1610	1615
Ala Arg Thr Gly Ile Ala Glu Leu Ser Thr Glu Asp Gly Leu Arg Leu 1620	1625	1630
Phe Asp Ala Ala Phe Ala Lys Asp Arg Ala Cys Val Val Ala Ala Arg 1635	1640	1645
Leu Asp Arg Ala Leu Leu Val Gly Asn Gly Arg Ser His Ala Ile Pro 1650	1655	1660
Ala Leu Leu Ser Ala Leu Val Pro Val Arg Gly Gly Val Ala Arg Lys 1665	1670	1675 1680
Thr Ala Asn Ser Gln Ala Ala Asp Glu Asp Ala Leu Leu Gly Leu Val 1685	1690	1695
Arg Glu His Val Ser Ala Val Leu Gly Tyr Ser Gly Ala Val Glu Val 1700	1705	1710
Gly Gly Asp Arg Ala Phe Arg Asp Leu Gly Phe Asp Ser Leu Ser Gly 1715	1720	1725
Val Glu Leu Arg Asn Arg Leu Ala Gly Val Leu Gly Val Arg Leu Pro 1730	1735	1740
Ala Thr Ala Val Phe Asp Tyr Pro Thr Pro Arg Ala Leu Ala Arg Phe 1745	1750	1755 1760
Leu His Gln Glu Leu Ala Gly Glu Val Ala Ser Thr Ser Thr Pro Val 1765	1770	1775
Thr Arg Ala Ala Ser Ala Glu Glu Asp Leu Val Ala Ile Val Gly Met 1780	1785	1790
Gly Cys Arg Phe Pro Gly Gly Val Ser Ser Pro Glu Glu Leu Trp Arg 1795	1800	1805
Leu Val Ala Gly Gly Val Asp Ala Val Ala Gly Phe Pro Asp Asp Arg 1810	1815	1820
Gly Trp Asp Leu Ala Ala Leu Tyr Asp Pro Asp Pro Asp Arg Leu Gly 1825	1830	1835 1840
Thr Ser Tyr Val Cys Glu Gly Gly Phe Leu Arg Asp Ala Ala Glu Phe 1845	1850	1855
Asp Ala Asp Met Phe Gly Ile Ser Pro Arg Glu Ala Leu Ala Met Asp 1860	1865	1870
Pro Gln Gln Arg Leu Leu Leu Glu Val Ala Trp Glu Thr Leu Glu Arg 1875	1880	1885

Ala Gly Ile Asp Pro Phe Ser Leu His Gly Ser Arg Thr Gly Val Phe
 1890 1895 1900
 Ala Gly Leu Met Tyr His Asp Tyr Gly Ala Arg Phe Ile Thr Arg Ala
 1905 1910 1915 1920
 Pro Glu Gly Phe Glu Gly His Leu Gly Thr Gly Asn Ala Gly Ser Val
 1925 1930 1935
 Leu Ser Gly Arg Val Ala Tyr Ser Phe Gly Phe Glu Gly Pro Ala Val
 1940 1945 1950
 Thr Val Asp Thr Ala Cys Ser Ser Ser Leu Val Ala Leu His Leu Ala
 1955 1960 1965
 Gly Gln Ala Leu Arg Ala Gly Glu Cys Glu Phe Ala Leu Ala Gly Gly
 1970 1975 1980
 Val Thr Val Met Ser Thr Pro Thr Thr Phe Val Glu Phe Ser Arg Gln
 1985 1990 1995 2000
 Arg Gly Leu Ala Pro Asp Gly Arg Cys Lys Ser Phe Ala Ala Ala Ala
 2005 2010 2015
 Asp Gly Thr Gly Trp Gly Glu Gly Ala Gly Leu Val Leu Leu Glu Arg
 2020 2025 2030
 Leu Ser Asp Ala Arg Arg Asn Gly His Glu Val Leu Ala Val Val Arg
 2035 2040 2045
 Gly Ser Ala Val Asn Gln Asp Gly Ala Ser Asn Gly Leu Thr Ala Pro
 2050 2055 2060
 Asn Gly Pro Ser Gln Gln Arg Val Ile Thr Gln Ala Leu Thr Ser Ala
 2065 2070 2075 2080
 Gly Leu Ser Val Ser Asp Val Asp Ala Val Glu Ala His Gly Thr Gly
 2085 2090 2095
 Thr Arg Leu Gly Asp Pro Ile Glu Ala Gln Ala Leu Ile Ala Thr Tyr
 2100 2105 2110
 Gly Arg Asp Arg Asp Pro Gly Arg Pro Leu Trp Leu Gly Ser Val Lys
 2115 2120 2125
 Ser Asn Ile Gly His Thr Gln Ala Ala Ala Gly Val Ala Gly Val Ile
 2130 2135 2140
 Lys Met Val Met Ala Met Arg Gln Gly Glu Leu Pro Arg Thr Leu His
 2145 2150 2155 2160
 Val Asp Glu Pro Ser Ala Gln Val Asp Trp Ser Ala Gly Thr Val Gln
 2165 2170 2175
 Leu Leu Thr Glu Asn Thr Pro Trp Pro Asp Ser Gly Arg Leu Arg Arg
 2180 2185 2190

Ala Gly Val Ser Ser Phe Gly Ile Ser Gly Thr Asn Ala His Leu Ile
2195 2200 2205

Leu Glu Gln Pro Pro Arg Glu Ser Gln Arg Ser Thr Glu Pro Asp Ser
2210 2215 2220

Gly Ser Val Arg Asp Phe Pro Val Val Pro Trp Met Val Ser Gly Lys
2225 2230 2235 2240

Thr Pro Glu Ala Leu Ser Ala Gln Ala Asp Ala Leu Met Ser Tyr Leu
2245 2250 2255

Ser Asn Arg Val Asp Ala Ser Pro Arg Asp Ile Gly Tyr Ser Leu Ala
2260 2265 2270

Val Thr Arg Pro Ala Leu Asp His Arg Ala Val Val Leu Gly Ala Asp
2275 2280 2285

Arg Ala Ala Leu Leu Pro Gly Leu Lys Ala Leu Ala Val Ser Asn Asp
2290 2295 2300

Ala Ala Glu Val Ile Thr Gly Thr Arg Ala Ala Gly Pro Val Gly Phe
2305 2310 2315 2320

Val Phe Ser Gly Gln Gly Gly Gln Trp Pro Gly Met Gly Ser Gly Leu
2325 2330 2335

His Ser Ala Phe Pro Val Phe Ala Asp Ala Phe Asp Glu Ala Cys Cys
2340 2345 2350

Glu Leu Asp Ala His Leu Gly Gln Met Ala Arg Leu Arg Asp Val Leu
2355 2360 2365

Ser Gly Ser Asp Thr Gln Leu Leu Asp Gln Thr Leu Trp Ala Gln Pro
2370 2375 2380

Gly Leu Phe Ala Leu Gln Val Gly Leu Trp Glu Leu Leu Gly Ser Trp
2385 2390 2395 2400

Gly Val Arg Pro Ala Val Val Leu Gly His Ser Val Gly Glu Leu Ala
2405 2410 2415

Ala Ala Phe Ala Ala Gly Val Leu Ser Leu Arg Asp Ala Ala Arg Leu
2420 2425 2430

Val Ala Gly Arg Ala Arg Leu Met Gln Ala Leu Pro Thr Gly Gly Ala
2435 2440 2445

Met Leu Ala Ala Ala Ala Gly Glu Glu Gln Leu Arg Pro Leu Leu Ala
2450 2455 2460

Asp Cys Gly Asp Arg Val Gly Ile Ala Ala Val Asn Ala Pro Gly Ser
2465 2470 2475 2480

Val Val Leu Ser Gly Asp Arg Asp Val Leu Asp Asp Ile Ala Gly Arg
2485 2490 2495

Leu Asp Gly Gln Gly Ile Arg Ser Arg Trp Leu Arg Val Ser His Ala
70

2500	2505	2510
Phe His Ser His Arg Met Asp Pro Met Leu Ala Glu Phe Thr Glu Ile		
2515	2520	2525
Ala Arg Ser Val Asp Tyr Arg Ser Ser Gly Leu Pro Ile Val Ser Thr		
2530	2535	2540
Leu Thr Gly Glu Leu Asp Glu Val Gly Met Pro Ala Thr Pro Glu Tyr		
2545	2550	2555
		2560
Trp Val Arg Gln Val Arg Glu Pro Val Arg Phe Ala Asp Gly Val Ala		
2565	2570	2575
Ala Leu Ala Ala His Gly Val Ser Thr Val Val Glu Val Gly Pro Asp		
2580	2585	2590
Gly Val Leu Ser Ala Leu Val Gln Glu Cys Ala Ala Gly Ser Asp Gln		
2595	2600	2605
Gly Gly Arg Val Ala Ala Val Pro Leu Met Arg Ser Asn Arg Asp Glu		
2610	2615	2620
Ala His Thr Val Thr Thr Ala Leu Ala Gln Ile His Val Arg Gly Ala		
2625	2630	2635
		2640
Glu Val Asp Trp Arg Ser Phe Phe Ala Gly Thr Gly Ala Lys Gln Val		
2645	2650	2655
Glu Leu Pro Thr Tyr Ala Phe Gln Arg Gln Arg Tyr Trp Leu Asp Ser		
2660	2665	2670
Pro Ser Glu Pro Val Gly Gln Ser Ala Asp Pro Ala Arg Gln Ser Gly		
2675	2680	2685
Phe Trp Glu Leu Val Glu Gln Glu Asp Val Ser Ala Leu Ser Ala Ala		
2690	2695	2700
Leu His Ile Thr Gly Asp His Asp Val Gln Ala Ser Leu Glu Ser Val		
2705	2710	2715
		2720
Val Pro Val Leu Ser Ser Trp His Arg Arg Ile Arg Asn Glu Ser Leu		
2725	2730	2735
Val His Gln Trp Arg Tyr Arg Ile Ser Trp His Glu Arg Ala Asp Leu		
2740	2745	2750
Pro Asp Pro Ser Leu Ser Gly Thr Trp Leu Val Val Val Pro Glu Gly		
2755	2760	2765
Trp Ser Ala Ser Arg Gln Val Leu Arg Phe Asn Glu Met Phe Glu Glu		
2770	2775	2780
Arg Gly Cys Pro Ala Val Leu Phe Glu Leu Ala Gly His Asp Glu Glu		
2785	2790	2795
		2800
Ala Leu Ala Gln Arg Phe Arg Ser Leu Pro Val Ala Ser Gly Gly Ile		
2805	2810	2815

Ser Gly Val Leu Ser Leu Leu Ala Leu Asp Glu Ser Pro Ser Ser Pro
 2820 2825 2830
 Asn Ala Ala Leu Pro Asn Gly Ala Leu Asn Ser Leu Val Leu Leu Arg
 2835 2840 2845
 Ala Leu Arg Ala Ala Asp Val Ser Ala Pro Leu Trp Leu Ala Thr Cys
 2850 2855 2860
 Gly Gly Val Ala Val Gly Asp Val Pro Val Asn Pro Gly Gln Ala Leu
 2865 2870 2875 2880
 Val Trp Gly Leu Gly Arg Val Val Gly Leu Glu His Pro Ala Trp Trp
 2885 2890 2895
 Gly Gly Leu Val Asp Val Pro Cys Leu Leu Asp Glu Asp Ala Arg Glu
 2900 2905 2910
 Arg Leu Ser Val Val Leu Ala Gly Leu Gly Glu Asp Glu Ile Ala Val
 2915 2920 2925
 Arg Pro Gly Gly Val Phe Val Arg Arg Leu Glu Arg Ala Gly Ala Ala
 2930 2935 2940
 Ser Gly Ala Gly Ser Val Trp Arg Pro Arg Gly Thr Val Leu Val Thr
 2945 2950 2955 2960
 Gly Gly Thr Gly Gly Leu Gly Ala His Val Ala Arg Trp Leu Ala Gly
 2965 2970 2975
 Ala Gly Ala Glu His Val Val Leu Thr Ser Arg Arg Gly Ala Ala Ala
 2980 2985 2990
 Pro Gly Ala Gly Asp Leu Arg Ala Glu Leu Glu Ala Leu Gly Ala Arg
 2995 3000 3005
 Val Ser Ile Thr Ala Cys Asp Val Ala Asp Arg Asp Ala Leu Ala Glu
 3010 3015 3020
 Val Leu Ala Thr Ile Pro Asp Asp Cys Pro Leu Thr Ala Val Met His
 3025 3030 3035 3040
 Ala Ala Gly Val Val Glu Val Gly Asp Val Ala Ser Met Cys Leu Thr
 3045 3050 3055
 Asp Phe Val Gly Val Leu Ser Ala Lys Ala Gly Gly Ala Ala Asn Leu
 3060 3065 3070
 Asp Glu Leu Leu Ala Asp Val Glu Leu Asp Ala Phe Val Leu Phe Ser
 3075 3080 3085
 Ser Val Ser Gly Val Trp Gly Ala Gly Gly Gln Gly Ala Tyr Ala Ala
 3090 3095 3100
 Ala Asn Ala Tyr Leu Asp Ala Leu Ala Gln Gln Arg Arg Ala Arg Gly
 3105 3110 3115 3120

Leu Val Gly Thr Ala Val Ala Trp Gly Pro Trp Ala Gly Asp Gly Met
3125 3130 3135

Ala Ala Gly Glu Gly Gly Ala Gln Leu Arg Arg Ala Gly Leu Val Pro
3140 3145 3150

Met Ala Ala Asp Arg Ala Leu Leu Ala Leu Gln Gly Ala Leu Asp Arg
3155 3160 3165

Asp Glu Thr Ser Leu Val Val Ala Asp Met Ala Trp Glu Arg Phe Ala
3170 3175 3180

Pro Val Phe Ala Met Ser Arg Arg Arg Pro Leu Leu Asp Glu Leu Pro
3185 3190 3195 3200

Glu Ala Gln Gln Ala Leu Ala Asp Ala Glu Asn Thr Thr Asp Ala Ala
3205 3210 3215

Asp Ser Ala Val Pro Leu Pro Arg Leu Ala Gly Met Ala Ala Ala Glu
3220 3225 3230

Arg Arg Arg Ala Met Leu Asp Leu Val Leu Ala Glu Ala Ser Ile Val
3235 3240 3245

Leu Gly His Asn Gly Ser Asp Pro Val Gly Pro Asp Arg Ala Phe Gln
3250 3255 3260

Glu Leu Gly Phe Asp Ser Leu Met Ala Val Glu Leu Arg Asn Arg Leu
3265 3270 3275 3280

Gly Glu Ala Thr Gly Leu Ser Leu Pro Ala Thr Leu Ile Phe Asp Tyr
3285 3290 3295

Pro Ser Pro Ser Ala Leu Ala Glu Gln Leu Val Gly Glu Leu Val Gly
3300 3305 3310

Ala Gln Pro Ala Thr Thr Val Val Ala Gly Ala Asp Pro Val Asp Asp
3315 3320 3325

Pro Val Val Val Val Ala Met Gly Cys Arg Tyr Pro Gly Asp Val Cys
3330 3335 3340

Ser Pro Glu Glu Leu Trp Gln Leu Val Ser Ala Gly Arg Asp Ala Val
3345 3350 3355 3360

Ser Thr Phe Pro Val Asp Arg Gly Trp Asp Cys Asn Thr Leu Phe Asp
3365 3370 3375

Pro Asp Pro Asp Arg Ala Gly Ser Thr Tyr Val Arg Glu Gly Ala Phe
3380 3385 3390

Leu Thr Gly Ala Asp Arg Phe Asp Ala Gly Phe Phe Gly Ile Ser Pro
3395 3400 3405

Arg Glu Ala Arg Ala Met Asp Pro Gln Gln Arg Leu Leu Leu Glu Val
3410 3415 3420

Ala Trp Glu Val Phe Glu Arg Ala Gly Ile Ala Pro Leu Ser Leu Arg

3425	3430	3435	3440
Gly Ser Arg Thr Gly Val Phe Ala Gly Thr Asn Gly Gln Asp His Gly	3445	3450	3455
Ala Lys Val Ala Ala Ala Pro Glu Ala Ala Gly His Leu Leu Thr Gly	3460	3465	3470
Asn Ala Ala Ser Val Leu Ala Gly Arg Leu Ser Tyr Thr Phe Gly Leu	3475	3480	3485
Glu Gly Pro Ala Val Ala Val Asp Thr Ala Cys Ser Ser Ser Leu Val	3490	3495	3500
Ala Leu His Leu Ala Cys Gln Ser Leu Arg Ser Gly Glu Cys Asp Met	3505	3510	3515
Ala Leu Ala Gly Gly Val Thr Val Met Ser Thr Pro Leu Ala Phe Leu	3525	3530	3535
Glu Phe Ser Arg Gln Arg Gly Leu Ala Pro Asp Gly Arg Cys Lys Ser	3540	3545	3550
Phe Ala Ala Ala Ala Asp Gly Thr Gly Trp Gly Glu Gly Ala Gly Leu	3555	3560	3565
Val Leu Leu Glu Arg Leu Ser Asp Ala Arg Arg Asn Gly His Arg Val	3570	3575	3580
Leu Ala Val Val Arg Gly Ser Ala Val Asn Gln Asp Gly Ala Ser Asn	3585	3590	3595
Gly Leu Thr Ala Pro Asn Gly Pro Ser Gln Gln Arg Val Ile Arg Gln	3605	3610	3615
Ala Leu Ala Asn Ala Gly Leu Ser Ala Ser Asp Val Asp Val Val Glu	3620	3625	3630
Ala His Gly Thr Gly Thr Gly Leu Gly Asp Pro Ile Glu Ala Gln Ala	3635	3640	3645
Leu Ile Ala Thr Tyr Gly Gln Glu Arg Asp Pro Glu Arg Ala Leu Trp	3650	3655	3660
Leu Gly Ser Ile Lys Ser Asn Ile Gly His Thr Gln Ala Ala Ala Gly	3665	3670	3675
Val Ala Gly Val Ile Lys Met Val Gln Ala Met Arg His Gly Glu Leu	3685	3690	3695
Pro Ala Thr Leu His Val Asp Lys Pro Thr Pro Gln Val Asp Trp Ser	3700	3705	3710
Ala Gly Ala Val Arg Leu Leu Thr Gly Asn Thr Pro Trp Pro Glu Ser	3715	3720	3725
Gly Arg Pro Arg Arg Ala Gly Val Ser Ser Phe Gly Ile Ser Gly Thr	3730	3735	3740

Asn Ala His Leu Ile Leu Glu Gln Pro Pro Ser Glu Pro Ala Glu Ile
 3745 3750 3755 3760
 Asp Gln Ser Asp Arg Arg Val Thr Ala His Pro Ala Val Ile Pro Trp
 3765 3770 3775
 Met Leu Ser Ala Arg Ser Leu Ala Ala Leu Gln Ala Gln Ala Ala Ala
 3780 3785 3790
 Leu Gln Ala Arg Leu Asp Arg Gly Pro Gly Ala Ser Pro Leu Asp Leu
 3795 3800 3805
 Gly Tyr Ser Leu Ala Thr Thr Arg Ser Val Leu Asp Glu Arg Ala Val
 3810 3815 3820
 Val Trp Gly Ala Asp Arg Glu Ala Leu Leu Ser Arg Leu Ala Ala Leu
 3825 3830 3835 3840
 Ala Asp Gly Arg Thr Ala Pro Gly Val Ile Thr Gly Ser Ala Asn Ser
 3845 3850 3855
 Gly Gly Arg Ile Gly Phe Val Phe Ser Gly Gln Gly Ser Gln Trp Leu
 3860 3865 3870
 Gly Met Gly Lys Ala Leu Cys Ala Ala Phe Pro Ala Phe Ala Asp Ala
 3875 3880 3885
 Phe Glu Glu Ala Cys Asp Ala Leu Ser Ala His Leu Gly Ala Asp Val
 3890 3895 3900
 Arg Gly Val Leu Phe Gly Ala Asp Glu Gln Met Leu Asp Arg Thr Leu
 3905 3910 3915 3920
 Trp Ala Gln Ser Gly Ile Phe Ala Val Gln Val Gly Leu Leu Gly Leu
 3925 3930 3935
 Leu Arg Ser Trp Gly Val Arg Pro Ala Ala Val Leu Gly His Ser Val
 3940 3945 3950
 Gly Glu Leu Ala Ala Ala His Ala Ala Gly Val Leu Ser Leu Pro Asp
 3955 3960 3965
 Ala Ala Arg Leu Val Ala Ala Arg Ala His Leu Met Gln Ala Leu Pro
 3970 3975 3980
 Thr Gly Gly Ala Met Leu Ala Val Ala Thr Ser Glu Ala Ala Val Gly
 3985 3990 3995 4000
 Pro Leu Leu Ser Gly Val Cys Asp Arg Val Ser Ile Ala Ala Ile Asn
 4005 4010 4015
 Gly Pro Glu Ser Val Val Leu Ser Gly Asp Arg Asp Val Leu Val Glu
 4020 4025 4030
 Leu Ala Gly Glu Phe Asp Ala Arg Gly Leu Arg Thr Lys Trp Leu Arg
 4035 4040 4045

Val Ser His Ala Phe His Ser His Arg Met Glu Pro Ile Leu Asp Glu
 4050 4055 4060
 Tyr Ala Glu Thr Ala Arg Cys Val Glu Phe Gly Glu Pro Val Val Pro
 4065 4070 4075 4080
 Ile Val Ser Ala Ala Thr Gly Ala Leu Asp Thr Thr Gly Leu Met Cys
 4085 4090 4095
 Ala Ala Asp Tyr Trp Thr Arg Gln Val Arg Asp Pro Val Arg Phe Gly
 4100 4105 4110
 Asp Gly Val Arg Ala Leu Val Gly Gln Gly Val Asp Thr Ile Val Glu
 4115 4120 4125
 Phe Gly Pro Asp Gly Ala Leu Ser Ala Leu Val Glu Gln Cys Leu Ala
 4130 4135 4140
 Gly Ser Asp Gln Ala Gly Arg Val Ala Ala Ile Pro Leu Met Arg Arg
 4145 4150 4155 4160
 Asp Arg Asp Glu Val Glu Thr Ala Val Ala Ala Leu Ala His Val His
 4165 4170 4175
 Val Arg Gly Gly Ala Val Asp Trp Ser Ala Cys Phe Ala Gly Thr Gly
 4180 4185 4190
 Ala Arg Thr Val Glu Leu Pro Thr Tyr Ala Phe Gln Arg Gln Arg Tyr
 4195 4200 4205
 Trp Leu Ala Gly Gln Ala Asp Gly Arg Gly Gly Asp Val Val Ala Asp
 4210 4215 4220
 Pro Val Asp Ala Arg Phe Trp Glu Leu Val Glu Arg Ala Asp Pro Glu
 4225 4230 4235 4240
 Pro Leu Val Asp Glu Leu Cys Ile Asp Arg Asp Gln Pro Phe Arg Glu
 4245 4250 4255
 Val Leu Pro Val Leu Ala Ser Trp Arg Glu Lys Gln Arg Gln Glu Ala
 4260 4265 4270
 Leu Ala Asp Ser Trp Arg Tyr Gln Val Arg Trp Arg Ser Val Glu Val
 4275 4280 4285
 Pro Ser Ala Ala Ala Leu Arg Gly Val Trp Leu Val Val Leu Pro Ala
 4290 4295 4300
 Asp Val Pro Arg Asp Gln Pro Ala Val Val Ile Asp Ala Leu Ile Ala
 4305 4310 4315 4320
 Arg Gly Ala Glu Val Ala Val Leu Glu Leu Thr Glu Gln Asp Leu Gln
 4325 4330 4335
 Arg Ser Ala Leu Val Asp Lys Val Arg Ala Val Ile Ala Asp Arg Thr
 4340 4345 4350
 Glu Val Thr Gly Val Leu Ser Leu Leu Ala Met Asp Gly Met Pro Cys

4355 4360 4365
 Ala Ala His Pro His Leu Ser Arg Gly Val Ala Ala Thr Val Ile Leu
 4370 4375 4380
 Thr Gln Val Leu Gly Asp Ala Gly Val Ser Ala Pro Leu Trp Leu Ala
 4385 4390 4395 4400
 Thr Thr Gly Gly Val Glu Ala Gly Thr Glu Asp Gly Pro Ala Asp Pro
 4405 4410 4415
 Asp His Gly Leu Ile Trp Gly Leu Gly Arg Val Val Gly Leu Glu His
 4420 4425 4430
 Pro Gln Trp Trp Gly Gly Leu Ile Asp Leu Pro Glu Thr Leu Asp Glu
 4435 4440 4445
 Thr Ser Arg Asn Gly Leu Val Ala Ala Leu Ala Gly Thr Ala Ala Glu
 4450 4455 4460
 Asp Gln Leu Ala Val Arg Ser Ser Gly Leu Phe Val Arg Arg Val Val
 4465 4470 4475 4480
 Arg Ala Ala Arg Asn Pro Arg Ser Glu Thr Trp Arg Ser Arg Gly Thr
 4485 4490 4495
 Val Leu Ile Thr Gly Gly Thr Gly Ala Leu Gly Ala Glu Val Ala Arg
 4500 4505 4510
 Trp Leu Ala Arg Arg Gly Ala Glu His Leu Val Leu Ile Ser Arg Arg
 4515 4520 4525
 Gly Pro Glu Ala Pro Gly Ala Ala Asp Leu Gly Ala Glu Leu Thr Glu
 4530 4535 4540
 Leu Gly Val Lys Val Thr Val Leu Ala Cys Asp Val Thr Asp Arg Asp
 4545 4550 4555 4560
 Glu Leu Ala Ala Val Leu Ala Ala Val Pro Thr Glu Tyr Pro Leu Ser
 4565 4570 4575
 Ala Val Val His Thr Ala Gly Val Gly Thr Pro Ala Asn Leu Ala Glu
 4580 4585 4590
 Thr Thr Leu Ala Gln Phe Ala Asp Val Leu Ser Ala Lys Val Val Gly
 4595 4600 4605
 Ala Ala Asn Leu Asp Arg Leu Leu Gly Gly Gln Pro Leu Asp Ala Phe
 4610 4615 4620
 Val Leu Phe Ser Ser Ile Ser Gly Val Trp Gly Ala Gly Gly Gln Gly
 4625 4630 4635 4640
 Ala Tyr Ser Ala Ala Asn Ala Tyr Leu Asp Ala Leu Ala Glu Arg Arg
 4645 4650 4655
 Arg Ala Cys Gly Arg Pro Ala Thr Cys Ile Ala Trp Gly Pro Trp Ala
 4660 4665 4670

Gly Ala Gly Met Ala Val Gln Glu Gly Asn Glu Ala His Leu Arg Arg
 4675 4680 4685
 Arg Gly Leu Val Pro Met Glu Pro Gln Ser Ala Leu Phe Ala Leu Gln
 4690 4695 4700
 Gln Ala Leu Ser Gln Arg Glu Thr Ala Ile Thr Val Ala Asp Val Asp
 4705 4710 4715 4720
 Trp Glu Arg Phe Ala Ala Ser Phe Thr Ala Ala Arg Pro Arg Pro Leu
 4725 4730 4735
 Leu Glu Glu Ile Val Asp Leu Arg Pro Asp Thr Glu Thr Glu Glu Lys
 4740 4745 4750
 His Gly Ala Gly Glu Leu Gly Gln Gln Leu Ala Ala Leu Pro Pro Ala
 4755 4760 4765
 Glu Arg Gly His Leu Leu Leu Glu Val Val Leu Ala Glu Thr Ala Ser
 4770 4775 4780
 Thr Leu Gly His Asp Ser Ala Glu Ala Val Gln Pro Asp Arg Thr Phe
 4785 4790 4795 4800
 Ala Glu Leu Gly Phe Asp Ser Leu Thr Ala Val Glu Leu Arg Asn Arg
 4805 4810 4815
 Leu Asn Ala Val Thr Gly Leu Arg Leu Pro Pro Thr Leu Val Phe Asp
 4820 4825 4830
 His Pro Thr Pro Leu Ala Leu Ser Glu Gln Leu Val Pro Ala Leu Val
 4835 4840 4845
 Ala Glu Pro Asp Asn Gly Ile Glu Ser Leu Leu Ala Glu Leu Asp Arg
 4850 4855 4860
 Leu Asp Thr Thr Leu Ala Gln Gly Pro Ser Ile Pro Leu Glu Asp Gln
 4865 4870 4875 4880
 Ala Lys Val Ala Glu Arg Leu His Ala Leu Leu Ala Lys Trp Asp Gly
 4885 4890 4895
 Ala Arg Asp Gly Thr Ala Arg Ala Thr Ser Pro Gln Ser Leu Thr Ala
 4900 4905 4910
 Ala Thr Asp Asp Glu Ile Phe Asp Leu Ile Asp Arg Lys Phe Arg Arg
 4915 4920 4925

<210> 6

<211> 5588

<212> PRT

<213> Saccharopolyspora spinosa

<400> 6
 Met Ala Asn Glu Glu Lys Leu Arg Glu Tyr Leu Lys Arg Val Val Val
 1 5 10 15
 Glu Leu Glu Glu Ala His Glu Arg Leu His Glu Leu Glu Arg Gln Glu
 20 25 30
 His Asp Pro Ile Ala Ile Val Ser Met Gly Cys Arg Tyr Pro Gly Gly
 35 40 45
 Val Ser Thr Pro Glu Glu Leu Trp Arg Leu Val Val Asp Gly Gly Asp
 50 55 60
 Ala Ile Ala Asn Phe Pro Glu Asp Arg Gly Trp Asn Leu Asp Glu Leu
 65 70 75 80
 Phe Asp Pro Asp Pro Gly Arg Ala Gly Thr Ser Tyr Val Arg Glu Gly
 85 90 95
 Gly Phe Leu Arg Gly Val Ala Asp Phe Asp Ala Gly Leu Phe Gly Ile
 100 105 110
 Ser Pro Arg Glu Ala Gln Ala Met Asp Pro Gln Gln Arg Leu Leu Leu
 115 120 125
 Glu Ile Ser Trp Glu Val Phe Glu Arg Ala Gly Ile Asp Pro Phe Ser
 130 135 140
 Leu Arg Gly Thr Lys Thr Gly Val Phe Ala Gly Leu Ile Tyr His Asp
 145 150 155 160
 Tyr Ala Ser Arg Phe Arg Lys Thr Pro Ala Glu Phe Glu Gly Tyr Phe
 165 170 175
 Ala Thr Gly Asn Ala Gly Ser Val Ala Ser Gly Arg Val Ala Tyr Thr
 180 185 190
 Phe Gly Leu Glu Gly Pro Ala Val Thr Val Asp Thr Ala Cys Ser Ser
 195 200 205
 Ser Leu Val Ala Leu His Leu Ala Cys Gln Ser Leu Arg Leu Gly Glu
 210 215 220
 Cys Asp Leu Ala Leu Ala Gly Gly Ile Ser Val Met Ala Thr Pro Gly
 225 230 235 240
 Ala Phe Val Glu Phe Ser Arg Gln Arg Ala Leu Ala Ser Asp Gly Arg
 245 250 255
 Cys Lys Pro Phe Ala Asp Ala Ala Asp Gly Thr Gly Trp Gly Glu Gly
 260 265 270
 Ala Gly Met Leu Leu Leu Glu Arg Leu Ser Asp Ala Arg Arg Asn Gly
 275 280 285
 His Pro Val Leu Ala Ala Val Val Gly Ser Ala Ile Asn Gln Asp Gly
 290 295 300

Thr Ser Asn Gly Leu Thr Ala Pro Ser Gly Pro Ala Gln Gln Arg Val
 305 310 315 320
 Ile Arg Gln Ala Leu Ala Asn Ala Gly Leu Ser Pro Ala Glu Val Asp
 325 330 335
 Val Val Glu Ala His Gly Thr Gly Thr Ala Leu Gly Asp Pro Ile Glu
 340 345 350
 Ala Gln Ala Leu Ile Ala Thr Tyr Gly Ala Asn Arg Ser Ala Asp His
 355 360 365
 Pro Leu Leu Leu Gly Ser Leu Lys Ser Asn Ile Gly His Thr Gln Ala
 370 375 380
 Ala Ala Gly Val Ala Gly Val Ile Lys Ser Val Leu Ala Ile Arg His
 385 390 395 400
 Arg Glu Met Pro Arg Ser Leu His Ile Asp Gln Pro Ser Gln His Val
 405 410 415
 Asp Trp Ser Ala Gly Ala Val Arg Leu Leu Thr Asp Ser Val Asp Trp
 420 425 430
 Pro Asp Leu Gly Arg Pro Arg Arg Ala Gly Val Ser Ser Phe Gly Met
 435 440 445
 Ser Gly Thr Asn Ala His Leu Ile Val Glu Glu Val Ser Asp Glu Pro
 450 455 460
 Val Ser Gly Ser Thr Glu Pro Thr Gly Ala Phe Pro Trp Pro Leu Ser
 465 470 475 480
 Gly Lys Thr Glu Thr Ala Leu Arg Glu Gln Ala Ala Glu Leu Leu Ser
 485 490 495
 Val Val Thr Glu His Pro Glu Pro Gly Leu Gly Asp Val Gly Tyr Ser
 500 505 510
 Leu Ala Thr Gly Arg Ala Ala Met Glu His Arg Ala Val Val Val Ala
 515 520 525
 Asp Asp Arg Asp Ser Phe Val Ala Gly Leu Thr Ala Leu Ala Ala Gly
 530 535 540
 Val Pro Ala Ala Asn Val Val Gln Gly Ala Ala Asp Cys Lys Gly Lys
 545 550 555 560
 Val Ala Phe Val Phe Pro Gly Gln Gly Ser His Trp Gln Gly Met Ala
 565 570 575
 Arg Glu Leu Ser Glu Ser Ser Pro Val Phe Arg Arg Lys Leu Ala Glu
 580 585 590
 Cys Ala Ala Ala Thr Ala Pro Tyr Val Asp Trp Ser Leu Leu Gly Val
 595 600 605
 Leu Arg Gly Asp Pro Asp Ala Pro Ala Leu Asp Arg Asp Asp Val Ile
 80

81

Pro Leu Leu Gly Ala Ala Val Thr Leu Ala Asp Ala Gly Gly Phe Leu
 930 935 940
 Leu Thr Gly Lys Leu Ser Val Lys Thr Gln Pro Trp Leu Ala Asp His
 945 950 955 960
 Val Val Gly Gly Ala Ile Leu Leu Pro Gly Thr Ala Phe Val Glu Met
 965 970 975
 Leu Ile Arg Ala Ala Asp Gln Val Gly Cys Asp Leu Ile Glu Glu Leu
 980 985 990
 Ser Leu Thr Thr Pro Leu Val Leu Pro Ala Thr Gly Ala Val Gln Val
 995 1000 1005
 Gln Ile Ala Val Gly Gly Pro Asp Glu Ala Gly Arg Arg Ser Val Arg
 1010 1015 1020
 Val His Ser Cys Arg Asp Asp Ala Val Pro Gln Asp Ser Trp Thr Cys
 1025 1030 1035 1040
 His Ala Thr Gly Thr Leu Thr Ser Ser Asp His Gln Asp Ala Gly Gln
 1045 1050 1055
 Gly Pro Asp Gly Ile Trp Pro Pro Asn Asp Ala Val Ala Val Pro Leu
 1060 1065 1070
 Asp Ser Phe Tyr Ala Arg Ala Ala Glu Arg Gly Phe Asp Phe Gly Pro
 1075 1080 1085
 Ala Phe Gln Gly Leu Gln Ala Ala Trp Lys Arg Gly Asp Glu Ile Phe
 1090 1095 1100
 Ala Glu Val Gly Leu Pro Thr Ala His Arg Glu Asp Ala Gly Arg Phe
 1105 1110 1115 1120
 Gly Ile His Pro Ala Leu Leu Asp Ala Ala Leu Gln Ala Leu Gly Ala
 1125 1130 1135
 Ala Glu Glu Asp Pro Asp Glu Gly Trp Leu Pro Phe Ala Trp Gln Gly
 1140 1145 1150
 Val Ser Leu Lys Ala Thr Gly Ala Leu Ser Leu Arg Val His Leu Val
 1155 1160 1165
 Pro Ala Gly Ala Asn Ala Val Ser Val Phe Thr Thr Asp Thr Thr Gly
 1170 1175 1180
 Gln Ala Val Leu Ser Ile Asp Ser Leu Val Leu Arg Gln Ile Ser Asp
 1185 1190 1195 1200
 Lys Gln Leu Ala Ala Ala Arg Ala Met Glu His Glu Ser Leu Phe Arg
 1205 1210 1215
 Val Asp Trp Lys Arg Ile Ser Pro Gly Ala Ala Lys Pro Val Ser Trp
 1220 1225 1230

Ala Val Ile Gly Asn Asp Glu Leu Ala Arg Ala Cys Gly Ser Ala Leu
1235 1240 1245

Gly Thr Glu Leu His Pro Asp Leu Thr Gly Leu Ala Asp Pro Pro Pro
1250 1255 1260

Asp Val Val Val Val Pro Cys Gly Ala Ser Arg Gln Asp Leu Asp Val
1265 1270 1275 1280

Ala Ser Glu Ala Arg Ala Ala Thr Gln Arg Met Leu Asp Leu Ile Gln
1285 1290 1295

Asp Trp Leu Ala Ala Ala Arg Phe Ala Gly Ser Arg Leu Val Val Val
1300 1305 1310

Thr Cys Gly Ala Ala Ser Thr Gly Pro Ala Glu Gly Val Ser Asp Leu
1315 1320 1325

Val His Ala Ala Ser Trp Gly Leu Leu Arg Ser Ala Gln Ser Glu Asn
1330 1335 1340

Pro Asp Arg Phe Val Leu Val Asp Val Asp Gly Thr Ala Glu Ser Trp
1345 1350 1355 1360

Arg Ala Leu Ala Ala Ala Val Arg Ser Gly Glu Pro Gln Leu Ala Leu
1365 1370 1375

Arg Ala Gly Glu Val Arg Val Pro Arg Leu Ala Arg Cys Val Ala Ala
1380 1385 1390

Glu Asp Ser Arg Ile Pro Val Pro Gly Ala Asp Gly Thr Val Leu Ile
1395 1400 1405

Ser Gly Gly Thr Gly Leu Leu Gly Gly Leu Val Ala Arg His Leu Val
1410 1415 1420

Ala Glu Arg Gly Val Arg Arg Leu Val Leu Ala Gly Arg Arg Gly Trp
1425 1430 1435 1440

Ser Ala Pro Gly Val Thr Asp Leu Val Asp Glu Leu Val Gly Leu Gly
1445 1450 1455

Ala Ala Val Glu Val Ala Ser Cys Asp Val Gly Asp Arg Ala Gln Leu
1460 1465 1470

Asp Arg Leu Leu Thr Thr Ile Ser Ala Glu Phe Pro Leu Arg Gly Val
1475 1480 1485

Val His Ala Ala Gly Ala Leu Ala Asp Gly Val Val Glu Ser Leu Thr
1490 1495 1500

Pro Glu His Val Ala Lys Val Phe Gly Pro Lys Ala Ala Gly Ala Trp
1505 1510 1515 1520

His Leu His Glu Leu Thr Leu Asp Leu Asp Leu Ser Phe Phe Val Leu
1525 1530 1535

Phe Ser Ser Phe Ser Gly Val Ala Gly Ala Ala Gly Gln Gly Asn Tyr
83

1540	1545	1550
Ala Ala Ala Asn Ala Phe Leu Asp Gly Leu Ala Gln His Arg Arg Thr		
1555	1560	1565
Ala Gly Leu Pro Ala Val Ser Leu Ala Trp Gly Leu Trp Glu Gln Pro		
1570	1575	1580
Ser Gly Met Thr Gly Ala Leu Asp Ala Ala Gly Arg Ser Arg Ile Ala		
1585	1590	1595
Arg Thr Asn Pro Pro Met Ser Ala Pro Asp Gly Leu Arg Leu Phe Glu		
1605	1610	1615
Met Ala Phe Arg Val Pro Gly Glu Ser Leu Leu Val Pro Val His Val		
1620	1625	1630
Asp Leu Asn Ala Leu Arg Ala Asp Ala Ala Asp Gly Gly Val Pro Ala		
1635	1640	1645
Leu Leu Arg Asp Leu Val Pro Ala Pro Val Arg Arg Ser Ala Val Asn		
1650	1655	1660
Glu Ser Ala Asp Val Asn Gly Leu Val Gly Arg Leu Arg Arg Leu Pro		
1665	1670	1675
Asp Leu Asp Gln Glu Thr Gln Leu Leu Gly Leu Val Arg Glu His Val		
1685	1690	1695
Ser Ala Val Leu Gly His Ser Gly Ala Val Glu Val Gly Ala Asp Arg		
1700	1705	1710
Ala Phe Arg Asp Leu Gly Phe Asp Ser Leu Ser Gly Val Glu Phe Arg		
1715	1720	1725
Asn Arg Leu Gly Gly Val Leu Gly Val Arg Leu Pro Ala Thr Ala Val		
1730	1735	1740
Phe Asp Tyr Pro Thr Pro Arg Ala Leu Val Arg Phe Leu Leu Asp Lys		
1745	1750	1755
Leu Ile Gly Gly Val Glu Ala Pro Thr Pro Ala Pro Ala Ala Val Ala		
1765	1770	1775
Ala Val Thr Ala Asp Asp Pro Val Val Ile Val Gly Met Gly Cys Arg		
1780	1785	1790
Tyr Pro Gly Gly Val Ser Ser Pro Glu Glu Leu Trp Arg Leu Val Ala		
1795	1800	1805
Gly Gly Leu Asp Ala Val Ala Glu Phe Pro Asp Asp Arg Gly Trp Asp		
1810	1815	1820
Gln Ala Gly Leu Phe Asp Pro Asp Pro Asp Arg Leu Gly Thr Ser Tyr		
1825	1830	1835
Val Cys Glu Gly Gly Phe Leu Arg Asp Ala Ala Glu Phe Asp Ala Gly		
1845	1850	1855

Phe Phe Gly Ile Ser Pro Arg Glu Ala Leu Ala Met Asp Pro Gln Gln
 1860 1865 1870
 Arg Leu Leu Leu Glu Val Ala Trp Glu Thr Val Glu Arg Ala Gly Ile
 1875 1880 1885
 Asp Pro Leu Ser Leu Arg Gly Ser Arg Thr Gly Val Phe Ala Gly Leu
 1890 1895 1900
 Met His His Asp Tyr Gly Ala Arg Phe Ile Thr Arg Ala Pro Glu Gly
 1905 1910 1915 1920
 Phe Glu Gly Tyr Leu Gly Asn Gly Ser Ala Gly Gly Val Phe Ser Gly
 1925 1930 1935
 Arg Val Ala Tyr Ser Phe Gly Phe Glu Gly Pro Ala Val Thr Val Asp
 1940 1945 1950
 Thr Ala Cys Ser Ser Ser Leu Val Ala Leu His Leu Ala Gly Gln Ala
 1955 1960 1965
 Leu Arg Ser Gly Glu Cys Asp Leu Ala Leu Ala Gly Gly Val Thr Val
 1970 1975 1980
 Met Ala Thr Pro Gly Met Phe Val Glu Phe Ser Arg Gln Arg Gly Leu
 1985 1990 1995 2000
 Ala Ala Asp Gly Arg Cys Lys Ser Phe Ala Ala Ala Asp Gly Thr
 2005 2010 2015
 Gly Trp Gly Glu Gly Ala Gly Leu Val Leu Leu Glu Arg Leu Ser Asp
 2020 2025 2030
 Ala Arg Arg Asn Gly His Ala Val Leu Ala Val Val Arg Gly Ser Ala
 2035 2040 2045
 Val Asn Gln Asp Gly Ala Ser Asn Gly Leu Thr Ala Pro Asn Gly Pro
 2050 2055 2060
 Ser Gln Gln Arg Val Ile Thr Gln Ala Leu Ala Ser Ala Gly Leu Ser
 2065 2070 2075 2080
 Val Ser Asp Val Asp Ala Val Glu Ala His Gly Thr Gly Thr Arg Leu
 2085 2090 2095
 Gly Asp Pro Ile Glu Ala Gln Ala Leu Ile Ala Thr Tyr Gly Gln Gly
 2100 2105 2110
 Arg Asp Ser Asp Arg Pro Leu Trp Leu Gly Ser Val Lys Ser Asn Ile
 2115 2120 2125
 Gly His Thr Gln Ala Ala Ala Gly Val Ala Gly Val Ile Lys Met Val
 2130 2135 2140
 Met Ala Met Arg His Gly Gln Leu Pro Ala Thr Leu His Val Asp Glu
 2145 2150 2155 2160

Pro Thr Ser Glu Val Asp Trp Ser Ala Gly Asp Val Gln Leu Leu Thr
 2165 2170 2175
 Glu Asn Thr Pro Trp Pro Gly Asn Ser His Pro Arg Arg Val Gly Val
 2180 2185 2190
 Ser Ser Phe Gly Ile Ser Gly Thr Asn Ala His Val Ile Leu Glu Gln
 2195 2200 2205
 Ala Ser Lys Thr Pro Asp Glu Thr Ala Asp Lys Ser Gly Pro Asp Ser
 2210 2215 2220
 Glu Ser Thr Val Asp Leu Pro Ala Val Pro Leu Ile Val Ser Gly Arg
 2225 2230 2235 2240
 Thr Pro Ala Ala Leu Ser Ala Gln Ala Ser Ala Leu Leu Ser Tyr Leu
 2245 2250 2255
 Gly Glu Arg Gly Asp Ile Ser Thr Leu Asp Ala Ala Phe Ser Leu Ala
 2260 2265 2270
 Ser Ser Arg Ala Ala Leu Glu Glu Arg Ala Val Val Leu Gly Ala Asp
 2275 2280 2285
 Arg Glu Thr Leu Leu Ser Gly Leu Glu Ala Leu Ala Ser Gly Arg Glu
 2290 2295 2300
 Ala Ser Gly Val Val Ser Gly Ser Pro Val Ser Gly Gly Val Gly Phe
 2305 2310 2315 2320
 Val Phe Ala Gly Gln Gly Gly Gln Trp Leu Gly Met Gly Arg Gly Leu
 2325 2330 2335
 Tyr Ser Val Phe Pro Val Phe Ala Asp Ala Phe Asp Glu Ala Cys Ala
 2340 2345 2350
 Gly Leu Asp Ala His Leu Gly Gln Asp Val Gly Val Arg Asp Val Val
 2355 2360 2365
 Phe Gly Ser Asp Gly Ser Leu Leu Asp Arg Thr Leu Trp Ala Gln Ser
 2370 2375 2380
 Gly Leu Phe Ala Leu Gln Val Gly Leu Leu Ser Leu Leu Gly Ser Trp
 2385 2390 2395 2400
 Gly Val Arg Pro Gly Val Val Leu Gly His Ser Val Gly Glu Phe Ala
 2405 2410 2415
 Ala Ala Val Ala Ala Gly Val Leu Ser Leu Pro Asp Ala Ala Arg Met
 2420 2425 2430
 Val Ala Gly Arg Ala Arg Leu Met Gln Ala Leu Pro Ser Gly Gly Ala
 2435 2440 2445
 Met Leu Ala Val Ala Ala Gly Glu Glu Gln Leu Arg Pro Leu Leu Ala
 2450 2455 2460
 Asp Arg Val Asp Gly Ala Gly Ile Ala Ala Val Asn Ala Pro Glu Ser

2465 2470 2475 2480
 Val Val Leu Ser Gly Asp Arg Glu Val Leu Asp Asp Ile Ala Gly Ala
 2485 2490 2495
 Leu Asp Gly Gln Gly Ile Arg Trp Arg Arg Leu Arg Val Ser His Ala
 2500 2505 2510
 Phe His Ser Tyr Arg Met Asp Pro Met Leu Gln Glu Phe Ala Glu Ile
 2515 2520 2525
 Ala Arg Ser Val Asp Tyr Arg Arg Gly Asp Leu Pro Val Val Ser Thr
 2530 2535 2540
 Leu Thr Gly Glu Leu Asp Thr Ala Gly Val Met Ala Thr Pro Glu Tyr
 2545 2550 2555 2560
 Trp Val Arg Gln Val Arg Glu Pro Val Arg Phe Ala Asp Gly Val Arg
 2565 2570 2575
 Val Leu Ala Gln Gln Gly Val Ala Thr Ile Phe Glu Leu Gly Pro Asp
 2580 2585 2590
 Ala Thr Leu Ser Ala Leu Ile Pro Asp Cys His Ser Trp Ala Asp Gln
 2595 2600 2605
 Ala Met Pro Ile Pro Met Leu Arg Lys Asp Arg Thr Glu Thr Glu Thr
 2610 2615 2620
 Val Val Ala Ala Val Ala Arg Ala His Thr Arg Gly Val Pro Val Glu
 2625 2630 2635 2640
 Trp Ser Ala Tyr Phe Ala Gly Thr Gly Ala Arg Arg Val Glu Leu Pro
 2645 2650 2655
 Thr Tyr Ala Phe Gln Arg Gln Arg Tyr Trp Leu Glu Thr Ser Asp Tyr
 2660 2665 2670
 Gly Asp Val Thr Gly Ile Gly Leu Ala Ala Ala Glu His Pro Leu Leu
 2675 2680 2685
 Gly Ala Val Val Ala Leu Ala Asp Gly Asp Gly Met Val Leu Thr Gly
 2690 2695 2700
 Arg Leu Ser Val Gly Thr His Pro Trp Leu Ala Gln His Arg Val Leu
 2705 2710 2715 2720
 Gly Glu Val Val Val Pro Gly Thr Ala Ile Leu Glu Met Ala Leu His
 2725 2730 2735
 Ala Gly Ala Arg Leu Gly Cys Asp Arg Val Glu Glu Leu Thr Leu Glu
 2740 2745 2750
 Thr Pro Leu Val Val Pro Glu Arg Ala Ala Gly Ala Gly Ser Arg Gly
 2755 2760 2765
 Pro Ala Gly Gly Thr Thr Val Ser Ile Glu Thr Ala Glu Glu Arg Val
 2770 2775 2780

Arg Thr Asn Asp Ala Ile Glu Ile Gln Leu Leu Val Asn Ala Pro Asp
 2785 2790 2795 2800
 Glu Gly Gly Arg Arg Arg Val Ser Leu Tyr Ser Arg Pro Ala Gly Gly
 2805 2810 2815
 Ser Arg Gly Gly Gly Trp Thr Arg His Ala Thr Gly Glu Leu Val Val
 2820 2825 2830
 Gly Thr Thr Gly Gly Arg Ala Val Pro Asp Trp Ser Ala Glu Gly Ala
 2835 2840 2845
 Glu Ser Ile Ala Leu Asp Glu Phe Tyr Val Ala Leu Ala Gly Asn Gly
 2850 2855 2860
 Phe Glu Tyr Gly Pro Leu Phe Gln Gly Leu Gln Ala Ala Trp Arg Arg
 2865 2870 2875 2880
 Gly Asp Glu Val Leu Ala Glu Ile Ala Pro Pro Ala Glu Ala Asp Ala
 2885 2890 2895
 Met Ala Ser Gly Tyr Leu Leu Asp Pro Ala Leu Leu Asp Ala Ala Leu
 2900 2905 2910
 Gln Ala Ser Ala Leu Gly Asp Arg Pro Glu Gln Gly Gly Ala Trp Leu
 2915 2920 2925
 Pro Phe Ser Phe Thr Gly Val Glu Leu Ser Ala Pro Ala Gly Thr Ile
 2930 2935 2940
 Ser Arg Val Arg Leu Glu Thr Arg Arg Pro Asp Ala Ile Ser Val Ala
 2945 2950 2955 2960
 Val Met Asp Glu Ser Gly Arg Leu Leu Ala Ser Ile Asp Ser Leu Arg
 2965 2970 2975
 Leu Arg Ser Val Ser Ser Gly Gln Leu Ala Asn Arg Asp Ala Val Arg
 2980 2985 2990
 Asp Ala Leu Phe Glu Val Thr Trp Glu Pro Val Ala Thr Gln Ser Thr
 2995 3000 3005
 Glu Pro Gly Arg Trp Ala Leu Leu Gly Asp Thr Ala Cys Gly Lys Asp
 3010 3015 3020
 Asp Leu Ile Lys Leu Ala Thr Asp Ser Ala Asp Arg Cys Ala Asp Leu
 3025 3030 3035 3040
 Ala Ala Leu Ala Glu Lys Leu Asp Ser Ser Ala Leu Val Pro Asp Val
 3045 3050 3055
 Val Val Tyr Cys Ala Gly Glu Gln Ala Asp Pro Gly Thr Gly Ala Ala
 3060 3065 3070
 Ala Leu Ala Glu Thr Gln Gln Thr Leu Ala Leu Leu Gln Ala Trp Leu
 3075 3080 3085

Ala Glu Pro Arg Leu Ala Glu Ala Arg Leu Val Val Val Thr Cys Ala
 3090 3095 3100
 Ala Val Thr Thr Ala Pro Ser Asp Gly Ala Ser Glu Leu Ala His Ala
 3105 3110 3115 3120
 Pro Leu Trp Gly Leu Leu Arg Ala Ala Gln Val Glu Asn Pro Gly Gln
 3125 3130 3135
 Phe Val Leu Ala Asp Val Asp Gly Thr Ala Glu Ser Trp Arg Ala Leu
 3140 3145 3150
 Pro Ser Ala Leu Gly Ser Met Glu Pro Gln Leu Ala Leu Arg Lys Gly
 3155 3160 3165
 Ala Val Arg Ala Pro Arg Leu Ala Ser Val Ala Gly Gln Ile Asp Val
 3170 3175 3180
 Pro Ala Val Val Ala Asp Pro Asp Arg Thr Val Leu Ile Ser Gly Gly
 3185 3190 3195 3200
 Thr Gly Leu Leu Gly Gly Ala Val Ala Arg His Leu Val Thr Glu Arg
 3205 3210 3215
 Gly Val Arg Arg Leu Val Leu Thr Gly Arg Arg Gly Trp Asp Ala Pro
 3220 3225 3230
 Gly Ile Thr Glu Leu Val Gly Glu Leu Asn Gly Leu Gly Ala Val Val
 3235 3240 3245
 Asp Val Val Ala Cys Asp Val Ala Asp Arg Ala Asp Leu Glu Ser Leu
 3250 3255 3260
 Leu Ala Ala Val Pro Ala Glu Phe Pro Leu Cys Gly Val Val His Ala
 3265 3270 3275 3280
 Ala Gly Ala Leu Ala Asp Gly Val Ile Glu Ser Leu Ser Pro Asp Asp
 3285 3290 3295
 Val Gly Ala Val Phe Gly Pro Lys Ala Ala Gly Ala Trp Asn Leu His
 3300 3305 3310
 Glu Leu Thr Arg Asp Thr Asp Leu Ser Phe Phe Ala Leu Phe Ser Ser
 3315 3320 3325
 Leu Ser Gly Val Ala Gly Ala Pro Gly Gln Gly Asn Tyr Ala Ala Ala
 3330 3335 3340
 Asn Ala Phe Leu Asp Ala Leu Ala His Tyr Arg Arg Ser Gln Gly Leu
 3345 3350 3355 3360
 Pro Ala Val Ser Leu Ala Trp Gly Leu Trp Glu Gln Pro Ser Gly Met
 3365 3370 3375
 Thr Glu Thr Leu Ser Glu Val Asp Arg Ser Arg Ile Ala Arg Ala Asn
 3380 3385 3390
 Pro Pro Leu Ser Thr Lys Glu Gly Leu Arg Leu Phe Asp Ala Gly Leu

3395	3400	3405
Ala Leu Asp Arg Ala Ala Val Val Pro Ala Lys Leu Asp Arg Thr Phe		
3410	3415	3420
Leu Ala Glu Gln Ala Arg Ser Gly Ser Leu Pro Ala Leu Leu Thr Ala		
3425	3430	3435 3440
Leu Val Pro Pro Ile Arg Arg Asn Arg Arg Ala Ser Gly Thr Glu Leu		
	3445	3450 3455
Ala Asp Glu Gly Thr Leu Leu Gly Val Val Arg Glu His Ala Ala Ala		
	3460	3465 3470
Val Leu Gly Tyr Ser Ser Ala Ala Asp Val Gly Val Glu Arg Ala Phe		
	3475	3480 3485
Arg Asp Leu Gly Phe Asp Ser Leu Ser Gly Val Glu Leu Arg Asn Arg		
	3490	3495 3500
Leu Ala Gly Val Leu Gly Val Arg Leu Pro Ala Thr Ala Val Phe Asp		
3505	3510	3515 3520
Tyr Pro Thr Pro Arg Ala Leu Ala Arg Phe Leu His Gln Glu Leu Ala		
	3525	3530 3535
Asp Glu Ile Ala Thr Thr Pro Ala Pro Val Thr Thr Thr Arg Ala Pro		
	3540	3545 3550
Val Ala Glu Asp Asp Leu Val Ala Ile Val Gly Met Gly Cys Arg Phe		
	3555	3560 3565
Pro Gly Gln Val Ser Ser Pro Glu Glu Leu Trp Arg Leu Val Ala Gly		
	3570	3575 3580
Gly Val Asp Ala Val Ala Asp Phe Pro Ala Asp Arg Gly Trp Asp Leu		
3585	3590	3595 3600
Ala Gly Leu Phe Asp Pro Asp Pro Glu Arg Ala Gly Lys Thr Tyr Val		
	3605	3610 3615
Arg Glu Gly Ala Phe Leu Thr Asp Ala Asp Arg Phe Asp Ala Gly Phe		
	3620	3625 3630
Phe Gly Ile Ser Pro Arg Glu Ala Leu Ala Met Asp Pro Gln Gln Arg		
	3635	3640 3645
Leu Leu Leu Glu Leu Ser Trp Glu Ala Ile Glu Arg Ala Gly Ile Asp		
	3650	3655 3660
Pro Gly Ser Leu Arg Gly Ser Arg Thr Gly Val Phe Ala Gly Leu Met		
3665	3670	3675 3680
Tyr His Asp Tyr Gly Ala Arg Phe Ala Ser Arg Ala Pro Glu Gly Phe		
	3685	3690 3695
Glu Gly Tyr Leu Gly Asn Gly Ser Ala Gly Ser Val Ala Ser Gly Arg		
	3700	3705 3710

Ile Ala Tyr Ser Phe Gly Phe Glu Gly Pro Ala Val Thr Val Asp Thr
 3715 3720 3725
 Ala Cys Ser Ser Ser Leu Val Ala Leu His Leu Ala Gly Gln Ser Leu
 3730 3735 3740
 Arg Ser Gly Glu Cys Asp Leu Ala Leu Ala Gly Gly Val Thr Val Met
 3745 3750 3755 3760
 Ser Thr Pro Gly Thr Phe Val Glu Phe Ser Arg Gln Arg Gly Leu Ala
 3765 3770 3775
 Pro Asp Gly Arg Cys Lys Ser Phe Ala Glu Ser Ala Asp Gly Thr Gly
 3780 3785 3790
 Trp Gly Glu Gly Ala Gly Leu Val Leu Leu Glu Arg Leu Ser Asp Ala
 3795 3800 3805
 Arg Arg Asn Gly His Arg Val Leu Ala Val Val Arg Gly Ser Ala Val
 3810 3815 3820
 Asn Gln Asp Gly Ala Ser Asn Gly Leu Thr Ala Pro Asn Gly Pro Ser
 3825 3830 3835 3840
 Gln Gln Arg Val Ile Gln Gln Ala Leu Ala Ser Ala Gly Leu Ser Val
 3845 3850 3855
 Ser Asp Val Asp Ala Val Glu Ala His Gly Thr Gly Thr Arg Leu Gly
 3860 3865 3870
 Asp Pro Ile Glu Ala Gln Ala Leu Ile Ala Thr Tyr Gly Arg Asp Arg
 3875 3880 3885
 Asp Pro Gly Arg Pro Leu Trp Leu Gly Ser Val Lys Ser Asn Ile Gly
 3890 3895 3900
 His Thr Gln Ala Ala Ala Gly Val Ala Gly Val Ile Lys Met Val Met
 3905 3910 3915 3920
 Ala Met Arg His Gly Gln Leu Pro Arg Thr Leu His Val Asp Ala Pro
 3925 3930 3935
 Ser Ser Gln Val Asp Trp Ser Ala Gly Arg Val Gln Leu Leu Thr Glu
 3940 3945 3950
 Asn Thr Pro Trp Pro Asp Ser Gly Arg Pro Cys Arg Val Gly Val Ser
 3955 3960 3965
 Ser Phe Gly Ile Ser Gly Thr Asn Ala His Val Ile Leu Glu Gln Ser
 3970 3975 3980
 Thr Gly Gln Met Asp Gln Ala Ala Glu Pro Asp Ser Ser Pro Val Leu
 3985 3990 3995 4000
 Asp Val Pro Val Val Pro Trp Val Val Ser Gly Lys Thr Pro Glu Ala
 4005 4010 4015

Leu Ser Ala Gln Ala Ala Thr Leu Ala Thr Tyr Leu Asp Gln Asn Val
 4020 4025 4030
 Asp Val Ser Pro Leu Asp Val Gly Ile Ser Leu Ala Val Thr Arg Ser
 4035 4040 4045
 Ala Leu Asp Glu Arg Ala Val Val Leu Gly Ser Asp Arg Asp Thr Leu
 4050 4055 4060
 Leu Ser Gly Leu Asn Ala Leu Ala Ala Gly His Glu Ala Ala Gly Val
 4065 4070 4075 4080
 Val Thr Gly Pro Val Gly Ile Gly Gly Arg Thr Gly Phe Val Phe Ala
 4085 4090 4095
 Gly Gln Gly Gly Gln Trp Leu Gly Met Gly Arg Arg Leu Tyr Ser Glu
 4100 4105 4110
 Phe Pro Ala Phe Ala Gly Ala Phe Asp Glu Ala Cys Ala Glu Leu Asp
 4115 4120 4125
 Ala Asn Leu Gly Arg Glu Val Gly Val Arg Asp Val Val Phe Gly Ser
 4130 4135 4140
 Asp Glu Ser Leu Leu Asp Arg Thr Leu Trp Ala Gln Ser Gly Leu Phe
 4145 4150 4155 4160
 Ala Leu Gln Val Gly Leu Trp Glu Leu Leu Gly Thr Trp Gly Val Arg
 4165 4170 4175
 Pro Ser Val Val Leu Gly His Ser Val Gly Glu Leu Ala Ala Ala Phe
 4180 4185 4190
 Ala Ala Gly Val Leu Ser Met Ala Glu Ala Ala Arg Leu Val Ala Gly
 4195 4200 4205
 Arg Ala Arg Leu Met Gln Ala Leu Pro Ser Gly Gly Ala Met Leu Ala
 4210 4215 4220
 Val Ser Ala Thr Glu Ala Arg Val Gly Pro Leu Leu Asp Gly Val Arg
 4225 4230 4235 4240
 Asp Arg Val Gly Val Ala Ala Val Asn Ala Pro Gly Ser Val Val Leu
 4245 4250 4255
 Ser Gly Asp Arg Asp Val Leu Asp Gly Ile Ala Gly Arg Leu Asp Gly
 4260 4265 4270
 Gln Gly Ile Arg Ser Arg Trp Leu Arg Val Ser His Ala Phe His Ser
 4275 4280 4285
 His Arg Met Asp Pro Met Leu Ala Glu Phe Ala Glu Leu Ala Arg Ser
 4290 4295 4300
 Val Asp Tyr Arg Ser Pro Arg Leu Pro Ile Val Ser Thr Leu Thr Gly
 4305 4310 4315 4320
 Asn Leu Asp Asp Val Gly Val Met Ala Thr Pro Glu Tyr Trp Val Arg

93

Gly Phe Gly Ile His Pro Ala Leu Leu Asp Ala Ala Leu His Ala Met
 4645 4650 4655
 Ala Leu Gly Ala Ser Pro Asp Ser Glu Ala Arg Leu Pro Phe Ser Trp
 4660 4665 4670
 Arg Gly Ala Gln Leu Tyr Arg Ala Glu Gly Ala Ala Leu Arg Val Arg
 4675 4680 4685
 Leu Ser Pro Leu Gly Ser Gly Ala Val Ser Leu Thr Leu Val Asp Ala
 4690 4695 4700
 Thr Gly Arg Arg Val Ala Ala Val Glu Ser Leu Ser Thr Arg Pro Val
 4705 4710 4715 4720
 Ser Thr Asp Gln Ile Gly Ala Gly Arg Gly Asp Gln Glu Arg Leu Leu
 4725 4730 4735
 His Val Glu Trp Val Arg Ser Ala Glu Ser Ala Gly Met Ser Leu Thr
 4740 4745 4750
 Ser Cys Ala Val Val Gly Leu Gly Glu Pro Glu Trp His Ala Ala Leu
 4755 4760 4765
 Lys Thr Thr Gly Val Gln Val Glu Ser His Ala Asp Leu Ala Ser Leu
 4770 4775 4780
 Ala Thr Glu Val Ala Lys Arg Gly Ser Ala Pro Gly Ala Val Ile Val
 4785 4790 4795 4800
 Pro Cys Pro Arg Pro Arg Ala Met Gln Glu Leu Pro Thr Ala Ala Arg
 4805 4810 4815
 Arg Ala Thr Gln Gln Ala Met Ala Met Leu Gln Gln Trp Leu Ala Asp
 4820 4825 4830
 Asp Arg Phe Val Ser Thr Arg Leu Ile Leu Leu Thr His Arg Ala Val
 4835 4840 4845
 Ser Ala Val Ala Gly Glu Asp Val Leu Asp Leu Val His Ala Pro Leu
 4850 4855 4860
 Trp Gly Leu Val Arg Ser Ala Gln Ala Glu His Pro Asp Arg Phe Ala
 4865 4870 4875 4880
 Leu Ile Asp Met Asp Asp Glu Arg Ala Ser Gln Thr Ala Leu Ala Glu
 4885 4890 4895
 Ala Leu Thr Ala Gly Glu Ala Gln Leu Ala Val Arg Ser Gly Val Val
 4900 4905 4910
 Leu Ala Pro Arg Leu Gly Gln Val Lys Val Ser Gly Gly Glu Ala Phe
 4915 4920 4925
 Arg Trp Asp Glu Gly Thr Val Leu Val Thr Gly Gly Thr Gly Gly Leu
 4930 4935 4940

Gly Ala Leu Leu Ala Arg His Leu Val Ser Ala His Gly Val Arg His
 4945 4950 4955 4960
 Leu Leu Leu Ala Ser Arg Arg Gly Leu Ala Ala Pro Gly Ala Asp Glu
 4965 4970 4975
 Leu Val Ala Glu Leu Glu Gln Ala Gly Ala Asp Val Ala Val Val Ala
 4980 4985 4990
 Cys Asp Ser Ala Asp Arg Asp Ser Leu Ala Arg Leu Val Ala Ser Val
 4995 5000 5005
 Pro Ala Glu Asn Pro Leu Arg Val Val Val His Ala Ala Gly Val Leu
 5010 5015 5020
 Asp Asp Gly Val Leu Met Ser Met Ser Pro Glu Arg Leu Asp Ala Val
 5025 5030 5035 5040
 Leu Arg Pro Lys Val Asp Ala Ala Trp Tyr Leu His Glu Leu Thr Arg
 5045 5050 5055
 Glu Leu Gly Leu Ser Ala Phe Val Leu Phe Ser Ser Val Ala Gly Leu
 5060 5065 5070
 Phe Gly Gly Ala Gly Gln Ser Asn Tyr Ala Ala Gly Asn Ala Phe Leu
 5075 5080 5085
 Asp Ala Leu Ala His Cys Arg Gln Ala Gln Gly Leu Pro Ala Leu Ser
 5090 5095 5100
 Leu Ala Ser Gly Leu Trp Ala Ser Ile Asp Gly Met Ala Gly Asp Leu
 5105 5110 5115 5120
 Ala Ala Ala Asp Val Glu Arg Leu Ser Arg Ala Gly Ile Gly Pro Leu
 5125 5130 5135
 Ser Ala Pro Gly Gly Leu Ala Leu Phe Asp Ala Ala Val Gly Ser Asp
 5140 5145 5150
 Glu Pro Leu Leu Ala Pro Val Arg Leu Asp Val Glu Ala Leu Arg Val
 5155 5160 5165
 Gln Ala Arg Ser Val Gln Thr Arg Ile Pro Glu Met Leu His Gly Met
 5170 5175 5180
 Ala Met Gly Pro Ser Arg Arg Thr Pro Phe Thr Ser Arg Val Glu Pro
 5185 5190 5195 5200
 Leu His Glu Arg Leu Ala Gly Leu Ser Glu Gly Glu Arg Arg Gln Gln
 5205 5210 5215
 Val Leu Gln Arg Val Arg Ala Asp Ile Ala Val Val Leu Gly His Gly
 5220 5225 5230
 Arg Ser Ser Asp Val Asp Ile Glu Lys Pro Leu Ala Glu Leu Gly Phe
 5235 5240 5245
 Asp Ser Leu Thr Ala Ile Glu Leu Arg Asn Arg Leu Ala Thr Ala Thr

5250	5255	5260
Gly Leu Arg Leu Pro Ala Thr Leu Ala Phe Asp His Gly Thr Ala Ala		
5265	5270	5275 5280
Ala Leu Ala Gln His Val Cys Ala Gln Leu Gly Thr Ala Thr Ala Pro		
	5285	5290 5295
Ala Pro Arg Arg Thr Asp Asp Asn Asp Ala Thr Glu Pro Val Arg Ser		
	5300	5305 5310
Leu Phe Gln Gln Ala Tyr Ala Ala Gly Arg Ile Leu Asp Gly Met Asp		
	5315	5320 5325
Leu Val Lys Val Ala Ala Gln Leu Arg Pro Val Phe Gly Ser Pro Gly		
	5330	5335 5340
Glu Leu Glu Ser Leu Pro Lys Pro Val Gln Leu Ser Arg Gly Pro Glu		
	5345	5350 5355 5360
Glu Leu Ala Leu Val Cys Met Pro Ala Leu Ile Gly Met Pro Pro Ala		
	5365	5370 5375
Gln Gln Tyr Ala Arg Ile Ala Ala Gly Phe Arg Asp Val Arg Asp Val		
	5380	5385 5390
Ser Val Ile Pro Met Pro Gly Phe Ile Ala Gly Glu Pro Leu Pro Ser		
	5395	5400 5405
Ala Ile Glu Val Ala Val Arg Thr Gln Ala Glu Ala Val Leu Gln Glu		
	5410	5415 5420
Phe Ala Gly Gly Ser Phe Val Leu Val Gly His Ser Ser Gly Gly Trp		
	5425	5430 5435 5440
Leu Ala His Glu Val Ala Gly Glu Leu Glu Arg Arg Gly Val Val Pro		
	5445	5450 5455
Ala Gly Val Val Leu Leu Asp Thr Tyr Ile Pro Gly Glu Ile Thr Pro		
	5460	5465 5470
Arg Phe Ser Val Ala Met Ala His Arg Thr Tyr Glu Lys Leu Ala Thr		
	5475	5480 5485
Phe Thr Asp Met Gln Asp Val Gly Ile Thr Ala Met Gly Gly Tyr Phe		
	5490	5495 5500
Arg Met Phe Thr Glu Trp Thr Pro Thr Pro Ile Gly Ala Pro Thr Leu		
	5505	5510 5515 5520
Phe Val Arg Thr Glu Asp Cys Val Ala Asp Pro Glu Gly Arg Pro Trp		
	5525	5530 5535
Thr Asp Asp Ser Trp Arg Pro Gly Trp Thr Leu Ala Asp Ala Thr Val		
	5540	5545 5550
Gln Val Pro Gly Asp His Phe Ser Met Met Asp Glu His Ala Gly Ser		
	5555	5560 5565

Thr Ala Gln Ala Val Ala Ser Trp Leu Asp Lys Leu Asn Gln Arg Thr
 5570 5575 5580

Ala Arg Gln Arg
 5585

<210> 7
 <211> 275
 <212> PRT
 <213> Saccharopolyspora spinosa

<400> 7
 Val Leu Pro Gly Gly Ala Pro Thr Ser Gln Gln Val Gly Gln Met Tyr
 1 5 10 15
 Asp Leu Val Thr Pro Leu Leu Asn Ser Val Ala Gly Gly Pro Cys Ala
 20 25 30
 Ile His His Gly Tyr Trp Glu Asn Asp Gly Arg Ala Ser Trp Gln Gln
 35 40 45
 Ala Ala Asp Arg Leu Thr Asp Leu Val Ala Glu Arg Thr Val Leu Asp
 50 55 60
 Gly Gly Val Arg Leu Leu Asp Val Gly Cys Gly Thr Gly Gln Pro Ala
 65 70 75 80
 Leu Arg Val Ala Arg Asp Asn Ala Ile Gln Ile Thr Gly Ile Thr Val
 85 90 95
 Ser Gln Val Gln Val Ala Ile Ala Ala Asp Cys Ala Arg Glu Arg Gly
 100 105 110
 Leu Ser His Arg Val Asp Phe Ser Cys Val Asp Ala Met Ser Leu Pro
 115 120 125
 Tyr Pro Asp Asn Ala Phe Asp Ala Ala Trp Ala Met Gln Ser Leu Leu
 130 135 140
 Glu Met Ser Glu Pro Asp Arg Ala Ile Arg Glu Ile Leu Arg Val Leu
 145 150 155 160
 Lys Pro Gly Gly Ile Leu Gly Val Thr Glu Val Val Lys Arg Glu Ala
 165 170 175
 Gly Gly Gly Met Pro Val Ser Gly Asp Arg Trp Pro Thr Gly Leu Arg
 180 185 190
 Ile Cys Leu Ala Glu Gln Leu Leu Glu Ser Leu Arg Ala Ala Gly Phe
 195 200 205
 Glu Ile Leu Asp Trp Glu Asp Val Ser Ser Arg Thr Arg Tyr Phe Met
 210 215 220
 Pro Gln Phe Ala Glu Glu Leu Ala Ala His Gln His Gly Ile Ala Asp
 225 230 235 240

Arg Tyr Gly Pro Ala Val Ala Gly Trp Ala Ala Ala Val Cys Asp Tyr
245 250 255

Glu Lys Tyr Ala His Asp Met Gly Tyr Ala Ile Leu Thr Ala Arg Lys
260 265 270

Pro Val Gly
275

<210> 8

<211> 390

<212> PRT

<213> Saccharopolyspora spinosa

<400> 8

Met Arg Val Leu Val Val Pro Leu Pro Tyr Pro Thr His Leu Met Ala
1 5 10 15

Met Val Pro Leu Cys Trp Ala Leu Gln Ala Ser Gly His Glu Val Leu
20 25 30

Ile Ala Ala Pro Pro Glu Leu Gln Ala Thr Ala His Gly Ala Gly Leu
35 40 45

Thr Thr Ala Gly Ile Arg Gly Asn Asp Arg Thr Gly Asp Thr Gly Gly
50 55 60

Thr	Thr	Gln	Leu	Arg	Phe	Pro	Asn	Pro	Ala	Phe	Gly	Gln	Arg	Asp	Thr
65					70					75					80

Glu Ala Gly Arg Gln Leu Trp Glu Gln Thr Ala Ser Asn Val Ala Gln
85 90 95

Ser Ser Leu Asp Gln Leu Pro Glu Tyr Leu Arg Leu Ala Glu Ala Trp
100 105 110

Arg Pro Ser Val Leu Leu Val Asp Val Cys Ala Leu Ile Gly Arg Val
115 120 125

Leu Gly Gly Leu Leu Asp Leu Pro Val Val Leu His Arg Trp Gly Val
130 135 140

Asp Pro Thr Ala Gly Pro Phe Ser Asp Arg Ala His Glu Leu Leu Asp
145 150 155 160

Pro Val Cys Arg His His Gly Leu Thr Gly Leu Pro Thr Pro Glu Leu
165 170 175

Ile Leu Asp Pro Cys Pro Pro Ser Leu Gln Ala Ser Asp Ala Pro Gln
180 185 190

Gly Ala Pro Val Gln Tyr Val Pro Tyr Asn Gly Ser Gly Ala Phe Pro
195 200 205

Ala Trp Gly Ala Ala Arg Thr Ser Ala Arg Arg Val Cys Ile Cys Met
210 215 220

Gly Arg Met Val Leu Asn Ala Thr Gly Pro Ala Pro Leu Leu Arg Ala
 225 230 235 240
 Val Ala Ala Ala Thr Glu Leu Pro Gly Val Glu Ala Val Ile Ala Val
 245 250 255
 Pro Pro Glu His Arg Ala Leu Leu Thr Asp Leu Pro Asp Asn Ala Arg
 260 265 270
 Ile Ala Glu Ser Val Pro Leu Asn Leu Phe Leu Arg Thr Cys Glu Leu
 275 280 285
 Val Ile Cys Ala Gly Gly Ser Gly Thr Ala Phe Thr Ala Thr Arg Leu
 290 295 300
 Gly Ile Pro Gln Leu Val Leu Pro Gln Tyr Phe Asp Gln Phe Asp Tyr
 305 310 315 320
 Ala Arg Asn Leu Ala Ala Ala Gly Ala Gly Ile Cys Leu Pro Asp Glu
 325 330 335
 Gln Ala Gln Ser Asp His Glu Gln Phe Thr Asp Ser Ile Ala Thr Val
 340 345 350
 Leu Gly Asp Thr Gly Phe Ala Ser Ala Ala Ile Lys Leu Ser Asp Glu
 355 360 365
 Ile Thr Ala Met Pro His Pro Ala Ala Leu Val Arg Thr Leu Glu Asn
 370 375 380
 Thr Ala Ala Ile Arg Ala
 385 390

<210> 9
 <211> 250
 <212> PRT
 <213> Saccharopolyspora spinosa

<400> 9
 Met Pro Ser Gln Asn Ala Leu Tyr Leu Asp Leu Leu Lys Lys Val Leu
 1 5 10 15
 Thr Asn Thr Ile Tyr Ser Asp Arg Pro His Pro Asn Ala Trp Gln Asp
 20 25 30
 Asn Thr Asp Tyr Arg Gln Ala Ala Arg Ala Lys Gly Thr Asp Trp Pro
 35 40 45
 Thr Val Ala His Thr Met Ile Gly Leu Glu Arg Leu Asp Asn Leu Gln
 50 55 60
 His Cys Val Glu Ala Val Leu Ala Asp Gly Val Pro Gly Asp Phe Ala
 65 70 75 80
 Glu Thr Gly Val Trp Arg Gly Gly Ala Cys Ile Phe Met Arg Ala Val
 85 90 95
 99

Leu Gln Ala Phe Gly Asp Thr Gly Arg Thr Val Trp Val Val Asp Ser
 100 105 110
 Phe Gln Gly Met Pro Glu Ser Ser Ala Gln Asp His Gln Ala Asp Gln
 115 120 125
 Ala Met Ala Leu His Glu Tyr Asn Asp Val Leu Gly Val Ser Leu Glu
 130 135 140
 Thr Val Arg Gln Asn Phe Ala Arg Tyr Gly Leu Leu Asp Glu Gln Val
 145 150 155 160
 Arg Phe Leu Pro Gly Trp Phe Arg Asp Thr Leu Pro Thr Ala Pro Ile
 165 170 175
 Gln Glu Leu Ala Val Leu Arg Leu Asp Gly Asp Leu Tyr Glu Ser Thr
 180 185 190
 Met Asp Ser Leu Arg Asn Leu Tyr Pro Lys Leu Ser Pro Gly Gly Phe
 195 200 205
 Val Ile Ile Asp Asp Tyr Phe Leu Pro Ser Cys Gln Asp Ala Val Lys
 210 215 220
 Gly Phe Arg Ala Glu Leu Gly Ile Thr Glu Pro Ile His Asp Ile Asp
 225 230 235 240
 Gly Thr Gly Ala Tyr Trp Arg Arg Ser Trp
 245 250

<210> 10

<211> 395

<212> PRT

<213> Saccharopolyspora spinosa

<400> 10

Met Ser Glu Ile Ala Val Ala Pro Trp Ser Val Val Glu Arg Leu Leu
 1 5 10 15
 Leu Ala Ala Gly Ala Gly Pro Ala Lys Leu Gln Glu Ala Val Gln Val
 20 25 30
 Ala Gly Leu Asp Ala Val Ala Asp Ala Ile Val Asp Glu Leu Val Val
 35 40 45
 Arg Cys Asp Pro Leu Ser Leu Asp Glu Ser Val Arg Ile Gly Leu Glu
 50 55 60
 Ile Thr Ser Gly Ala Gln Leu Val Arg Arg Thr Val Glu Leu Asp His
 65 70 75 80
 Ala Gly Leu Arg Leu Ala Ala Val Ala Glu Ala Ala Ala Val Leu Arg
 85 90 95
 Phe Asp Ala Val Asp Leu Leu Glu Gly Leu Phe Gly Pro Val Asp Gly
 100 105 110

100

Arg Arg His Asn Ser Arg Glu Val Arg Trp Ser Asp Ser Met Thr Gln
 115 120 125
 Phe Ser Pro Asp Gln Gly Leu Ala Gly Ala Gln Arg Leu Leu Ala Phe
 130 135 140
 Arg Asn Arg Val Ser Thr Ala Val His Ala Val Leu Ala Ala Ala Ala
 145 150 155 160
 Thr Arg Arg Ala Asp Leu Gly Ala Leu Ala Val Arg Tyr Gly Ser Asp
 165 170 175
 Lys Trp Ala Asp Leu His Trp Tyr Thr Glu His Tyr Glu His His Phe
 180 185 190
 Ser Arg Phe Gln Asp Ala Pro Val Arg Val Leu Glu Ile Gly Ile Gly
 195 200 205
 Gly Tyr His Ala Pro Glu Leu Gly Gly Ala Ser Leu Arg Met Trp Gln
 210 215 220
 Arg Tyr Phe Arg Arg Gly Leu Val Tyr Gly Leu Asp Ile Phe Glu Lys
 225 230 235 240
 Ala Gly Asn Glu Gly His Arg Val Arg Lys Leu Arg Gly Asp Gln Ser
 245 250 255
 Asp Ala Glu Phe Leu Glu Asp Met Val Ala Lys Ile Gly Pro Phe Asp
 260 265 270
 Ile Val Ile Asp Asp Gly Ser His Val Asn Asp His Val Lys Lys Ser
 275 280 285
 Phe Gln Ser Leu Phe Pro His Val Arg Pro Gly Gly Leu Tyr Val Ile
 290 295 300
 Glu Asp Leu Gln Thr Ala Tyr Trp Pro Gly Tyr Gly Gly Arg Asp Gly
 305 310 315 320
 Glu Pro Ala Ala Gln Arg Thr Ser Ile Asp Met Leu Lys Glu Leu Ile
 325 330 335
 Asp Gly Leu His Tyr Gln Glu Arg Glu Ser Arg Cys Gly Thr Glu Pro
 340 345 350
 Ser Tyr Thr Glu Arg Asn Val Ala Ala Leu His Phe Tyr His Asn Leu
 355 360 365
 Val Phe Val Glu Lys Gly Leu Asn Ala Glu Thr Ala Ala Pro Gly Phe
 370 375 380
 Val Pro Arg Gln Ala Leu Gly Val Glu Gly Gly
 385 390 395

<210> 11
 <211> 539

<212> PRT

<213> Saccharopolyspora spinosa

<400> 11

```

Met Ile Ser Ala Ala Gly Glu Gln Ser Gly Pro Val Arg Lys Gly Gly
  1             5             10             15

Ala Val Pro Glu Phe His Asp Pro Ala Pro Met Asn Arg Arg Thr Pro
      20             25             30

Gly Thr Glu Ile Thr Val Glu Pro Asp Asp Pro Arg Tyr Pro Asp Leu
      35             40             45

Val Val Gly His Asn Pro Arg Phe Thr Gly Lys Pro Glu Arg Ile His
      50             55             60

Ile Ala Ser Ser Ala Glu Asp Val Val His Ala Val Ala Asp Ala Val
      65             70             75             80

Arg Thr Gly Arg Arg Val Gly Val Arg Ser Gly Gly His Cys Phe Glu
      85             90             95

Asn Leu Val Ala Asp Pro Ala Ile Arg Val Leu Val Asp Leu Ser Glu
      100            105            110

Leu Asn Arg Val Tyr Tyr Asp Ser Thr Arg Gly Ala Phe Ala Ile Glu
      115            120            125

Ala Gly Ala Ala Leu Gly Gln Val Tyr Arg Thr Leu Phe Lys Asn Trp
      130            135            140

Gly Val Thr Ile Pro Thr Gly Ala Cys Pro Gly Val Gly Ala Gly Gly
      145            150            155            160

His Ile Leu Gly Gly Gly Tyr Gly Pro Leu Ser Arg Arg Phe Gly Ser
      165            170            175

Val Val Asp Tyr Leu Gln Gly Val Glu Val Val Val Val Asp Gln Ala
      180            185            190

Gly Glu Val His Ile Val Glu Ala Asp Arg Asn Ser Thr Gly Ala Gly
      195            200            205

His Asp Leu Trp Trp Ala His Thr Gly Gly Gly Gly Gly Asn Phe Gly
      210            215            220

Ile Val Thr Arg Phe Trp Leu Arg Thr Pro Asp Val Val Ser Thr Asp
      225            230            235            240

Ala Ala Glu Leu Leu Pro Arg Pro Pro Ala Thr Val Leu Leu Arg Ser
      245            250            255

Phe His Trp Pro Trp His Glu Leu Thr Glu Gln Ser Phe Ala Val Leu
      260            265            270

Leu Gln Asn Phe Gly Asn Trp Tyr Glu Gln His Ser Ala Pro Glu Ser
      275            280            285

```

Thr Gln Leu Gly Leu Phe Ser Thr Leu Val Cys Ala His Arg Gln Ala
 290 295 300
 Gly Tyr Val Thr Leu Asn Val His Leu Asp Gly Thr Asp Pro Asn Ala
 305 310 315 320
 Glu Arg Thr Leu Ala Glu His Leu Ser Ala Ile Asn Ala Gln Val Gly
 325 330 335
 Val Thr Pro Ala Glu Gly Leu Arg Glu Thr Leu Pro Trp Leu Arg Ser
 340 345 350
 Thr Gln Val Ala Gly Ala Ile Ala Glu Gly Gly Glu Pro Gly Met Gln
 355 360 365
 Arg Thr Lys Val Lys Ala Ala Tyr Leu Arg Thr Gly Leu Ser Glu Ala
 370 375 380
 Gln Leu Ala Thr Val Tyr Arg Arg Leu Thr Val Tyr Gly Tyr Asp Asn
 385 390 395 400
 Pro Ala Ala Ala Leu Leu Leu Leu Gly Tyr Gly Gly Met Ala Asn Ala
 405 410 415
 Val Ala Pro Ser Ala Thr Ala Leu Ala Gln Arg Asp Ser Val Leu Lys
 420 425 430
 Ala Leu Phe Val Thr Asn Trp Ser Glu Pro Ala Glu Asp Glu Arg His
 435 440 445
 Leu Thr Trp Ile Arg Gly Phe Tyr Arg Glu Met Tyr Ala Glu Thr Gly
 450 455 460
 Gly Val Pro Val Pro Gly Thr Arg Val Asp Gly Ser Tyr Ile Asn Tyr
 465 470 475 480
 Pro Asp Thr Asp Leu Ala Asp Pro Leu Trp Asn Thr Ser Gly Val Ala
 485 490 495
 Trp His Asp Leu Tyr Tyr Lys Asp Asn Tyr Pro Arg Leu Gln Arg Ala
 500 505 510
 Lys Ala Arg Trp Asp Pro Gln Asn Ile Phe Gln His Gly Leu Ser Ile
 515 520 525
 Lys Pro Pro Ala Arg Leu Ser Pro Gly Gln Pro
 530 535

<210> 12

<211> 397

<212> PRT

<213> Saccharopolyspora spinosa

<400> 12

Met Ser Thr Thr His Glu Ile Glu Thr Val Glu Arg Ile Ile Leu Ala
 1 5 10 15

BNSDOCID: <WO 9946387A1 | >

BNSDOCID: <WO_9946387A1 | >

195	200	205
Trp Tyr Val Asp Glu Leu Leu Arg Lys Leu Asp Glu Leu Ala Gly Val		
210	215	220
Glu Pro Ala Ala Val Gly Thr Tyr Gln Gln Arg Tyr Leu Gly Asp Ile		
225	230	235 240
Ala Ala Lys His Gly Pro Gly Pro Ala Gln Leu Ile Ala Ala Val Ala		
245	250	255
Glu Tyr Arg Lys His Pro Asp Tyr Ala Arg Asn Glu Glu Ser Met Gly		
260	265	270
Phe Met Leu Leu Gln Ala Arg Lys Lys Gln Ser		
275	280	

<210> 14
 <211> 320
 <212> PRT
 <213> Saccharopolyspora spinosa

<400> 14

Met Pro Asn Ala Val Ser Gly Thr Val Leu Val Pro Asn Ile Pro Trp		
1	5	10 15
Pro Arg Glu Asp Arg Pro Ile Ile Thr Phe Ala Val Gly Thr His Gly		
20	25	30
Leu Gly Ser Gln Val Ala Pro Ser Tyr Leu Leu Arg Thr Gly Thr Glu		
35	40	45
Pro Glu Thr Glu Leu Ile Ala Val Ala Leu Asp Arg Gly Trp Ala Val		
50	55	60
Val Ile Thr Asp Tyr Glu Gly Leu Gly Thr Pro Gly Thr His Thr Tyr		
65	70	75 80
Thr Val Gly Arg Ala Gln Gly His Ala Met Leu Asp Ala Ala Arg Ala		
85	90	95
Ala Gln Arg Leu Pro Gly Ser Gly Leu Thr Thr Asp Cys Pro Val Gly		
100	105	110
Ile Trp Gly Tyr Ala Gln Gly Gly Gln Ala Ser Ala Phe Ala Gly Glu		
115	120	125
Leu His Pro Thr Tyr Ala Pro Glu Leu Arg Ile Arg Ala Ala Ala Ala		
130	135	140
Gly Ala Val Pro Ile Asp Leu Leu Asp Ile Ile His Arg Asn Asp Gly		
145	150	155 160
Val Phe Thr Gly Pro Val Leu Ala Gly Leu Val Gly His Ala Ala Ala		
165	170	175
Tyr Pro Asp Leu Pro Phe Asp Glu Leu Leu Thr Glu Ala Gly Arg Thr		
	106	

180 185 190
 Ala Val Asp Gln Val Arg Glu Leu Gly Ala Pro Glu Leu Val Thr Arg
 195 200 205
 Phe Leu Gly Arg Glu Leu Ser Asp Phe Leu Asp Thr Ser Gly Leu Phe
 210 215 220
 Glu Gln Pro Arg Trp Arg Ala Arg Leu Ala Glu Ser Val Ala Gly Arg
 225 230 235 240
 Asn Gly Gly Pro Val Val Pro Thr Leu Val Tyr His Ser Thr Asp Asp
 245 250 255
 Glu Ile Val Pro Phe Ala Phe Gly Glu Arg Leu Arg Asp Ser Tyr Arg
 260 265 270
 Ala Ala Gly Thr Pro Val Arg Trp His Pro Leu Ser Gly Leu Ala His
 275 280 285
 Phe Pro Ala Ala Leu Ala Ser Ser Arg Val Val Val Ser Trp Phe Asp
 290 295 300
 Glu His Phe Ser Glu Pro Ser Ala Ile Ser Gly Pro Arg Asp Ala Arg
 305 310 315 320

<210> 15
 <211> 332
 <212> PRT
 <213> Saccharopolyspora spinosa

<400> 15
 Met Arg Lys Pro Val Arg Ile Gly Val Leu Gly Cys Ala Ser Phe Ala
 1 5 10 15
 Trp Arg Arg Met Leu Pro Ala Met Cys Asp Val Ala Glu Thr Glu Val
 20 25 30
 Val Ala Val Ala Ser Arg Asp Pro Ala Lys Ala Glu Arg Phe Ala Ala
 35 40 45
 Arg Phe Glu Cys Glu Ala Val Leu Gly Tyr Gln Arg Leu Leu Glu Arg
 50 55 60
 Pro Asp Ile Asp Ala Val Tyr Val Pro Leu Pro Pro Gly Met His Ala
 65 70 75 80
 Glu Trp Ile Gly Lys Ala Leu Glu Ala Asp Lys His Val Leu Ala Glu
 85 90 95
 Lys Pro Leu Thr Thr Thr Ala Ser Asp Thr Ala Arg Leu Val Gly Leu
 100 105 110
 Ala Arg Arg Lys Asn Leu Leu Leu Arg Glu Asn Tyr Leu Phe Leu His
 107

115					120					125					
His	Gly	Arg	His	Asp	Val	Val	Arg	Asp	Leu	Leu	Gln	Ser	Gly	Glu	Ile
130						135					140				
Gly	Glu	Leu	Arg	Glu	Phe	Thr	Ala	Val	Phe	Gly	Ile	Pro	Pro	Leu	Pro
145					150					155					160
Asp	Thr	Asp	Ile	Arg	Tyr	Arg	Thr	Glu	Leu	Gly	Gly	Gly	Ala	Leu	Leu
				165					170					175	
Asp	Ile	Gly	Val	Tyr	Pro	Ala	Arg	Ala	Ala	Arg	His	Phe	Leu	Leu	Gly
			180					185					190		
Pro	Leu	Thr	Val	Leu	Gly	Ala	Ser	Ser	His	Glu	Ala	Gln	Glu	Ser	Gly
		195					200					205			
Val	Asp	Leu	Ser	Gly	Ser	Val	Leu	Leu	Gln	Ser	Glu	Gly	Gly	Thr	Val
	210					215					220				
Ala	His	Leu	Gly	Tyr	Gly	Phe	Val	His	His	Tyr	Arg	Ser	Ala	Tyr	Glu
225					230					235					240
Leu	Trp	Gly	Ser	Arg	Gly	Arg	Ile	Val	Val	Asp	Arg	Ala	Phe	Thr	Pro
				245					250					255	
Pro	Ala	Glu	Trp	Gln	Ala	Val	Ile	Arg	Ile	Glu	Arg	Lys	Gly	Val	Val
			260					265					270		
Asp	Glu	Leu	Ser	Leu	Pro	Ala	Glu	Asp	Gln	Val	Arg	Lys	Ala	Val	Thr
		275					280					285			
Ala	Phe	Ala	Arg	Asp	Ile	Arg	Ala	Gly	Thr	Gly	Val	Asp	Asp	Pro	Ala
	290					295					300				
Val	Ala	Gly	Asp	Ser	Gly	Glu	Ser	Met	Ile	Gln	Gln	Ala	Ala	Leu	Val
305					310					315					320
Glu	Ala	Ile	Gly	Gln	Ala	Arg	Arg	Cys	Gly	Ser	Thr				
				325					330						

<210> 16

<211> 486

<212> PRT

<213> Saccharopolyspora spinosa

<400> 16

Met	Ser	Ser	Ser	Val	Glu	Ala	Glu	Ala	Ser	Ala	Ala	Ala	Pro	Leu	Gly
1				5					10					15	

Ser	Asn	Asn	Thr	Arg	Arg	Phe	Val	Asp	Ser	Ala	Leu	Ser	Ala	Cys	Asn
			20					25					30		

Gly	Met	Ile	Pro	Thr	Thr	Glu	Phe	His	Cys	Trp	Leu	Ala	Asp	Arg	Leu
	35						40						45		

Gly	Glu	Asn	Ser	Phe	Glu	Thr	Asn	Arg	Ile	Pro	Phe	Asp	Arg	Leu	Ser
															108

109

Glu Ala Gly Tyr Lys Trp Thr Ala Glu Ile Ala Pro Thr Val Gln Cys
 370 375 380
 Ser Val Ala Asn Tyr Gln Ser Thr Pro Ser Asn Asp Trp Pro Pro Phe
 385 390 395 400
 Leu Asp Asp Val Leu Thr Ala Asp Pro Glu Thr Val Arg Tyr Glu Ser
 405 410 415
 Ile Leu Ser Glu Glu Gly Gly Arg Phe Tyr Gln Ala Gln Asn Arg Tyr
 420 425 430
 Arg Ile Ile Glu Val His Glu Asp Phe Ala Ala Arg Pro Pro Ser Asp
 435 440 445
 Phe Arg Trp Met Thr Leu Gly Gln Leu Gly Glu Leu Leu Arg Ser Thr
 450 455 460
 His Phe Leu Asn Ile Gln Ala Arg Ser Leu Val Ala Ser Leu His Ser
 465 470 475 480
 Leu Trp Ala Leu Gly Arg
 485

<210> 17
 <211> 455
 <212> PRT
 <213> Saccharopolyspora spinosa

<400> 17
 Val Ile Leu Gly Met Leu Pro Gly Cys Ser Ile Ala Ile Gly Glu Phe
 1 5 10 15
 Met Arg Val Leu Phe Thr Pro Leu Pro Ala Ser Ser His Phe Phe Asn
 20 25 30
 Leu Val Pro Leu Ala Trp Ala Leu Arg Ala Ala Gly His Glu Val Arg
 35 40 45
 Val Ala Ile Cys Pro Asn Met Val Ser Met Val Thr Gly Ala Gly Leu
 50 55 60
 Thr Ala Val Pro Val Gly Asp Glu Leu Asp Leu Ile Ser Leu Ala Ala
 65 70 75 80
 Lys Asn Glu Leu Val Leu Gly Ser Gly Val Ser Phe Asp Glu Lys Gly
 85 90 95
 Arg His Pro Glu Leu Phe Asp Glu Leu Leu Ser Ile Asn Ser Gly Arg
 100 105 110
 Asp Thr Asp Ala Val Glu Gln Leu His Leu Val Asp Asp Arg Ser Leu
 115 120 125
 Asp Asp Leu Met Gly Phe Ala Glu Lys Trp Gln Pro Asp Leu Val Val
 130 135 140

Trp Asp Ala Met Val Cys Ser Gly Pro Val Val Ala Arg Ala Leu Gly
 145 150 155 160
 Ala Arg His Val Arg Met Leu Val Ala Leu Asp Val Ser Gly Trp Leu
 165 170 175
 Arg Ser Gly Phe Leu Glu Tyr Gln Glu Ser Lys Pro Pro Glu Gln Arg
 180 185 190
 Val Asp Pro Leu Gly Thr Trp Leu Gly Ala Lys Leu Ala Lys Phe Gly
 195 200 205
 Ala Thr Phe Asp Glu Glu Ile Val Thr Gly Gln Ala Thr Ile Asp Pro
 210 215 220
 Ile Pro Ser Trp Met Arg Leu Pro Val Asp Leu Asp Tyr Ile Ser Met
 225 230 235 240
 Arg Phe Val Pro Tyr Asn Gly Pro Ala Val Leu Pro Glu Trp Leu Arg
 245 250 255
 Glu Arg Pro Thr Lys Pro Arg Val Cys Ile Thr Arg Gly Leu Thr Lys
 260 265 270
 Arg Arg Leu Ser Arg Val Thr Glu Gln Tyr Gly Glu Gln Ser Asp Gln
 275 280 285
 Glu Gln Ala Met Val Glu Arg Leu Leu Arg Gly Ala Ala Arg Leu Asp
 290 295 300
 Val Glu Val Ile Ala Thr Leu Ser Asp Asp Glu Val Arg Glu Met Gly
 305 310 315 320
 Glu Leu Pro Ser Asn Val Arg Val His Glu Tyr Val Pro Leu Asn Glu
 325 330 335
 Leu Leu Glu Ser Cys Ser Val Ile Ile His His Gly Ser Thr Thr Thr
 340 345 350
 Gln Glu Thr Ala Thr Val Asn Gly Val Pro Gln Leu Ile Leu Pro Gly
 355 360 365
 Thr Phe Trp Asp Glu Ser Arg Arg Ala Glu Leu Leu Ala Asp Arg Gly
 370 375 380
 Ala Gly Leu Val Leu Asp Pro Ala Thr Phe Thr Glu Asp Asp Val Arg
 385 390 395 400
 Gly Gln Leu Ala Arg Leu Leu Asp Glu Pro Ser Phe Ala Ala Asn Ala
 405 410 415
 Ala Leu Ile Arg Arg Glu Ile Glu Glu Ser Pro Ser Pro His Asp Ile
 420 425 430
 Val Pro Arg Leu Glu Lys Leu Val Ala Glu Arg Glu Asn Arg Arg Thr
 435 440 445

Gly Gln Ser Asp Gly His Pro
450 455

<210> 18

<211> 462

<212> PRT

<213> Saccharopolyspora spinosa

<400> 18

Met Gln Ser Arg Lys Thr Arg Ala Leu Gly Lys Gly Arg Ala Arg Val
1 5 10 15

Thr Ser Cys Asp Asp Thr Cys Ala Thr Ala Thr Glu Met Val Pro Asp
20 25 30

Ala Lys Asp Arg Ile Leu Ala Ser Val Arg Asp Tyr His Arg Glu Gln
35 40 45

Glu Ser Pro Thr Phe Val Ala Gly Ser Thr Pro Ile Arg Pro Ser Gly
50 55 60

Ala Val Leu Asp Glu Asp Asp Arg Val Ala Leu Val Glu Ala Ala Leu
65 70 75 80

Glu Leu Arg Ile Ala Ala Gly Gly Asn Ala Arg Arg Phe Glu Ser Glu
85 90 95

Phe Ala Arg Phe Phe Gly Leu Arg Lys Ala His Leu Val Asn Ser Gly
100 105 110

Ser Ser Ala Asn Leu Leu Ala Leu Ser Ser Leu Thr Ser Pro Lys Leu
115 120 125

Gly Glu Ala Arg Leu Arg Pro Gly Asp Glu Val Ile Thr Ala Ala Val
130 135 140

Gly Phe Pro Thr Thr Ile Asn Pro Ala Val Gln Asn Gly Leu Val Pro
145 150 155 160

Val Phe Val Asp Val Glu Leu Gly Thr Tyr Asn Ala Thr Pro Asp Arg
165 170 175

Ile Lys Ala Ala Val Thr Glu Arg Thr Arg Ala Ile Met Leu Ala His
180 185 190

Thr Leu Gly Asn Pro Phe Ala Ala Asp Glu Ile Ala Glu Ile Ala Lys
195 200 205

Glu His Glu Leu Phe Leu Val Glu Asp Asn Cys Asp Ala Val Gly Ser
210 215 220

Thr Tyr Arg Gly Arg Leu Thr Gly Thr Phe Gly Asp Leu Thr Thr Val
225 230 235 240

Ser Phe Tyr Pro Ala His His Ile Thr Ser Gly Glu Gly Gly Cys Val
245 250 255

Leu Thr Gly Ser Leu Glu Leu Ala Arg Ile Ile Glu Ser Leu Arg Asp
 260 265 270
 Trp Gly Arg Asp Cys Trp Cys Glu Pro Gly Val Asp Asn Thr Cys Arg
 275 280 285
 Lys Arg Phe Asp Tyr His Leu Gly Thr Leu Pro Pro Gly Tyr Asp His
 290 295 300
 Lys Tyr Thr Phe Ser His Val Gly Tyr Asn Leu Lys Thr Thr Asp Leu
 305 310 315 320
 Gln Ala Ala Leu Ala Leu Ser Gln Leu Ser Lys Ile Ser Ala Phe Gly
 325 330 335
 Ser Ala Arg Arg Arg Asn Trp Arg Arg Leu Arg Glu Gly Leu Ser Gly
 340 345 350
 Leu Pro Gly Leu Leu Leu Pro Val Ala Thr Pro His Ser Asp Pro Ser
 355 360 365
 Trp Phe Gly Phe Ala Ile Thr Ile Ser Ala Asp Ala Gly Phe Thr Arg
 370 375 380
 Ala Ala Leu Val Asn Phe Leu Glu Ser Arg Asn Ile Gly Thr Arg Leu
 385 390 395 400
 Leu Phe Gly Gly Asn Ile Thr Arg His Pro Ala Phe Glu Gln Val Arg
 405 410 415
 Tyr Arg Ile Ala Asp Ala Leu Thr Asn Ser Asp Ile Val Thr Asp Arg
 420 425 430
 Thr Phe Trp Val Gly Val Tyr Pro Gly Ile Thr Asp Gln Met Ile Asp
 435 440 445
 Tyr Val Val Glu Ser Ile Ala Glu Phe Val Ala Lys Ser Ser
 450 455 460

<210> 19

<211> 385

<212> PRT

<213> Saccharopolyspora spinosa

<400> 19

Val Ile Asn Leu His Gln Pro Ile Leu Gly Thr Glu Glu Leu Asp Ala
 1 5 10 15

Ile Ala Glu Val Phe Ala Ser Asn Trp Ile Gly Leu Gly Pro Arg Thr
 20 25 30

Arg Thr Phe Glu Ala Glu Phe Ala His His Leu Gly Val Asp Pro Glu
 35 40 45

Gln Val Val Phe Leu Asn Ser Gly Thr Ala Ala Leu Phe Leu Thr Val
 50 55 60

Gln Val Leu Asp Leu Gly Pro Gly Asp Asp Val Val Leu Pro Ser Ile
 65 70 75 80
 Ser Phe Val Ala Ala Ala Asn Ala Ile Ala Ser Ser Gly Ala Arg Pro
 85 90 95
 Val Phe Cys Asp Val Asp Pro Arg Thr Leu Asn Pro Thr Leu Asp Asp
 100 105 110
 Val Ala Arg Ala Ile Thr Pro Ala Thr Lys Ala Val Leu Leu Leu His
 115 120 125
 Tyr Gly Gly Ser Pro Gly Glu Val Thr Ala Ile Ala Asp Phe Cys Arg
 130 135 140
 Glu Lys Gly Leu Met Leu Ile Glu Asp Ser Ala Cys Ala Val Ala Ser
 145 150 155 160
 Ser Val His Gly Thr Ala Cys Gly Thr Phe Gly Asp Leu Ala Thr Trp
 165 170 175
 Ser Phe Asp Ala Met Lys Ile Leu Val Thr Gly Asp Gly Gly Met Phe
 180 185 190
 Tyr Ala Ala Asp Pro Glu Leu Ala His Arg Ala Arg Arg Leu Ala Tyr
 195 200 205
 His Gly Leu Glu Gln Met Ser Gly Phe Asp Ser Ala Lys Ser Ser Asn
 210 215 220
 Arg Trp Trp Asp Ile Arg Val Glu Asp Ile Gly Gln Arg Leu Ile Gly
 225 230 235 240
 Asn Asp Met Thr Ala Ala Leu Gly Ser Val Gln Leu Arg Lys Leu Pro
 245 250 255
 Glu Phe Ile Asn Arg Arg Arg Glu Ile Ala Thr Gln Tyr Asp Arg Leu
 260 265 270
 Leu Ser Asp Val Pro Gly Val Leu Leu Pro Pro Thr Leu Pro Asp Gly
 275 280 285
 His Val Ser Ser His Tyr Phe Tyr Trp Val Gln Leu Ala Pro Glu Ile
 290 295 300
 Arg Asp Gln Val Ala Gln Gln Met Leu Glu Arg Gly Ile Tyr Thr Ser
 305 310 315 320
 Tyr Arg Tyr Pro Pro Leu His Lys Val Pro Ile Tyr Arg Ala Asp Cys
 325 330 335
 Lys Leu Pro Ser Ala Glu Asp Ala Cys Arg Arg Thr Leu Leu Leu Pro
 340 345 350
 Leu His Pro Ser Leu Asp Asp Ala Glu Val Arg Thr Val Ala Asp Glu
 355 360 365
 Phe Gln Lys Ala Val Glu His His Ile Ser Gln Arg Ser Pro Leu Arg
 114

370
 Lys
 385

 <210> 20
 <211> 249
 <212> PRT
 <213> Saccharopolyspora spinosa

 <400> 20
 Met Ser Arg Val Ser Asp Thr Phe Ala Glu Thr Ser Ser Val Tyr Ser -
 1 5 10 15
 Pro Asp His Ala Asp Ile Tyr Asp Ala Ile His Ser Ala Arg Gly Arg
 20 25 30
 Asp Trp Ala Ala Glu Ala Gly Glu Val Val Gln Leu Val Arg Thr Arg
 35 40 45
 Leu Pro Glu Ala Gln Ser Leu Leu Asp Val Ala Cys Gly Thr Gly Ala
 50 55 60
 His Leu Glu Arg Phe Arg Ala Glu Tyr Ala Lys Val Ala Gly Leu Glu
 65 70 75 80
 Leu Ser Asp Ala Met Arg Glu Ile Ala Ile Arg Arg Val Pro Glu Val
 85 90 95
 Pro Ile His Ile Gly Asp Ile Arg Asp Phe Asp Leu Gly Glu Pro Phe
 100 105 110
 Asp Val Ile Thr Cys Leu Cys Phe Thr Ala Ala Tyr Met Arg Thr Val
 115 120 125
 Asp Asp Leu Arg Arg Val Thr Arg Asn Met Ala Arg His Leu Ala Pro
 130 135 140
 Gly Gly Val Ala Val Ile Glu Pro Trp Trp Phe Pro Asp Lys Phe Ile
 145 150 155 160
 Asp Gly Phe Val Thr Gly Ala Val Ala His His Gly Glu Arg Val Ile
 165 170 175
 Ser Arg Leu Ser His Ser Val Leu Glu Gly Arg Thr Ser Arg Met Thr
 180 185 190
 Val Arg Tyr Thr Val Ala Glu Pro Thr Gly Ile Arg Asp Phe Thr Glu
 195 200 205
 Phe Glu Ile Leu Ser Leu Phe Thr Glu Asp Glu Tyr Thr Ala Ala Leu
 210 215 220
 Glu Asp Ala Gly Ile Arg Ala Glu Tyr Leu Pro Gly Ala Pro Asn Gly
 225 230 235 240
 Arg Gly Leu Phe Val Gly Ile Arg Asn
 115

245

<210> 21
 <211> 255
 <212> PRT
 <213> Saccharopolyspora spinosa

<400> 21

```

Met Val Leu Val Pro Arg Arg Phe Arg Ala Thr Leu Glu Ser Met Ser
  1              5              10              15

Glu Gln Thr Ile Ala Leu Val Thr Gly Ala Asn Lys Gly Ile Gly Tyr
      20              25              30

Glu Ile Ala Ala Gly Leu Gly Ala Leu Gly Trp Ser Val Gly Ile Gly
      35              40              45

Ala Arg Asp His Gln Arg Gly Glu Asp Ala Val Ala Lys Leu Arg Ala
      50              55              60

Asp Gly Val Asp Ala Phe Ala Val Ser Leu Asp Val Thr Asp Asp Ala
      65              70              75              80

Ser Val Ala Ala Ala Ala Ala Leu Leu Glu Glu Arg Ala Gly Arg Leu
      85              90              95

Asp Val Leu Val Asn Asn Ala Gly Ile Ala Gly Ala Trp Pro Glu Glu
      100             105             110

Pro Ser Thr Val Thr Pro Ala Ser Leu Arg Ala Val Val Glu Thr Asn
      115             120             125

Val Ile Gly Val Val Arg Val Thr Asn Ala Met Leu Pro Leu Leu Arg
      130             135             140

Arg Ser Glu Arg Pro Arg Ile Val Asn Gln Ser Ser His Val Ala Ser
      145             150             155             160

Leu Thr Leu Gln Thr Thr Pro Gly Val Asp Leu Gly Gly Ile Ser Gly
      165             170             175

Ala Tyr Ser Pro Ser Lys Thr Phe Leu Asn Ala Ile Thr Ile Gln Tyr
      180             185             190

Ala Lys Glu Leu Ser Asp Thr Asn Ile Lys Ile Asn Asn Ala Cys Pro
      195             200             205

Gly Tyr Val Ala Thr Asp Leu Asn Gly Phe His Gly Thr Ser Thr Pro
      210             215             220

Ala Asp Gly Ala Arg Ile Ala Ile Arg Leu Ala Thr Leu Pro Asp Asp
      225             230             235             240

Gly Pro Thr Gly Gly Met Phe Asp Asp Ala Gly Asn Val Pro Trp
      245             250             255
  
```

<210> 22
 <211> 278
 <212> PRT
 <213> Saccharopolyspora spinosa

<400> 22
 Met Glu Thr Arg Glu Leu Arg Tyr Phe Val Ala Val Ala Glu Glu Leu
 1 5 10 15
 His Phe Gly Arg Ala Ala Gln Arg Leu Gly Ile Ala Gln Pro Pro Leu
 20 25 30
 Ser Arg Thr Ile Ala Gln Leu Glu Gln Arg Leu Gly Val Val Leu Leu
 35 40 45
 Gln Arg Thr Ser Arg Lys Val Ser Leu Thr Glu Ala Gly Ala Met Leu
 50 55 60
 Leu Thr Glu Gly Arg Ala Ile Leu Gly Ala Leu Ala Ala Ala Glu Arg
 65 70 75 80
 Arg Thr Gln Arg Ala Ala Thr Ser Gln Pro Ser Leu Val Leu Ala Ala
 85 90 95
 Lys Ala Gly Ala Ser Gly Glu Leu Leu Ala Lys Leu Leu Asp Ala Tyr
 100 105 110
 Ala Ala Glu Pro Gly Ala Val Ala Val Asp Leu Leu Leu Cys Glu Ser
 115 120 125
 Gln Pro Gln Lys Thr Leu His Asp Gly Arg Ala Asp Val Ala Leu Leu
 130 135 140
 His Gln Pro Phe Asp Pro Thr Ala Glu Leu Asp Ile Glu Ile Leu Asn
 145 150 155 160
 Thr Glu Gln Gln Val Ala Ile Leu Pro Thr Ser His Pro Leu Ala Ser
 165 170 175
 Glu Pro His Val Arg Met Ala Asp Val Ser Ser Leu Pro Asp Leu Pro
 180 185 190
 Leu Ala Arg Trp Pro Gly Pro Asp Gly Val Tyr Pro Asp Gly Pro Gly
 195 200 205
 Val Glu Val Arg Asn Gln Thr Gln Leu Phe Gln Met Ile Ala Leu Gly
 210 215 220
 Arg Thr Thr Val Val Met Pro Glu Ser Ser Arg Val Asn Leu Leu Glu
 225 230 235 240
 Gly Leu Ala Ala Val Pro Val Leu Asp Ala Pro Asp Val Thr Thr Val
 245 250 255
 Ile Ala Trp Pro Pro His Ser Arg Ser Arg Ala Leu Ala Gly Leu Val
 260 265 270
 Arg Val Ala Thr Leu Leu

275

<210> 23
 <211> 198
 <212> PRT
 <213> Saccharopolyspora spinosa

<400> 23
 Met Met Leu Lys Arg His Arg Leu Thr Thr Ala Ile Thr Gly Leu Leu
 1 5 10 15
 Gly Gly Val Leu Leu Val Ser Gly Cys Gly Thr Ala Ala Ala Leu Gln
 20 25 30
 Ser Ser Pro Ala Pro Gly His Asp Ala Arg Asn Val Gly Met Ala Ser
 35 40 45
 Gly Gly Gly Gly Gly Asp Ile Gly Thr Ser Asn Cys Ser Glu Ala Asp
 50 55 60
 Phe Leu Ala Thr Ala Thr Pro Val Lys Gly Asp Pro Gly Ser Phe Ile
 65 70 75 80
 Val Ala Tyr Gly Asn Arg Ser Asp Lys Thr Cys Thr Ile Asn Gly Gly
 85 90 95
 Val Pro Asn Leu Lys Gly Val Asp Met Ser Asn Ser Pro Ile Glu Asp
 100 105 110
 Leu Pro Val Glu Asp Val Arg Leu Pro Asp Ala Pro Lys Glu Phe Thr
 115 120 125
 Leu Gln Pro Gly Gln Ser Ala Tyr Ala Gly Ile Gly Met Val Leu Ala
 130 135 140
 Asp Ser Gly Asp Pro Asn Ala His Val Leu Thr Gly Phe Gln Ser Ser
 145 150 155 160
 Leu Pro Asp Met Ser Glu Ala Gln Pro Val Asn Val Leu Gly Asp Gly
 165 170 175
 Asn Val Lys Phe Ala Ala Lys Tyr Leu Arg Val Ser Ser Leu Val Ser
 180 185 190
 Thr Ala Asp Glu Leu Arg
 195

<210> 24
 <211> 751
 <212> PRT
 <213> Saccharopolyspora spinosa

<400> 24
 Val Leu Ser Val Glu Lys Gly Arg Glu Ser Ala Thr Trp Thr Ala Val
 1 5 10 15

BNSDOCID: <WO 9946387A1 | >

	325		330		335
Arg Arg Ala Thr Gly Ala Glu Leu Ala Glu Ala Gln Glu Arg Ala Val	340		345		350
Lys Leu Ala Leu Thr Glu Lys Val Ala Val Leu Thr Gly Gly Pro Gly	355		360		365
Cys Gly Lys Ser Phe Thr Val Arg Ser Ile Ile Ala Leu Ala Gln Ala	370		375		380
Lys Lys Ala Lys Val Ile Leu Ala Ala Pro Thr Gly Arg Ala Ala Lys	385		390		395
Arg Leu Thr Glu Leu Thr Gly His Asp Ala Ala Thr Val His Arg Leu	405		410		415
Leu Gln Leu Gln Pro Gly Gly Asp Ala Ala Tyr Asp Arg Asp Asn Pro	420		425		430
Leu Asp Ala Asp Leu Val Val Val Asp Glu Ala Ser Met Leu Asp Leu	435		440		445
Leu Leu Ala Asn Lys Leu Ala Lys Ala Ile Ala Pro Gly Ala His Leu	450		455		460
Leu Leu Val Gly Asp Val Asp Gln Leu Pro Ser Val Gly Ala Gly Glu	465		470		475
Val Leu Arg Asp Leu Leu Ala Pro Gly Thr Pro Ile Pro His Val Arg	485		490		495
Leu Asn Glu Val Phe Arg Gln Ala Ala Glu Ser Gly Val Val Thr Asn	500		505		510
Ala His Arg Ile Asn Ala Gly Asp Tyr Pro Leu Thr His Gly Leu Thr	515		520		525
Asp Phe Phe Leu Phe His Val Glu Glu Ser Glu Pro Thr Ala Glu Leu	530		535		540
Thr Val Asp Val Val Ala Arg Arg Ile Pro Arg Lys Phe Arg Phe Asn	545		550		555
Pro Arg Thr Asp Val Gln Val Leu Ala Pro Met His Arg Gly Pro Ala	565		570		575
Gly Ala Gly Ala Leu Asn Gln Leu Leu Gln Glu Ala Ile Thr Pro Ala	580		585		590
Arg Glu Gly Leu Pro Glu Arg Arg Phe Gly Gly Arg Ile Phe Arg Val	595		600		605
Gly Asp Lys Val Thr Gln Ile Arg Asn Asn Tyr Asp Lys Gly Ala Asn	610		615		620
Gly Val Phe Asn Gly Thr Gln Gly Val Val Ser Ala Leu Asp Asn Glu	625		630		635
					640

Ala Gln Thr Met Thr Val Arg Thr Asp Glu Asp Glu Asp Ile Asp Tyr
645 650 655

Asp Phe Thr Glu Leu Asp Glu Leu Val His Ala Tyr Ala Val Thr Ile
660 665 670

His Arg Ser Gln Gly Ser Glu Tyr Pro Cys Val Val Ile Pro Leu Thr
675 680 685

Thr Ser Ala Trp Met Met Leu Gln Arg Asn Leu Leu Tyr Thr Ala Val
690 695 700

Thr Arg Ala Lys Lys Val Val Val Leu Val Gly Ser Lys Lys Ala Leu
705 710 715 720

Gly Gln Ala Val Arg Thr Val Gly Ser Gly Arg Arg His Thr Ala Leu
725 730 735

Asp His Arg Leu Arg Arg Gly Gly Thr Gly Ser Arg Pro Ala Ala
740 745 750

<210> 25
<211> 2310
<212> DNA
<213> Saccharopolyspora spinosa

<220>
<221> CDS
<222> (88)..(1077)

<220>
<221> CDS
<222> (1165)..(1992)

<400> 25
ggatcctgct tcgtagctcg gtgtgtcatg ccagactgcg cagcgggacc tgcagcgggc 60

cgcgaaatcc cggcgaggaa gggcgcg atg cgg att ctg gtc acc ggc gga gcc 114
Met Arg Ile Leu Val Thr Gly Gly Ala
1 5

ggt ttc atc ggc tcg cac tac gtt cgg cag ttg ctc ggt ggt gcg tac 162
Gly Phe Ile Gly Ser His Tyr Val Arg Gln Leu Leu Gly Gly Ala Tyr
10 15 20 25

ccc gca ttc gcc gac gcc gac gtg gtc-gtg-ctc-gac aag ctc acc tac 210
Pro Ala Phe Ala Asp Ala Asp Val Val Val Leu Asp Lys Leu Thr Tyr
30 35 40

gcc ggc aac gag gcg aac ctg gcg ccg gtc gcg gac aac ccc cgg ctg 258
Ala Gly Asn Glu Ala Asn Leu Ala Pro Val Ala Asp Asn Pro Arg Leu
45 50 55

aag ttc gtc tgc ggc gac atc tgc gac cgc gaa ctg gtt ggc ggc ctg 306
Lys Phe Val Cys Gly Asp Ile Cys Asp Arg Glu Leu Val Gly Gly Leu
60 65 70

atg tcc ggc gtg gac gtg gtg gtg cac ttc gcc gcc gaa acc cac gtc	354
Met Ser Gly Val Asp Val Val Val His Phe Ala Ala Glu Thr His Val	
75 80 85	
gac cgc tcg atc acc ggc tcg gac gcc ttc gtg atc acc aac gtg gtc	402
Asp Arg Ser Ile Thr Gly Ser Asp Ala Phe Val Ile Thr Asn Val Val	
90 95 100 105	
ggc acc aac gtg ctg ctg cag gcc gcg ctc gac gcc gag atc ggc aag	450
Gly Thr Asn Val Leu Leu Gln Ala Ala Leu Asp Ala Glu Ile Gly Lys	
110 115 120	
ttc gtg cac gtt tcc acc gac gag gtc tac ggc tcc atc gag gac ggc	498
Phe Val His Val Ser Thr Asp Glu Val Tyr Gly Ser Ile Glu Asp Gly	
125 130 135	
tcg tgg ccc gaa gac cac gcg ctg gag ccg aat tcc ccg tac tcg gcg	546
Ser Trp Pro Glu Asp His Ala Leu Glu Pro Asn Ser Pro Tyr Ser Ala	
140 145 150	
gcg aaa gcg ggc tcg gac ctg ctg gcc cgc gcc tac cac cgc acc cac	594
Ala Lys Ala Gly Ser Asp Leu Leu Ala Arg Ala Tyr His Arg Thr His	
155 160 165	
gga ctg ccg gtg tgc atc acc cgc tgc tcc aac aac tac ggg ccc tac	642
Gly Leu Pro Val Cys Ile Thr Arg Cys Ser Asn Asn Tyr Gly Pro Tyr	
170 175 180 185	
cag ttc ccg gag aag gtg ctg ccg ctg ttc atc acg aac ctg atg gac	690
Gln Phe Pro Glu Lys Val Leu Pro Leu Phe Ile Thr Asn Leu Met Asp	
190 195 200	
ggc agc cag gtg ccg ctc tac ggc gac ggg ctc aac gtg cgg gac tgg	738
Gly Ser Gln Val Pro Leu Tyr Gly Asp Gly Leu Asn Val Arg Asp Trp	
205 210 215	
ctg cac gtc agc gac cac tgc cgg ggc atc cag ctg gtg gcc gac tcc	786
Leu His Val Ser Asp His Cys Arg Gly Ile Gln Leu Val Ala Asp Ser	
220 225 230	
ggg cgc gcg ggc gag atc tac aac atc ggc gcc gcc acc gag ctg acc	834
Gly Arg Ala Gly Glu Ile Tyr Asn Ile Gly Gly Gly Thr Glu Leu Thr	
235 240 245	
aac aac gag ctg acc gag cgg ctg ctg gca gag ctg gcc ctc gac tgg	882
Asn Asn Glu Leu Thr Glu Arg Leu Leu Ala Glu Leu Gly Leu Asp Trp	
250 255 260 265	
tcg gtg gtg cgg ccg gtc acc gac cgc aag ggc cac gac cgc cgc tac	930
Ser Val Val Arg Pro Val Thr Asp Arg Lys Gly His Asp Arg Arg Tyr	
270 275 280	
tcg gtg gac cac agc aag atc gtc gag gaa ctg ggg tac gcg ccg cag	978
Ser Val Asp His Ser Lys Ile Val Glu Leu Gly Tyr Ala Pro Gln	
285 290 295	
gtc gac ttc gag acc ggg ctg cgc gag aca atc cgc tgg tac cag gac	1026
122	

Val Asp Phe Glu Thr Gly Leu Arg Glu Thr Ile Arg Trp Tyr Gln Asp
 300 305 310

aac cgg gac tgg tgg gag cgg ctg aag gcc cga tcg gcg gtg gct cga 1074
 Asn Arg Asp Trp Trp Glu Pro Leu Lys Ala Arg Ser Ala Val Ala Arg
 315 320 325

tga gtcgcctcgc cgtgctggtt gcccggcggc cgcggccagc tgggctcgga 1127
 330

gctggcccgg atcctcgccg cgcggacggg ggcgctg gtg cac cgg ccg ggt tcc 1182
 Val His Arg Pro Gly Ser
 335

ggg gaa ctg gac gtc acc gac gcc gag gag gtc gcc gac gcg ttg ggt 1230
 Gly Glu Leu Asp Val Thr Asp Ala Glu Glu Val Ala Asp Ala Leu Gly
 340 345 350

tcc ttc gcg gag acg gcg aag gac gcg gag ctg cga ccg gtg gtg atc 1278
 Ser Phe Ala Glu Thr Ala Lys Asp Ala Glu Leu Arg Pro Val Val Ile
 355 360 365

aac gcc gcg gcg tac acg gcg gtg gac gcg gcc gag tcc gac ccg gac 1326
 Asn Ala Ala Ala Tyr Thr Ala Val Asp Ala Ala Glu Ser Asp Pro Asp
 370 375 380

cgc gcg gcc cgg atc aac gcc gaa ggc gcg gcc tcg ctg gcg aaa gcg 1374
 Arg Ala Ala Arg Ile Asn Ala Glu Gly Ala Ala Ser Leu Ala Lys Ala
 385 390 395 400

tgc cgg agc agc ggt ctg ccc ctg gtg cac gtg tcg acg gat tac gtg 1422
 Cys Arg Ser Ser Gly Leu Pro Leu Val His Val Ser Thr Asp Tyr Val
 405 410 415

ttc ccc cgt gat ggg gcc cgg ccg tac gag ccg acg gac ccg acc ggg 1470
 Phe Pro Arg Asp Gly Ala Arg Pro Tyr Glu Pro Thr Asp Pro Thr Gly
 420 425 430

ccg cga tcg gtc tac ggg cgc acc aag ctc gaa ggc gaa cgg gcc gtg 1518
 Pro Arg Ser Val Tyr Gly Arg Thr Lys Leu Glu Gly Glu Arg Ala Val
 435 440 445

ctg gag tcc ggc gcg cgg gcc tgg gtg gtg cgc acg gca tgg gtg tac 1566
 Leu Glu Ser Gly Ala Arg Ala Trp Val Val Arg Thr Ala Trp Val Tyr
 450 455 460

ggc gcg agc ggc aag aac ttc ctg aaa acg atg atc cgc ctc tcg ggg 1614
 Gly Ala Ser Gly Lys Asn Phe Leu Lys Thr Met Ile Arg Leu Ser Gly
 465 470 475 480

gag cgc gac acg ctg tcc gtt gtg gac aat cag atc ggc tcg ccg act 1662
 Glu Arg Asp Thr Leu Ser Val Val Asp Asn Gln Ile Gly Ser Pro Thr
 485 490 495

tgg gcg gcg gac ctg gcg agc ggc ctg ctg gag ctg gcc gaa cgg gtc 1710
 Trp Ala Ala Asp Leu Ala Ser Gly Leu Leu Glu Leu Ala Glu Arg Val
 500 505 510

gcc gaa cgc cgt gga ccg gag cag aag gtg ctg cac tgc acc aat tcc 1758
 Ala Glu Arg Arg Gly Pro Glu Gln Lys Val Leu His Cys Thr Asn Ser
 515 520 525

ggc cag gtg acc tgg tac gag ttc gcg cgg gcg atc ttc gcg gaa ttc 1806
 Gly Gln Val Thr Trp Tyr Glu Phe Ala Arg Ala Ile Phe Ala Glu Phe
 530 535 540

ggc ctg gac gag aac cgc gtc cac ccg tgc acg acg gcg gac ttc ccc 1854
 Gly Leu Asp Glu Asn Arg Val His Pro Cys Thr Thr Ala Asp Phe Pro
 545 550 555 560

ctc ccg gcg cac cgc ccg gcc tac tcg gtc ctg tcc gac gtg gcg tgg 1902
 Leu Pro Ala His Arg Pro Ala Tyr Ser Val Leu Ser Asp Val Ala Trp
 565 570 575

cga gag gcg ggc ctg acc ccg atg cgc acc tgg cgg gaa gcc ctg gcg 1950
 Arg Glu Ala Gly Leu Thr Pro Met Arg Thr Trp Arg Glu Ala Leu Ala
 580 585 590

gcg gcc ttc gag aaa gac ggc gaa acc ctc cga acc cgc tga 1992
 Ala Ala Phe Glu Lys Asp Gly Glu Thr Leu Arg Thr Arg
 595 600 605

ccagtcaccc ggagggcgcg agtagccccc gcagggccgt ttcgacgcga tatcggctgg 2052
 cgcggtgcgc acaatgggtg tcgccggggc gaggaaggaa ggccaggtgc cccggggggca 2112
 tgactgggag cctggcctga tgcctgtccg gggcgttcag cctgcggcga ggcggtatgc 2172
 gttcaggggt gcttcggcgc aggttcgcca ggtgaaggct ttagcttggg cacggccctt 2232
 ttccgcgtct gggggactgg tcagggcttg gtgcagggtc tcgttgaggg ccgtcgggtc 2292
 gccgtggggg aagcggat 2310

<210> 26

<211> 329

<212> PRT

<213> Saccharopolyspora spinosa

<400> 26

Met Arg Ile Leu Val Thr Gly Gly Ala Gly Phe Ile Gly Ser His Tyr
1 5 10 15

Val Arg Gln Leu Leu Gly Gly Ala Tyr Pro Ala Phe Ala Asp Ala Asp
20 25 30

Val Val Val Leu Asp Lys Leu Thr Tyr Ala Gly Asn Glu Ala Asn Leu
35 40 45

Ala Pro Val Ala Asp Asn Pro Arg Leu Lys Phe Val Cys Gly Asp Ile
50 55 60

Cys Asp Arg Glu Leu Val Gly Gly Leu Met Ser Gly Val Asp Val Val
65 70 75 80

Val His Phe Ala Ala Glu Thr His Val Asp Arg Ser Ile Thr Gly Ser
 85 90 95
 Asp Ala Phe Val Ile Thr Asn Val Val Gly Thr Asn Val Leu Leu Gln
 100 105 110
 Ala Ala Leu Asp Ala Glu Ile Gly Lys Phe Val His Val Ser Thr Asp
 115 120 125
 Glu Val Tyr Gly Ser Ile Glu Asp Gly Ser Trp Pro Glu Asp His Ala
 130 135 140
 Leu Glu Pro Asn Ser Pro Tyr Ser Ala Ala Lys Ala Gly Ser Asp Leu
 145 150 155 160
 Leu Ala Arg Ala Tyr His Arg Thr His Gly Leu Pro Val Cys Ile Thr
 165 170 175
 Arg Cys Ser Asn Asn Tyr Gly Pro Tyr Gln Phe Pro Glu Lys Val Leu
 180 185 190
 Pro Leu Phe Ile Thr Asn Leu Met Asp Gly Ser Gln Val Pro Leu Tyr
 195 200 205
 Gly Asp Gly Leu Asn Val Arg Asp Trp Leu His Val Ser Asp His Cys
 210 215 220
 Arg Gly Ile Gln Leu Val Ala Asp Ser Gly Arg Ala Gly Glu Ile Tyr
 225 230 235 240
 Asn Ile Gly Gly Gly Thr Glu Leu Thr Asn Asn Glu Leu Thr Glu Arg
 245 250 255
 Leu Leu Ala Glu Leu Gly Leu Asp Trp Ser Val Val Arg Pro Val Thr
 260 265 270
 Asp Arg Lys Gly His Asp Arg Arg Tyr Ser Val Asp His Ser Lys Ile
 275 280 285
 Val Glu Glu Leu Gly Tyr Ala Pro Gln Val Asp Phe Glu Thr Gly Leu
 290 295 300
 Arg Glu Thr Ile Arg Trp Tyr Gln Asp Asn Arg Asp Trp Trp Glu Pro
 305 310 315 320
 Leu Lys Ala Arg Ser Ala Val Ala Arg
 325

<210> 27

<211> 275

<212> PRT

<213> Saccharopolyspora spinosa

<400> 27

Val His Arg Pro Gly Ser Gly Glu Leu Asp Val Thr Asp Ala Glu Glu
 1 5 10 15

125

Val Ala Asp Ala Leu Gly Ser Phe Ala Glu Thr Ala Lys Asp Ala Glu
 20 25 30
 Leu Arg Pro Val Val Ile Asn Ala Ala Ala Tyr Thr Ala Val Asp Ala
 35 40 45
 Ala Glu Ser Asp Pro Asp Arg Ala Ala Arg Ile Asn Ala Glu Gly Ala
 50 55 60
 Ala Ser Leu Ala Lys Ala Cys Arg Ser Ser Gly Leu Pro Leu Val His
 65 70 75 80
 Val Ser Thr Asp Tyr Val Phe Pro Arg Asp Gly Ala Arg Pro Tyr Glu
 85 90 95
 Pro Thr Asp Pro Thr Gly Pro Arg Ser Val Tyr Gly Arg Thr Lys Leu
 100 105 110
 Glu Gly Glu Arg Ala Val Leu Glu Ser Gly Ala Arg Ala Trp Val Val
 115 120 125
 Arg Thr Ala Trp Val Tyr Gly Ala Ser Gly Lys Asn Phe Leu Lys Thr
 130 135 140
 Met Ile Arg Leu Ser Gly Glu Arg Asp Thr Leu Ser Val Val Asp Asn
 145 150 155 160
 Gln Ile Gly Ser Pro Thr Trp Ala Ala Asp Leu Ala Ser Gly Leu Leu
 165 170 175
 Glu Leu Ala Glu Arg Val Ala Glu Arg Arg Gly Pro Glu Gln Lys Val
 180 185 190
 Leu His Cys Thr Asn Ser Gly Gln Val Thr Trp Tyr Glu Phe Ala Arg
 195 200 205
 Ala Ile Phe Ala Glu Phe Gly Leu Asp Glu Asn Arg Val His Pro Cys
 210 215 220
 Thr Thr Ala Asp Phe Pro Leu Pro Ala His Arg Pro Ala Tyr Ser Val
 225 230 235 240
 Leu Ser Asp Val Ala Trp Arg Glu Ala Gly Leu Thr Pro Met Arg Thr
 245 250 255
 Trp Arg Glu Ala Leu Ala Ala Ala Phe Glu Lys Asp Gly Glu Thr Leu
 260 265 270
 Arg Thr Arg
 275

<210> 28

<211> 1272

<212> DNA

<213> Saccharopolyspora spinosa

<220>

<221> CDS

<222> (334) .. (1119)

<400> 28

```

aaggccaccg gcaaggctcgt gcagggcatc tcgcaggacg tcgcgaagaa gatctccaag 60
aagatccgcg acgagggccc gaagggcggt caggcccaga tccagggcga gcagctgcgg 120
gtgtccggca agaagaagga cgacctgcag gccgtgatcc agttgctgaa gtcgagcgac 180
ttcgacgtcg cgctccagtt cgagaatttc cggtaatcca ccgctggagg tatccgggtg 240
aaggggatcg tgctggcggg tggcaacggg acccggctgc atccgctgac gcaggccgtg 300
tccaaacagc tacttccggt gtacgacaag ccg atg atc tac tac_ccg ctg tcg 354
                               Met Ile Tyr Tyr Pro Leu Ser
                               1           5

gtg ctg atg ctg gcc ggc atc cgg gac gtg ctg ctg atc tcg acc ccg 402
Val Leu Met Leu Ala Gly Ile Arg Asp Val Leu Leu Ile Ser Thr Pro
      10                15                20

gcc gac atg ccg ttg ttc cag cgg ctg ctc ggg aac ggg tcg cag ttc 450
Ala Asp Met Pro Leu Phe Gln Arg Leu Leu Gly Asn Gly Ser Gln Phe
      25                30                35

ggc att cgg atc gag tac gcc gag cag tcc cag ccc aac ggg cta gcc 498
Gly Ile Arg Ile Glu Tyr Ala Glu Gln Ser Gln Pro Asn Gly Leu Ala
      40                45                50                55

gag gcg ttc gtg atc ggt gcc gac ttc gtc ggc gac gac tcg gtg gcg 546
Glu Ala Phe Val Ile Gly Ala Asp Phe Val Gly Asp Asp Ser Val Ala
      60                65                70

ttg gtg ctc ggc gac aac atc ttt tac ggg cag ggc ttt tcc ggg atc 594
Leu Val Leu Gly Asp Asn Ile Phe Tyr Gly Gln Gly Phe Ser Gly Ile
      75                80                85

ctc cag cag tgc gtc cgg gag ctc gac ggc tgc acg ctg ttc ggc tac 642
Leu Gln Gln Cys Val Arg Glu Leu Asp Gly Cys Thr Leu Phe Gly Tyr
      90                95                100

ccg gtc cgc gac ccg cag cgc tac ggc gtc ggt gag gtg gac gac gac 690
Pro Val Arg Asp Pro Gln Arg Tyr Gly Val Gly Glu Val Asp Asp Asp
      105                110                115

ggt cgg ctg ttg tcc atc gtg gag aag ccg gag cgg ccg aag tcc aac 738
Gly Arg Leu Leu Ser Ile Val Glu Lys Pro Glu Arg Pro Lys Ser Asn
      120                125                130                135

atg gcc atc acc ggc ctg tac ttc tac gac aac gac gtg gtg cgc atc 786
Met Ala Ile Thr Gly Leu Tyr Phe Tyr Asp Asn Asp Val Val Arg Ile
      140                145                150

gcc aag ggg ctc acg ccg tcg gcc cgc ggc gag ctg gag atc acc gac 834
Ala Lys Gly Leu Thr Pro Ser Ala Arg Gly Glu Leu Glu Ile Thr Asp
      155                160                165

```


gtc aac ctg gcc tac ctg cag gag ggc cgg gcg cac ctg acc aag ctc 882
 Val Asn Leu Ala Tyr Leu Gln Glu Gly Arg Ala His Leu Thr Lys Leu
 170 175 180

ggc cgc ggg ttc gcc tgg ctg gac acc ggg acc cac gac tcg cta gtg 930
 Gly Arg Gly Phe Ala Trp Leu Asp Thr Gly Thr His Asp Ser Leu Val
 185 190 195

gag gcc tcg cag ttc gtg cag gtg ctg gag cac cgg cag ggc gtg cgg 978
 Glu Ala Ser Gln Phe Val Gln Val Leu Glu His Arg Gln Gly Val Arg
 200 205 210 215

atc gcc tgc ctg gag gag atc ncc ctg cgc atg ggc tac atc tcg gcc 1026
 Ile Ala Cys Leu Glu Glu Ile Xaa Leu Arg Met Gly Tyr Ile Ser Ala
 220 225 230

gac gac tgt ttc gcg ctg ggc gtg aag ctg gcc aag tcg ggc tac agc 1074
 Asp Asp Cys Phe Ala Leu Gly Val Lys Leu Ala Lys Ser Gly Tyr Ser
 235 240 245

gag tac gtc atg gac gtc gcc cgc aac tcc ggc gcg cgg ggc tga 1119
 Glu Tyr Val Met Asp Val Ala Arg Asn Ser Gly Ala Arg Gly
 250 255 260

cccgagctcg tccgatttcc attgaaatcg cggaccgtcg gcgtgtcgta gtccggtgcg 1179

ccgatattcc gggcggcgtc accaggccgg gggtagtgtg tggccggcca tgccctccag 1239

gcggcgaaat gcggtcggcc atcggcgggt tgc 1272

<210> 29

<211> 261

<212> PRT

<213> *Saccharopolyspora spinosa*

<400> 29

Met Ile Tyr Tyr Pro Leu Ser Val Leu Met Leu Ala Gly Ile Arg Asp
 1 5 10 15

Val Leu Leu Ile Ser Thr Pro Ala Asp Met Pro Leu Phe Gln Arg Leu
 20 25 30

Leu Gly Asn Gly Ser Gln Phe Gly Ile Arg Ile Glu Tyr Ala Glu Gln
 35 40 45

Ser Gln Pro Asn Gly Leu Ala Glu Ala Phe Val Ile Gly Ala Asp Phe
 50 55 60

Val Gly Asp Asp Ser Val Ala Leu Val Leu Gly Asp Asn Ile Phe Tyr
 65 70 75 80

Gly Gln Gly Phe Ser Gly Ile Leu Gln Gln Cys Val Arg Glu Leu Asp
 85 90 95

Gly Cys Thr Leu Phe Gly Tyr Pro Val Arg Asp Pro Gln Arg Tyr Gly
 100 105 110

128

Val Gly Glu Val Asp Asp Asp Gly Arg Leu Leu Ser Ile Val Glu Lys
 115 120 125
 Pro Glu Arg Pro Lys Ser Asn Met Ala Ile Thr Gly Leu Tyr Phe Tyr
 130 135 140
 Asp Asn Asp Val Val Arg Ile Ala Lys Gly Leu Thr Pro Ser Ala Arg
 145 150 155 160
 Gly Glu Leu Glu Ile Thr Asp Val Asn Leu Ala Tyr Leu Gln Glu Gly
 165 170 175
 Arg Ala His Leu Thr Lys Leu Gly Arg Gly Phe Ala Trp Leu Asp Thr
 180 185 190
 Gly Thr His Asp Ser Leu Val Glu Ala Ser Gln Phe Val Gln Val Leu
 195 200 205
 Glu His Arg Gln Gly Val Arg Ile Ala Cys Leu Glu Glu Ile Xaa Leu
 210 215 220
 Arg Met Gly Tyr Ile Ser Ala Asp Asp Cys Phe Ala Leu Gly Val Lys
 225 230 235 240
 Leu Ala Lys Ser Gly Tyr Ser Glu Tyr Val Met Asp Val Ala Arg Asn
 245 250 255
 Ser Gly Ala Arg Gly
 260

<210> 30

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer

<220>

<221> unsure

<222> (1)

<223> n is a, t, c, or g

<220>

<221> unsure

<222> (10)

<223> n is a, t, c, or g

<400> 30

ngsgtsggsn sscaccttc cgg

23

<210> 31

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer

<220>

<221> unsure

<222> (6)

<223> n is a, t, c, or g

<220>

<221> unsure

<222> (18)

<223> n is a, t, c, or g

<400> 31

catsangtcg tcytcsansg csacgaacgc gtg

33

<210> 32

<211> 1165

<212> DNA

<213> Artificial Sequence

<220>

<221> CDS

<222> (226)..(834)

<220>

<223> Description of Artificial Sequence:pDAB1622

<400> 32

gggatcaaca acaacttcac cagcagggttc aacaatttgt caatcccact tggcagtagc 60

cgcgtccttt ttggatcggg attgcggcag tacgtgcacc cggtttcagt gcccatttc 120

gcagtagcta cgccggtttt gaatatggcg atcaatggct cgcattgacc atatcaactc 180

cgccccaccg aaccgcattc caaccaacgt cataggcttt cggcc gtg cag gta cgt 237
Val Gln Val Arg
1

cga ctt gac atc acg ggt gca tac gag ttc acc ccg aag gcc ttc ccc 285
Arg Leu Asp Ile Thr Gly Ala Tyr Glu Phe Thr Pro Lys Ala Phe Pro
5 10 15 20

gac cac cgg ggc ctg ttc gtg gcc ccg ttc cag gag gcg gcg ttc atc 333
Asp His Arg Gly Leu Phe Val Ala Pro Phe Gln Glu Ala Ala Phe Ile
25 30 35

gac gcc acg ggg cac ccg ctg cga gtc gcg cag acc aac cac agc gtc 381
Asp Ala Thr Gly His Pro Leu Arg Val Ala Gln Thr Asn His Ser Val
40 45 50

tcg gcg cgc aac gtc atc cgc ggc gtg cac ttc tcg gac gtg ccg ccg 429
Ser Ala Arg Asn Val Ile Arg Gly Val His Phe Ser Asp Val Pro Pro
55 60 65

ggc caa gcg aag tac gtg tac tgc ccg cag ggc gcg ctg ctc gac gtg 477
Gly Gln Ala Lys Tyr Val Tyr Cys Pro Gln Gly Ala Leu Leu Asp Val
70 75 80

gtc atc gac atc cgg gtc ggt tcc ccg acc ttc ggc cgc tgg gag gcg 525
Val Ile Asp Ile Arg Val Gly Ser Pro Thr Phe Gly Arg Trp Glu Ala
85 90 95 100

gtc cgg ctc gac gac acc gag tac cgg gcc gtc tac cta gcc gaa gga 573
Val Arg Leu Asp Asp Thr Glu Tyr Arg Ala Val Tyr Leu Ala Glu Gly
105 110 115

ctc ggg cac gcg ttc gcc gcg ctg acc gac gac acc gtg atg acc tac 621
Leu Gly His Ala Phe Ala Ala Leu Thr Asp Asp Thr Val Met Thr Tyr
120 125 130

ctc tgc tcg acg ccc tac acc ccg ggc gcc gag cac ggc atc gac ccg 669
Leu Cys Ser Thr Pro Tyr Thr Pro Gly Ala Glu His Gly Ile Asp Pro
135 140 145

ttc gac ccg gaa ctc gcg ttg ccg tgg tcc gac ctc gac ggt gaa ccg 717
Phe Asp Pro Glu Leu Ala Leu Pro Trp Ser Asp Leu Asp Gly Glu Pro
150 155 160

gtc ctg tcc gaa aag gac cgg acc gcc ccg agc ctc gcg gaa gcc gcc 765
Val Leu Ser Glu Lys Asp Arg Thr Ala Pro Ser Leu Ala Glu Ala Ala
165 170 175 180

gac aac ggc ctg ctt ccg gac tac gaa aca tgc ctc gcc cac tac gaa 813
Asp Asn Gly Leu Leu Pro Asp Tyr Glu Thr Cys Leu Ala His Tyr Glu
185 190 195

ggc ctg cgc agc ccc ggc tga acggtcaccg caagcggccc ggcttcggcc 864
Gly Leu Arg Ser Pro Gly
200

agaggcgcca ccgataatg ccgagcacct cggccgggcc gagctcccgc gagtccgtcg 924

```
<210> 33
<211> 202
<212> PRT
<213> Artificial Sequence
```

<210> 34

<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:primer

<400> 34
cccgaattcg agctgctgtc aatcaact

28

<210> 35
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:primer

<400> 35
gggaagcttg ttgaccgtgg cggtttcct

29

<210> 36
<211> 42
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:mutagenic
primer

<400> 36
ctgggttcatt cggccgcctc accggtgggg atggccgcga tc

42

<210> 37
<211> 42
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:mutagenic
primer

<400> 37
gatcgcgggc atccccaccg gtgaggcggc cgaatgaacc ag

42

<210> 38
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:flanking primer

<400> 38

gctgctcgaa atcgacgtc

20

<210> 39

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:flanking primer

<400> 39

gcatcgctgg gcagtgagg

19

INTERNATIONAL SEARCH REPORT

In .ational Application No

PCT/US 99/03212

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C12N15/52 C12N15/70 C12N1/21 C12P19/62 C12Q1/68
C07K14/195

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C07K C12N C12P C12Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	MATSUSHIMA P. ET AL.: "Conjugal transfer of cosmid DNA from Escherichia coli to Saccharopolyspora spinosa: effects of chromosomal insertions on macrolide A83543 production" GENE, vol. 146, 1994, pages 39-45, XP002106258 cited in the application see esp. p.43 part e.	1,3,5,7, 9,11,13, 15,16
A	BALTZ R H ET AL: "Molecular genetic methods for improving secondary-metabolite production in actinomycetes" TRENDS IN BIOTECHNOLOGY, vol. 14, no. 7, 1 July 1996, page 245-250 XP004035763 see esp. p.246 l.par - p.247 l.par; figure 1	1-30

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

17 June 1999

Date of mailing of the international search report

30/06/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Kania, T

INTERNATIONAL SEARCH REPORT

Ir. ational Application No

PCT/US 99/03212

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 93 13663 A (ABBOTT LAB) 22 July 1993 see the whole document ---	1-30
A	US 5 631 155 A (HUBER MARY L B ET AL) 20 May 1997 see the whole document -----	17-30

INTERNATIONAL SEARCH REPORT

Information on patent family members

In ternational Application No

PCT/US 99/03212

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9313663 A	22-07-1993	CA 2100791 A	18-07-1993
		AU 665526 B	11-01-1996
		AU 1245092 A	03-08-1993
		EP 0626806 A	07-12-1994
US 5631155 A	20-05-1997	US 5591606 A	07-01-1997
		US 5767253 A	16-06-1997